

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 14/61**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1301	7.67	60.86	11.88	0.5545
2	1302	7.71	59.5	13.21	0.606
3	1303	7.48	62.69	12.22	0.573
4	1304	9.17	64.12	13.07	0.7684
5	1305	4.68	59.09	12.52	0.3463
6	1306	9.11	60.64	13.36	0.7379
7	1307	8.97	57.42	13.13	0.6763
8	1308	9.12	59.76	11.65	0.6348
9	1309	7.75	63.27	13.2	0.6471
10	1310	8.99	62.36	16.04	0.899
11	1311	7.56	65	12.02	0.5904
12	1312	9.32	57.48	13.31	0.713
13	1313	8.92	56.04	13.08	0.6538
14	1314	9.16	59.36	12.6	0.6852
15	1315	7.59	58.68	12.63	0.5624
16	1316	9.03	62.16	13.63	0.7648
17	1317	8.94	61.52	13.2	0.7259
18	1318	7.72	59.23	13.02	0.5952
19	1319	7.83	61.66	12.91	0.6233
20	1320	8.75	58.03	12.96	0.658
21	1321	7.74	58.64	13.11	0.5952
22	1322	8.7	62.39	15.96	0.8665
23	1323	9.06	58.61	13.56	0.7203
24	1324	9.41	57.73	12.09	0.6568
25	1325	9.23	59.69	11.76	0.6479
26	1326	9.13	62.15	16.17	0.9176
27	1327	9.09	62.98	13.99	0.8008
28	1328	7.3	61.77	13.44	0.6059
29	1329	6.93	60.71	12.88	0.5419
30	1330	4.85	58.94	12.57	0.3594
31	1331	7.67	53.04	12.42	0.5055
32	1332	4.11	57.63	12.51	0.2963
33	1333	7.52	63.31	13.25	0.6309
34	1334	8.61	63.01	12.06	0.6544
35	1335	7.59	60.22	12.55	0.5738
36	1336	8.04	59.36	14.13	0.6746
37	1337	9.24	55.54	13.49	0.6921
38	1338	7.56	63.83	13.3	0.6418
39	1339	7.08	64.78	13.48	0.6181
40	1340	8.61	63.32	12.03	0.6561
41	1341	9.29	63.23	12.24	0.719
42	1342	7.54	61.49	13.77	0.6386
43	1343	7.68	55.96	12.94	0.556
44	1344	9.38	56.82	12.09	0.6444

45	1345	9.75	58.12	11.61	0.6581
46	1346	7.75	58.55	11.97	0.5433
47	1347	7.84	57.5	12.09	0.5449
48	1348	7.73	54.59	12.8	0.5403
49	1349	9.68	57.7	13.6	0.7599
50	1350	7.9	55.42	12.81	0.5609
51	1351	7.82	57.96	9.8	0.4442
52	1352	9.1	56.99	11.79	0.6115
53	1353	7.9	65.18	12.52	0.6446
54	1354	8.04	58.28	13.52	0.6336
55	1355	8.8	63.94	12.25	0.689
56	1356	7.58	61.01	12.54	0.5799
57	1357	7.89	58.82	12.09	0.561
58	1358	7.48	58.87	12.23	0.5386
59	1359	9.34	63.95	13.01	0.7771
60	1360	7.96	63.41	13.78	0.6957
61	1361	9.01	53.79	12.16	0.5893
62	1362	7.69	62.16	12.05	0.576
63	1363	7.66	59.57	13.03	0.5944
64	1364	7.66	58.36	11.27	0.504
65	1365	7.2	57.27	11.65	0.4802
66	1366	7.64	58.86	11.81	0.531
67	1367	7.74	56.42	11.45	0.5
68	1368	7.51	59.33	11.7	0.5212
69	1369	7.57	59.06	12.19	0.545
70	1370	9.09	61.15	11.71	0.6508
71	1371	9.16	60.16	12.05	0.6641
72	1372	4.07	55.52	11.47	0.2593
73	1373	7.91	62.81	12.23	0.6075
74	1374	7.97	63.8	10.47	0.5324
75	1375	7.96	59.27	12.6	0.5946
76	1376	7.96	62.1	16.12	0.7968
77	1377	7.83	57.88	12.46	0.5645
78	1378	7.58	64.48	11.18	0.5465
79	1379	7.53	60.17	12.2	0.5527
80	1380	9.02	63.41	11.78	0.6738
81	1381	7.74	65.4	12.42	0.6285
82	1382	7.62	66.37	12.29	0.6218
83	1383	9.28	62.27	12.62	0.7294
84	1384	8.62	62.22	11.49	0.6163
85	1385	9.58	56.68	11.66	0.6332
86	1386	8.2	53.87	11.6	0.5125
87	1387	9.01	53.75	12.26	0.5938
88	1388	7.61	56.2	12.56	0.5373
89	1389	7.84	58.22	12.21	0.5574
90	1390	7.68	53.91	11.91	0.4931
91	1391	7.58	57.06	12.32	0.5329
92	1392	9.43	56.92	11.33	0.6082
93	1393	7.82	58.66	12.41	0.5693
94	1394	7.61	58.6	11.96	0.5335

95	1395	7.72	60.77	12.57	0.5898
96	1396	7.68	60.62	13.05	0.6075
97	1397	8	64.73	13.7	0.7096
98	1398	7.49	62.61	12.15	0.57
99	1399	8.96	56.37	12.86	0.6496
100	1400	9.44	60.58	13.09	0.7486

Name of Division : Bhilwara

Challan No. : 19/66

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1801	7.98	59.12	13.13	0.6192
2	1802	10.06	59.37	11.22	0.67
3	1803	7.62	61.77	12.81	0.6027
4	1804	7.73	63.34	12.22	0.5983
5	1805	9.74	61.59	12.73	0.7636
6	1806	7.1	59.23	12.92	0.5431
7	1807	7.02	56.58	14.09	0.5595
8	1808	7.6	56.64	12.27	0.5282
9	1809	9.71	63.2	12.85	0.7885
10	1810	7.47	60.32	11.99	0.5401
11	1811	7.95	60.75	12.86	0.6209
12	1812	9.1	63.36	12.67	0.7307
13	1813	7.7	61.05	12.29	0.5775
14	1814	8.09	57.82	14.16	0.6626
15	1815	8.09	61.87	12.69	0.6351
16	1816	7.92	62.37	12.67	0.6257
17	1817	9.66	65.68	11.57	0.7342
18	1818	8	60.55	12.27	0.5944
19	1819	7.9	62.86	12.36	0.6138
20	1820	8.08	62.84	12.56	0.6375
21	1821	7.92	62.82	13.26	0.6597
22	1822	9.58	61.24	12.88	0.7559
23	1823	8.19	62.18	12.19	0.6208
24	1824	7.85	61.98	12.28	0.5974
25	1825	8.18	64.24	12.19	0.6405
26	1826	10.22	59.43	12.33	0.7491
27	1827	7.99	59.28	11.54	0.5465
28	1828	8	65.99	12.52	0.6608
29	1829	8.09	63.39	12.95	0.6642
30	1830	8.11	60.43	14.4	0.7056
31	1831	9.92	62.52	12.89	0.7996
32	1832	7.49	61.54	12.71	0.5857
33	1833	7.87	65.77	12.57	0.6508
34	1834	7.52	65.75	12.52	0.6189
35	1835	7.64	64.97	13.64	0.6769
36	1836	7.62	63.54	13.27	0.6424
37	1837	9.56	63.86	12.76	0.7791
38	1838	9.95	66.02	12.72	0.8358
39	1839	7.77	62.68	13.07	0.6364
40	1840	8.09	59.65	10.93	0.5275
41	1841	7.88	66.31	13.12	0.6856

42	1842	8.03	69.09	12.98	0.7203
43	1843	7.79	66.85	12.72	0.6621
44	1844	9.65	51.97	12.49	0.6263
45	1845	8.18	51.38	14.21	0.5971
46	1846	7.64	50.93	12.45	0.4844
47	1847	9.59	50.94	12.29	0.6003
48	1848	8.26	50.53	13.64	0.5691
49	1849	7.78	53.87	14.13	0.5921
50	1850	7.69	52.64	13.81	0.5591
51	1851	9.36	58.35	13.37	0.7301
52	1852	7.91	50.5	15.19	0.6067
53	1853	7.97	51.75	13.53	0.5579
54	1854	7.72	61.11	12.98	0.6122
55	1855	8	58.71	12.66	0.5944
56	1856	8.01	56.44	13.52	0.6112
57	1857	7.85	60.24	15.39	0.7277
58	1858	9.34	54.08	15.01	0.7584
59	1859	8.04	58.62	11.19	0.5274
60	1860	9.93	59.89	12.94	0.7696
61	1861	10.09	60.52	12.79	0.781
62	1862	8.26	60.14	12.6	0.6261
63	1863	7.78	59.12	13.28	0.6107
64	1864	8.14	62.15	12.24	0.6195
65	1865	7.86	62.31	13.67	0.6697
66	1866	7.97	60.88	13.39	0.6496
67	1867	7.76	60.51	13.6	0.6386
68	1868	8.13	62.94	14.35	0.7341
69	1869	9.53	61.13	13.5	0.7862
70	1870	7.98	57.9	11.11	0.5131
71	1871	7.37	62.68	12.84	0.5933
72	1872	7.76	55.18	12.02	0.5145
73	1873	7.66	54.54	12.16	0.5079
74	1874	7.95	63.53	12.44	0.628
75	1875	7.41	58.15	12.33	0.5313
76	1876	7.71	53.96	12.58	0.5235
77	1877	7.89	57.25	13.14	0.5933
78	1878	8.21	58.32	12.14	0.5813
79	1879	7.85	57.14	12.41	0.5566
80	1880	8	61.41	15.18	0.7456
81	1881	7.66	62.34	11.84	0.5653
82	1882	7.6	61.94	11.95	0.5624
83	1883	7.8	60.87	12.14	0.5764
84	1884	8.29	55.77	11.14	0.5148
85	1885	7.75	59.68	11.24	0.52
86	1886	7.77	57.73	14.1	0.6325
87	1887	9.58	59.72	12.83	0.7338
88	1888	7.73	59.59	12.18	0.5612
89	1889	7.87	60	12.9	0.6091
90	1890	9.63	60.7	13.2	0.7714
91	1891	8.09	61.4	15.11	0.7508

92	1892	8.14	61.2	12.88	0.6414
93	1893	7.85	61.33	15.15	0.7293
94	1894	7.62	65.5	13.21	0.6591
95	1895	9.57	65.66	13.34	0.8383
96	1896	7.75	60.48	13.23	0.62
97	1897	7.74	64.74	12.94	0.6486
98	1898	7.8	66.75	11.93	0.6209
99	1899	7.56	59.56	12.79	0.5761
100	1900	7.52	57.34	12.63	0.5444

Name of Division : Bhilwara

Challan No. : 30/76

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2901	7.56	59.53	13.05	0.5874
2	2902	7.67	50.34	13.01	0.5024
3	2903	7.75	62.56	12.74	0.6177
4	2904	7.73	59.14	12.07	0.5519
5	2905	7.34	54.56	13.38	0.5358
6	2906	8.76	60.79	12.55	0.6684
7	2907	8.96	55.31	11.43	0.5663
8	2908	8.83	57.73	14.12	0.7196
9	2909	8.82	57.85	14.16	0.7224
10	2910	7.76	61.5	13.71	0.6542
11	2911	8.83	58.06	14.12	0.7241
12	2912	9.55	56.19	12.14	0.6513
13	2913	7.56	61.37	12.3	0.5708
14	2914	7.77	54.35	13.25	0.5594
15	2915	7.68	52.82	11.72	0.4754
16	2916	8.06	57.92	14.07	0.6569
17	2917	8.74	57.72	14.17	0.7149
18	2918	8.95	62.01	14.79	0.8207
19	2919	8.59	51.34	13.28	0.5858
20	2920	7.49	61.66	12.42	0.5737
21	2921	7.3	58.97	11.94	0.5139
22	2922	7.61	56.9	12.48	0.5403
23	2923	7.55	56.48	12.45	0.5308
24	2924	9.54	56.99	12.34	0.6707
25	2925	7.66	63.41	12.82	0.6228
26	2926	7.77	61.99	12.78	0.6154
27	2927	9.18	57.58	13.48	0.7124
28	2928	7.71	59.75	11.78	0.5428
29	2929	7.52	61.64	15.07	0.6986
30	2930	9.15	58.57	13.11	0.7027
31	2931	7.92	65.86	11.74	0.6122
32	2932	7.55	63.35	12.5	0.598
33	2933	9.02	61.22	12.61	0.6963
34	2934	9.42	58.84	13.09	0.7253
35	2935	7.94	61.82	12.7	0.6233
36	2936	7.78	60.16	12.15	0.5687
37	2937	9.23	60.75	13.19	0.7393
38	2938	8.88	62.96	12.66	0.7077

39	2939	8.89	60.82	12.48	0.6748
40	2940	9.43	57.3	12.76	0.6893
41	2941	7.42	59.93	12.31	0.5476
42	2942	7.68	55.42	13.55	0.5768
43	2943	7.68	57.13	12.38	0.543
44	2944	7.74	59.24	12.49	0.5728
45	2945	8.89	62.56	12.48	0.6943
46	2946	9.57	57.23	12.58	0.689
47	2947	7.76	59.58	12.54	0.5797
48	2948	7.56	61.48	12.83	0.5965
49	2949	7.74	58.02	14.05	0.6308
50	2950	8.74	60.84	12.26	0.652
51	2951	9.19	61.77	13.06	0.7416
52	2952	9.45	61	12.77	0.7362
53	2953	7.83	61.47	13.34	0.6421
54	2954	7.86	61.42	13.27	0.6406
55	2955	9.17	58.26	13.25	0.7079
56	2956	7.72	59.25	12.73	0.5821
57	2957	7.77	60	12.97	0.6045
58	2958	7.93	62.48	12.36	0.6122
59	2959	8.01	59.26	12.52	0.5943
60	2960	9.36	58.83	13.5	0.7432
61	2961	7.7	58.33	13.34	0.5991
62	2962	7.99	62.31	12.87	0.6408
63	2963	7.74	60.76	12.72	0.5983
64	2964	7.17	57.69	14.18	0.5865
65	2965	3.82	62.97	12.59	0.3029
66	2966	4.04	62.92	13.29	0.3377
67	2967	7.36	63.83	12.8	0.6013
68	2968	8.53	57.89	14.15	0.6986
69	2969	7	57.73	14.03	0.567
70	2970	8.44	57.85	14.05	0.6862
71	2971	7.55	57.78	14.16	0.6176
72	2972	7.52	57.8	14.12	0.6136
73	2973	8.98	57.91	13.97	0.7265
74	2974	8.83	57.21	12.13	0.6128
75	2975	8.04	61.15	12.59	0.6191
76	2976	7.66	55.63	12.03	0.5125
77	2977	8.98	57.76	13.14	0.6816
78	2978	9.22	58.45	12.66	0.6823
79	2979	7.72	58.22	12.23	0.5497
80	2980	9.19	57.74	12.87	0.6828
81	2981	8.05	49.34	12.44	0.4943
82	2982	9.98	55.45	13.07	0.7235
83	2983	7.47	57.26	12.7	0.5431
84	2984	9.31	57.06	12.79	0.6796
85	2985	7.68	57.38	12.74	0.5614
86	2986	8.01	59.21	11.84	0.5615
87	2987	9	55.48	12.65	0.6318
88	2988	9.05	62.71	12.85	0.7294

89	2989	9.33	60.29	11.26	0.6335
90	2990	8.12	60.86	13.69	0.6764
91	2991	7.97	62.32	11.68	0.5802
92	2992	7.48	59.25	12.37	0.5483
93	2993	9.16	57.82	14.1	0.7465
94	2994	7.79	67.29	13.17	0.6902
95	2995	7.63	66.14	12.17	0.6142
96	2996	7.92	59.94	12.43	0.59
97	2997	7.81	65.31	12.28	0.6264
98	2998	7.69	61.23	9.91	0.4668
99	2999	9.37	57.99	14.12	0.7674
100	3000	9.1	57.8	14.13	0.7435

Name of Division : Bhilwara

Challan No. : 22/69

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2101	7.76	64.11	15.11	0.7519
2	2102	7.47	60.13	14.2	0.6379
3	2103	7.46	60.71	13.9	0.6296
4	2104	7.3	60.09	14.63	0.6417
5	2105	7.46	58.82	13.33	0.5849
6	2106	7.22	62.4	14.92	0.6722
7	2107	7.55	59.58	12.52	0.5632
8	2108	7.45	65.43	13.89	0.6772
9	2109	7.08	57.19	13.04	0.5282
10	2110	7.05	62.27	14.41	0.6324
11	2111	7.34	60.14	13.02	0.5747
12	2112	7.55	68.17	14.08	0.7248
13	2113	7.04	62.97	12.96	0.5745
14	2114	7.46	66.01	13.54	0.6669
15	2115	7.41	63.29	13.35	0.6261
16	2116	7.23	60.29	14.02	0.6109
17	2117	7.52	67.83	14.32	0.7302
18	2118	8.64	61.93	13.42	0.718
19	2119	7.64	63.3	13.41	0.6486
20	2120	7.15	60	13.88	0.5956
21	2121	4.21	54.33	13.07	0.2989
22	2122	3.9	56.43	13.24	0.2913
23	2123	4.22	69.13	9	0.2625
24	2124	7.97	45.14	11.74	0.4224
25	2125	4.34	39.66	11.85	0.204
26	2126	7.05	46.37	11.93	0.3899
27	2127	6.92	46.07	12.55	0.4
28	2128	8.42	47.58	12.74	0.5103
29	2129	6.1	44.39	12.16	0.3294
30	2130	7.25	53.12	12.2	0.4698
31	2131	6.98	49.65	13.68	0.4739
32	2132	6.68	47.8	13.39	0.4275
33	2133	4.3	47.62	12.94	0.2649
34	2134	8.05	53.34	13.82	0.5933
35	2135	7.22	56.9	13.29	0.5458

36	2136	6.94	52.49	13.15	0.4789
37	2137	4.48	54.68	13.46	0.3297
38	2138	7.3	54.99	12.93	0.519
39	2139	8.6	53.61	13.45	0.6201
40	2140	6.7	58.23	12.9	0.5032
41	2141	7.12	52.68	14.22	0.5333
42	2142	7.11	59.95	13.41	0.5716
43	2143	7.6	62.44	12.89	0.6118
44	2144	8.58	58.77	13.24	0.6675
45	2145	7.1	55.17	11.98	0.4693
46	2146	7.57	61.34	13.27	0.6162
47	2147	6.96	55.4	13.66	0.5269
48	2148	7.02	64.28	13.16	0.5939
49	2149	7.08	55.6	14.71	0.5791
50	2150	7.2	52.65	12.88	0.4882
51	2151	7.12	52.5	14.02	0.524
52	2152	6.8	51.47	13.5	0.4726
53	2153	7.73	59.09	13.52	0.6176
54	2154	7.15	63.16	13.81	0.6235
55	2155	7.16	62.3	13.19	0.5886
56	2156	7.12	61.79	12.67	0.5575
57	2157	8.36	59.18	13.82	0.6838
58	2158	7.22	63.65	12.11	0.5567
59	2159	7.16	62.27	12.72	0.5671
60	2160	7.56	61.82	12.25	0.5723
61	2161	7.05	64.89	14.01	0.6408
62	2162	7.38	60.67	12.94	0.5793
63	2163	7.12	49.28	12.84	0.4507
64	2164	7.17	54.76	13.81	0.5421
65	2165	6.98	54.18	12.92	0.4886
66	2166	7.48	54.06	12.97	0.5243
67	2167	7.49	56.87	13.33	0.5677
68	2168	7.27	60.6	12.99	0.5721
69	2169	7.3	59.81	13.28	0.5796
70	2170	7.53	55.36	13.58	0.5663
71	2171	7.7	56.03	11.58	0.4997
72	2172	7.22	57.52	13.39	0.5559
73	2173	7.3	59.29	13.64	0.5906
74	2174	7.2	57.31	13.99	0.5774
75	2175	9.31	55.96	12.92	0.6731
76	2176	7.32	60.88	13.4	0.5973
77	2177	9.34	59.25	13	0.7192
78	2178	7.58	61.05	12.99	0.6011
79	2179	7.17	57.17	13.92	0.5707
80	2180	7.38	61.31	13.62	0.6162
81	2181	7.29	58.68	13.82	0.5912
82	2182	7.44	61.05	12.81	0.5818
83	2183	7.46	61.62	13.75	0.6319
84	2184	7.43	57.2	13.69	0.5818
85	2185	7.37	61.82	13.22	0.6021

86	2186	7.55	60.85	12.83	0.5897
87	2187	7.39	58.12	13.68	0.5875
88	2188	7.18	63.67	13.18	0.6024
89	2189	7.56	61.84	13.1	0.6124
90	2190	7.57	57.38	13.87	0.6026
91	2191	7.62	61.87	13.43	0.6332
92	2192	7.43	58.86	14.42	0.6308
93	2193	7.59	59.12	12.99	0.5829
94	2194	6.93	58.83	13.62	0.5551
95	2195	7.54	60.9	13.6	0.6243
96	2196	7.48	62.61	13.34	0.6246
97	2197	7.13	59.31	12.73	0.5383
98	2198	7.21	58.44	12.65	0.5328
99	2199	7.36	60.22	13.04	0.5778
100	2200	7.25	59.2	12.04	0.5169

Name of Division : Bhilwara

Challan No. : 28/74

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2701	10.14	62.09	12.5	0.7869
2	2702	9.86	59.09	12.39	0.7218
3	2703	8.22	64.16	12.08	0.6371
4	2704	8.08	55.5	13.14	0.589
5	2705	10.31	58.54	11.72	0.7073
6	2706	8.3	57.53	12.43	0.5934
7	2707	8.13	59.3	12.24	0.5902
8	2708	9.66	64.46	12.49	0.7776
9	2709	7.94	62.03	11.28	0.5558
10	2710	8.11	58.15	12.48	0.5888
11	2711	10.14	59.3	12.85	0.7727
12	2712	8.41	60.24	12.75	0.6459
13	2713	8.24	62.74	12.21	0.6312
14	2714	7.39	60.27	12.46	0.555
15	2715	8.04	58.49	13.18	0.6199
16	2716	8.18	65.19	13.39	0.7141
17	2717	10.2	64.45	12.1	0.7956
18	2718	8.44	63.88	12.96	0.6988
19	2719	8.53	67.61	12.47	0.7191
20	2720	9.79	63.46	13.47	0.837
21	2721	8.09	68.94	12.46	0.6949
22	2722	9.86	65.97	12.69	0.8253
23	2723	9.82	66.76	13.86	0.9084
24	2724	9.98	67.78	12.57	0.8503
25	2725	8.1	61.32	12.7	0.631
26	2726	10.06	63.58	11.94	0.7636
27	2727	10.1	62.71	12.5	0.7918
28	2728	8.34	61.54	13.19	0.6772
29	2729	10.01	67.03	12.52	0.8398
30	2730	9.82	64.61	12.57	0.7974
31	2731	7.92	63.03	13.26	0.6621
32	2732	9.99	66.84	12.4	0.8282

33	2733	9.96	65.51	12.53	0.8177
34	2734	9.51	72.85	12.59	0.8721
35	2735	8.14	51.78	13.81	0.582
36	2736	9.74	53.84	13.97	0.7324
37	2737	9.18	63.51	13.93	0.8124
38	2738	7.93	62.67	13.5	0.6709
39	2739	8.01	59.29	13.07	0.6208
40	2740	9.35	48.31	13.14	0.5937
41	2741	7.32	57.23	14.05	0.5885
42	2742	7.41	60.73	11.63	0.5231
43	2743	7.73	56.37	14.23	0.6199
44	2744	7.59	62.07	12.07	0.5685
45	2745	7.32	56.19	13.86	0.5702
46	2746	7.55	62.28	13.28	0.6244
47	2747	7.61	60.45	15.04	0.6917
48	2748	7.62	61.51	12.5	0.586
49	2749	8.93	62.62	12.97	0.7251
50	2750	8.85	58.81	11.75	0.6115
51	2751	7.54	59.95	14.96	0.6763
52	2752	7.65	65.02	12.66	0.6296
53	2753	7.79	58.28	12.23	0.5554
54	2754	7.74	59.3	13.2	0.606
55	2755	7.65	58.8	13.21	0.5944
56	2756	7.58	62.1	13.16	0.6193
57	2757	9.16	63.93	12.29	0.72
58	2758	7.68	64.44	12.9	0.6382
59	2759	7.51	68.11	13.73	0.7022
60	2760	7.37	62.62	13.17	0.608
61	2761	7.99	57.03	12.92	0.5889
62	2762	7.21	62.9	12.66	0.5739
63	2763	7.43	57.26	13.34	0.5677
64	2764	7.62	60.21	12.77	0.586
65	2765	7.53	64.04	12.65	0.6099
66	2766	7.44	58.92	13.15	0.5766
67	2767	7.51	63.2	10.97	0.5204
68	2768	7.44	65.24	12.19	0.5915
69	2769	3.82	63.31	12.32	0.298
70	2770	7.65	59.28	13.48	0.6112
71	2771	9.17	61.35	13.94	0.784
72	2772	7.47	59.28	13.12	0.5812
73	2773	7.46	60.48	13.67	0.6169
74	2774	8.91	57.32	13.4	0.6843
75	2775	9.07	61.54	11.15	0.6222
76	2776	7.61	60.42	11.97	0.5502
77	2777	7.68	55.43	12.65	0.5384
78	2778	7.47	62.31	12.84	0.5976
79	2779	9.12	57.32	12.23	0.6393
80	2780	9.09	62.14	13.87	0.7836
81	2781	9.22	60.88	12.52	0.7026
82	2782	9.42	58.85	12.23	0.6782

83	2783	7.51	61	13.33	0.6106
84	2784	9.37	62.84	14.27	0.8405
85	2785	7.39	57.58	11.97	0.5092
86	2786	6.79	62.95	14.12	0.6036
87	2787	7.51	63.03	12.82	0.6068
88	2788	7.22	63.89	13.55	0.6253
89	2789	7.61	43.5	12.99	0.43
90	2790	7.87	51.44	11.61	0.4698
91	2791	7.64	58.12	11.27	0.5004
92	2792	7.55	55.59	13.02	0.5466
93	2793	7.35	50.05	12.33	0.4535
94	2794	9.1	53.52	13.32	0.6488
95	2795	8.03	57.6	12.57	0.5814
96	2796	7.69	59.63	12.29	0.5637
97	2797	7.77	59.87	12.39	0.5765
98	2798	7.62	59.51	13.31	0.6035
99	2799	7.82	56.73	13.19	0.5849
100	2800	7.69	55.43	13.51	0.576

Name of Division : Bhilwara

Challan No. : 17/64

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1601	7.59	58.12	13.73	0.6057
2	1602	7.85	57.91	13.19	0.5997
3	1603	7.78	60.38	12.06	0.5664
4	1604	7.8	59.05	13.31	0.6131
5	1605	7.53	61.43	12.81	0.5926
6	1606	7.8	61.85	12.13	0.585
7	1607	7.67	59.34	12.72	0.5791
8	1608	9.07	58.65	11.97	0.6367
9	1609	7.67	59.63	12.14	0.5553
10	1610	7.72	56.11	12.65	0.5481
11	1611	9.27	59.16	12.85	0.7045
12	1612	7.75	55.74	13.17	0.5689
13	1613	7.74	55.84	14.22	0.6146
14	1614	8.74	53.42	13.95	0.6511
15	1615	7.95	55.35	12.61	0.5549
16	1616	7.84	62.06	13.08	0.6366
17	1617	9.18	58.94	12.18	0.6591
18	1618	8.72	62.81	14.04	0.7691
19	1619	8.63	58.46	13.41	0.6766
20	1620	9.51	59.71	13.67	0.776
21	1621	9.23	57.98	12.5	0.6692
22	1622	9.26	58.68	12.92	0.7019
23	1623	7.61	57.82	13.58	0.5974
24	1624	7.94	62.28	13.28	0.6566
25	1625	9.62	58.41	12.14	0.6821
26	1626	7.77	58.75	13.16	0.6006
27	1627	9.66	57.95	12.1	0.6772
28	1628	9.49	59.48	13.85	0.782
29	1629	7.61	57.22	14.16	0.6164

30	1630	7.81	56.87	11.97	0.5319
31	1631	3.98	55.7	12.03	0.2667
32	1632	9.22	60.15	11.97	0.6638
33	1633	7.9	65.97	13.26	0.6913
34	1634	7.98	56.87	15.35	0.6967
35	1635	7.75	55.83	11.5	0.4976
36	1636	8.03	61.88	12.72	0.632
37	1637	7.72	52.92	12.55	0.5126
38	1638	7.94	55.59	14.75	0.6511
39	1639	7.89	58.3	12.52	0.576
40	1640	7.88	58.06	13.64	0.6241
41	1641	9.63	61.89	13.2	0.7868
42	1642	7.87	62.25	12.27	0.6013
43	1643	8.05	59.48	11.97	0.5732
44	1644	9.61	61.03	11.96	0.7015
45	1645	7.94	61.44	15.07	0.7352
46	1646	7.95	61.9	12.23	0.6018
47	1647	7.76	61.33	13.78	0.6557
48	1648	8.05	59.03	12.94	0.615
49	1649	3.94	55.16	14.58	0.3168
50	1650	7.8	51.65	13.32	0.5366
51	1651	9.53	62	13.32	0.7872
52	1652	9.59	58.15	13.21	0.7365
53	1653	8.01	59.53	13.57	0.6472
54	1654	8.11	58.89	12.11	0.5782
55	1655	9.34	54.64	13.74	0.7014
56	1656	9.63	62.54	12.57	0.7569
57	1657	8.29	59.73	13.23	0.6549
58	1658	8.2	57.73	11.74	0.556
59	1659	7.98	53.76	12.8	0.549
60	1660	7.47	56.51	12.1	0.5109
61	1661	7.9	62.05	13.12	0.6431
62	1662	7.7	59.43	12.54	0.5736
63	1663	9.5	61.42	12.59	0.7343
64	1664	7.6	57.29	12.53	0.5457
65	1665	9.42	59.44	12.5	0.6999
66	1666	7.57	58.09	13.58	0.5973
67	1667	7.8	60.75	13.02	0.617
68	1668	7.9	63.81	11.25	0.5672
69	1669	9.46	58.57	13.62	0.7549
70	1670	9.17	61.34	12.68	0.7134
71	1671	7.82	61.5	12.83	0.617
72	1672	7.81	61.32	12.39	0.5936
73	1673	7.77	59.14	12.87	0.5913
74	1674	7.75	58.27	12.84	0.5797
75	1675	7.67	60.21	14.28	0.6596
76	1676	7.86	61.39	12.66	0.6107
77	1677	8.19	61.72	12.27	0.62
78	1678	9.47	60.54	12.16	0.697
79	1679	8.02	63.67	11.01	0.5622

80	1680	7.78	61.26	12.59	0.5998
81	1681	7.58	61.29	12.73	0.5912
82	1682	9.57	63.22	12.91	0.7809
83	1683	7.62	61.28	13.74	0.6416
84	1684	7.78	64.88	14.01	0.7072
85	1685	9.65	61.88	14.82	0.8849
86	1686	8.4	47.1	12.04	0.4763
87	1687	9.71	51.76	13.29	0.668
88	1688	8.93	50.82	13.18	0.5983
89	1689	9.33	52.34	13.11	0.64
90	1690	4.89	53.04	12.41	0.3218
91	1691	7.76	55.47	13.52	0.582
92	1692	7.85	54.69	12.73	0.5464
93	1693	8.12	64.82	13.73	0.7227
94	1694	8.28	60.97	12.76	0.6442
95	1695	8.18	56.62	12.01	0.5562
96	1696	9.82	58.4	13.07	0.7493
97	1697	8.16	57.91	12.07	0.5704
98	1698	9.71	58.54	13.31	0.7564
99	1699	8.16	64.9	12.27	0.6495
100	1700	8.41	63.67	12.6	0.6745

Name of Division : Bhilwara

Challan No. : 09/56

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	801	3.75	61.43	12.42	0.2861
2	802	7.46	57.48	12.75	0.5468
3	803	7.45	54.01	12.05	0.485
4	804	7.55	57.91	13.14	0.5746
5	805	7.56	61.8	13.2	0.6169
6	806	7.57	54.18	13.16	0.5397
7	807	7.52	59.41	12.59	0.5625
8	808	7.06	59.58	13.88	0.5839
9	809	7.33	63.23	12.38	0.5739
10	810	6.69	58.18	13.01	0.5064
11	811	7.36	55.4	13.23	0.5395
12	812	7.75	54.02	13.51	0.5658
13	813	7.53	55.04	13.81	0.5723
14	814	7.52	59.29	12.72	0.567
15	815	7.5	56.08	13.8	0.5805
16	816	7.56	56.65	13.08	0.5602
17	817	7.41	61.69	13.71	0.6269
18	818	7.42	60.1	12.91	0.5758
19	819	3.73	51.67	13.04	0.2514
20	820	7.36	57.95	13.05	0.5564
21	821	7.35	56.98	13.25	0.5549
22	822	7.69	61.52	15.33	0.7252
23	823	7.79	50.38	13.6	0.5336
24	824	7.91	61.63	15.37	0.7491
25	825	7.01	47.85	13.4	0.4493
26	826	7.18	43.11	13.34	0.4128

27	827	7.52	62.12	15.28	0.7136
28	828	7.2	46.99	13.47	0.4558
29	829	7.77	58.24	14.37	0.6503
30	830	7.72	61.64	15.41	0.7334
31	831	7.4	44.96	13.66	0.4544
32	832	7.31	50.05	13.95	0.5102
33	833	7.69	49.9	13.45	0.516
34	834	8.77	54.76	13.92	0.6683
35	835	7.42	56.98	13.71	0.5795
36	836	7.77	55.72	13.17	0.5703
37	837	7.95	53.79	12.57	0.5374
38	838	7.32	53.64	14.93	0.5863
39	839	9.06	53.94	13.09	0.6396
40	840	7.3	61.64	15.35	0.6906
41	841	7.45	50.03	13.09	0.488
42	842	8.02	58.42	13.18	0.6175
43	843	8.35	54.06	13.74	0.6204
44	844	7.56	54.23	13.31	0.5458
45	845	7.55	56.14	12.75	0.5406
46	846	7.95	54.98	12.86	0.5621
47	847	8.11	49.43	12.73	0.5101
48	848	7.63	56.63	10.63	0.4593
49	849	7.07	50.13	13.03	0.4617
50	850	7.44	56.74	11.79	0.4977
51	851	7.87	53.82	13.04	0.5525
52	852	7.41	49.38	13.08	0.4787
53	853	8.97	50.66	13.6	0.618
54	854	4.64	45.88	12.88	0.2742
55	855	8.6	47.94	10.35	0.4266
56	856	7.61	51.33	12.7	0.4962
57	857	7.56	55.97	13.02	0.5511
58	858	7.78	53.52	14.11	0.5874
59	859	7.25	53.17	12.96	0.4995
60	860	7.29	50.09	13.54	0.4943
61	861	8.79	46.84	14.09	0.5801
62	862	7.76	56.29	13.48	0.589
63	863	8.06	58.14	12.83	0.6013
64	864	7.87	61.77	13.21	0.6422
65	865	7.56	58.66	13.16	0.5836
66	866	4.49	50.9	8.43	0.1926
67	867	7.53	56.32	14.22	0.6032
68	868	7.45	55.23	12.98	0.5342
69	869	9.2	55.31	13.83	0.7038
70	870	7.74	54.78	12.94	0.5488
71	871	7.99	53.78	13.05	0.5609
72	872	7.78	46.25	12.13	0.4365
73	873	7.66	51.61	13.12	0.5186
74	874	7.52	53.67	13.92	0.5617
75	875	7.09	54.22	13.76	0.5289
76	876	7.94	56.97	13.01	0.5884

77	877	9.33	57.06	13.99	0.7445
78	878	7.57	44.37	13.95	0.4686
79	879	9.28	56.93	13.33	0.7044
80	880	7.57	45.56	13.26	0.4572
81	881	7.44	57.87	14.2	0.6116
82	882	7.51	59.42	14.39	0.6421
83	883	7.36	57.67	13.21	0.5608
84	884	7.4	56.14	13.34	0.5543
85	885	7.66	57.11	13.29	0.5814
86	886	9.59	58.37	13.76	0.7701
87	887	7.24	52.92	14.44	0.5531
88	888	7.63	59.91	13.04	0.5959
89	889	7.27	55.97	12.83	0.522
90	890	7.43	52.5	14.08	0.5491
91	891	7.47	56.1	13.35	0.5595
92	892	7.15	56.48	15.3	0.6178
93	893	9.05	58.34	14.19	0.7493
94	894	7.65	57.55	13.19	0.5806
95	895	7.62	55.51	13.57	0.5738
96	896	7.43	58.62	14.12	0.6152
97	897	9.29	59.01	14.56	0.798
98	898	7.7	52.08	13.19	0.529
99	899	7.58	52.34	13.41	0.5321
100	900	7.6	60.63	13.59	0.6262

Name of Division : Bhilwara

Challan No. : 20/67

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1901	7.71	57.82	10.97	0.4888
2	1902	9.22	54.57	12.72	0.6399
3	1903	7.7	63.82	12.27	0.6029
4	1904	9.53	61.37	13.1	0.7662
5	1905	7.5	50.5	12.75	0.483
6	1906	7.58	61.2	11.93	0.5533
7	1907	7.66	57.12	11.82	0.5171
8	1908	7.9	49.14	12.11	0.47
9	1909	7.48	57.67	13.99	0.6036
10	1910	8.95	54.26	13.05	0.6337
11	1911	7.84	53.57	12.53	0.5261
12	1912	7.75	64.13	13.6	0.6758
13	1913	7.68	62.52	12.54	0.6021
14	1914	7.68	60.76	11.67	0.5445
15	1915	7.55	60.77	12.16	0.5579
16	1916	7.75	62.38	12.65	0.6115
17	1917	7.62	58.26	13.87	0.6157
18	1918	7.01	57.54	12.76	0.5145
19	1919	7.31	65	13.32	0.633
20	1920	7.82	59.97	12.12	0.5685
21	1921	7.7	56.17	11.64	0.5036
22	1922	7.85	59.3	12.73	0.5927
23	1923	7.17	63.07	11.42	0.5162

24	1924	7.59	56.95	12.48	0.5396
25	1925	7.67	59.45	13.12	0.5983
26	1926	7.8	59.81	12.46	0.5811
27	1927	7.6	60.38	12.67	0.5814
28	1928	7.83	64.3	12.05	0.6068
29	1929	7.65	57.18	11.7	0.5118
30	1930	7.66	63.24	12.79	0.6197
31	1931	7.38	65.83	12.55	0.6096
32	1932	7.67	63.1	12.38	0.599
33	1933	7.57	63.74	11.09	0.5352
34	1934	7.8	61.12	13.35	0.6365
35	1935	7.24	62.04	12.96	0.5821
36	1936	7.68	61.85	12.29	0.5837
37	1937	9	63.92	12.47	0.7173
38	1938	8.04	60.39	12.68	0.6159
39	1939	8.02	65.42	13.73	0.7202
40	1940	7.21	68.46	13.72	0.677
41	1941	7.79	61.78	12.85	0.6185
42	1942	7.76	62.9	12.16	0.5936
43	1943	7.81	59.61	14.44	0.6724
44	1944	7.83	63.39	12.34	0.6123
45	1945	7.79	63.64	12.99	0.6442
46	1946	7.98	63.47	13.14	0.6655
47	1947	9.62	65.96	12.61	0.8004
48	1948	9.03	66.02	12.8	0.763
49	1949	9.63	53.1	12.2	0.624
50	1950	8.03	51.08	12.26	0.5027
51	1951	7.67	60.97	12.45	0.5822
52	1952	7.61	58.27	12.29	0.5449
53	1953	7.69	62.02	11.59	0.5529
54	1954	7.57	60.24	13.45	0.6132
55	1955	7.62	57.57	12.78	0.5608
56	1956	7.74	56.09	13.26	0.5759
57	1957	7.81	62.9	12.32	0.6053
58	1958	9.84	60.12	12.89	0.7626
59	1959	7.82	60.25	12	0.5654
60	1960	9.71	63.01	11.87	0.7263
61	1961	7.63	62.9	11.88	0.57
62	1962	10.17	60.59	12.72	0.7841
63	1963	7.77	60.7	11.42	0.5385
64	1964	8.61	58.7	11.21	0.5665
65	1965	8.05	58.94	12.47	0.5917
66	1966	7.56	61.68	14.35	0.6691
67	1967	9.11	58.89	13.33	0.7151
68	1968	8	64.32	11.91	0.6128
69	1969	8.14	60.04	11.43	0.5584
70	1970	9.59	59.51	12.94	0.7384
71	1971	8.36	60.17	11.43	0.5752
72	1972	9.9	61.16	13.16	0.7969
73	1973	9.86	65.15	11.6	0.7454

74	1974	4.09	57.14	12.3	0.2875
75	1975	7.92	67.69	12.78	0.6851
76	1976	9.87	58.74	12.36	0.7166
77	1977	10.37	62.09	12.11	0.7798
78	1978	8.29	61.01	13.08	0.6615
79	1979	8.14	60.97	12.74	0.6325
80	1980	9.71	59.28	12.28	0.7069
81	1981	7.61	63.85	12.91	0.6271
82	1982	7.73	63.88	12.95	0.6393
83	1983	9.73	63.91	12.61	0.7842
84	1984	8.02	60.92	13.48	0.6584
85	1985	8.21	60.67	13.47	0.6708
86	1986	7.94	51.69	12.46	0.5113
87	1987	8.29	58.69	10.26	0.4991
88	1988	8.03	61.54	12.74	0.6296
89	1989	7.63	61.12	13.02	0.6073
90	1990	8.11	63.6	12.72	0.6561
91	1991	7.8	61.49	14.05	0.6739
92	1992	7.81	64.09	12.84	0.6428
93	1993	8.03	57.01	13.07	0.5982
94	1994	8.16	59.16	12.1	0.5843
95	1995	8.16	61.11	12.78	0.6373
96	1996	7.8	56.09	12.89	0.5639
97	1997	8.46	62.43	12.77	0.6743
98	1998	8.21	57.73	13.1	0.6207
99	1999	9.65	60.97	11.63	0.6842
100	2000	7.86	62.48	13.57	0.6665

Date: 06.09.2022

अस्वीकरण:-

फसल वर्ष 2021.22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 35/81**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3401	7.7	70.42	14.3	0.7754
2	3402	7.89	66.31	13.24	0.6927
3	3403	8.12	50.23	13.84	0.5643
4	3404	7.68	56.58	13.66	0.5937
5	3405	7.68	62.06	13.73	0.6543
6	3406	7.86	63.55	13.15	0.6571
7	3407	9.44	62.74	12.93	0.7656
8	3408	7.14	61.24	13.1	0.5726
9	3409	7.7	59.4	12.24	0.5598
10	3410	9.62	62.22	13.03	0.7802
11	3411	9.58	59.14	13.76	0.7798
12	3412	7.63	61.15	12.85	0.5997
13	3413	9.78	63.97	13.21	0.8264
14	3414	8.9	61.34	14.41	0.7868
15	3415	9.59	64.87	14.18	0.8823
16	3416	7.81	55.7	14	0.6092
17	3417	9.27	59.34	12.47	0.686
18	3418	9.08	61.16	13.23	0.7346
19	3419	7.54	59.51	13.91	0.6243
20	3420	7.11	68.51	14.11	0.6875
21	3421	7.69	60.34	13.52	0.6275
22	3422	8.07	53.88	13.21	0.5746
23	3423	9.61	57.97	12.7	0.7073
24	3424	7.07	59.52	13.79	0.5804
25	3425	7.94	60.56	12.76	0.6138
26	3426	7.2	60.92	13.89	0.6091
27	3427	7.83	58.45	13.57	0.6209
28	3428	9.6	62.83	12.86	0.7757
29	3429	7.5	61.88	13.06	0.606
30	3430	7.57	60.08	13.91	0.6329
31	3431	9.35	59.95	10.58	0.5928
32	3432	7.71	64.31	13.34	0.6615
33	3433	7.19	58.17	13.49	0.5644
34	3434	9.35	64.23	12.47	0.7489
35	3435	7.58	63.1	13.85	0.6625
36	3436	7.51	63.05	11.9	0.5632
37	3437	9.17	59.96	13.58	0.7464
38	3438	8.97	64.57	12.89	0.7463
39	3439	9.24	60.58	12.58	0.7041
40	3440	8.04	64.44	14.25	0.7381
41	3441	7.76	63.76	13.19	0.6526
42	3442	9.52	60.29	14.02	0.8044
43	3443	9.31	64.92	12.97	0.7839
44	3444	7.27	59.1	13.25	0.5692

45	3445	7.89	60.38	13.1	0.6241
46	3446	7.68	59.39	13.52	0.6167
47	3447	8	67.07	11.9	0.6384
48	3448	7.98	55.98	12.59	0.5626
49	3449	7.73	53.02	12.67	0.5195
50	3450	7.06	57.85	13.71	0.5599
51	3451	7.18	59.76	13.22	0.5672
52	3452	7.38	63.71	13.22	0.6214
53	3453	7.68	56.07	13.32	0.5737
54	3454	7.6	57.34	12.19	0.5312
55	3455	7.93	62.1	13.38	0.659
56	3456	7.59	60.9	13.71	0.6338
57	3457	7.39	56.99	12.21	0.5143
58	3458	7.4	55.44	13.96	0.5728
59	3459	7.51	58.05	13.66	0.5955
60	3460	7.7	56.3	12.52	0.5428
61	3461	7.38	54.12	13.17	0.5262
62	3462	8.96	50.26	14.13	0.6362
63	3463	7.51	62.84	12.75	0.6016
64	3464	7.2	55.46	12.87	0.5141
65	3465	7.2	61.91	13.44	0.599
66	3466	7.32	56.55	12.91	0.5344
67	3467	7.51	57.86	14.03	0.6098
68	3468	9.05	60.32	13.03	0.7113
69	3469	7.58	62.76	12.64	0.6011
70	3470	9.06	60.22	13.38	0.7302
71	3471	9.23	62.79	13.74	0.7965
72	3472	7.67	54.22	13.63	0.5668
73	3473	9.08	57.48	12.93	0.6746
74	3474	7.93	64.24	13.75	0.7002
75	3475	7.76	55.32	14.03	0.6022
76	3476	8.76	65.93	13.79	0.7963
77	3477	7.51	61.83	12.05	0.5595
78	3478	7.41	57.71	13.55	0.5795
79	3479	4.56	58.12	13.39	0.3548
80	3480	7.35	66.24	12.86	0.6262
81	3481	7.7	63.36	12.09	0.5898
82	3482	7.46	60.9	13.61	0.6184
83	3483	7.74	61.7	13.29	0.6347
84	3484	7.55	58.69	14.06	0.6229
85	3485	9.07	58.17	13.25	0.6993
86	3486	7.79	62.9	13.08	0.6411
87	3487	9	49.69	14.97	0.6696
88	3488	9.01	54.74	14.36	0.7082
89	3489	7.56	53.52	13.1	0.53
90	3490	8.97	64.66	14.23	0.8252
91	3491	7.7	62.03	13.56	0.6476
92	3492	4.59	60.91	13.15	0.3677
93	3493	7.53	60.48	12.24	0.5572
94	3494	7.59	61.52	13.96	0.652

95	3495	9.03	55.72	14.72	0.7405
96	3496	9	62.99	12.86	0.729
97	3497	7.65	63.71	13.94	0.6793
98	3498	7.48	59.51	13.26	0.5902
99	3499	7.63	61.24	13.63	0.6371
100	3500	7.7	64.06	13.03	0.6429

Name of Division : Bhilwara

Challan No. : 23/103

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2201	7.33	59.93	14.63	0.6428
2	2202	7.46	58.06	13.47	0.5834
3	2203	7.65	61.39	11.89	0.5585
4	2204	7.46	64.35	13.3	0.6386
5	2205	7.18	63.24	14.15	0.6426
6	2206	7.59	62.86	14.27	0.6808
7	2207	7.62	63.35	13.48	0.6507
8	2208	7.36	61.39	13.23	0.5976
9	2209	9.43	60.41	13.51	0.7695
10	2210	7.56	63.72	13.81	0.6653
11	2211	7.43	64.42	12.95	0.6197
12	2212	7.35	61.78	13.37	0.6071
13	2213	7.26	60.22	13.52	0.591
14	2214	7.44	60.24	12.9	0.5781
15	2215	7.34	62.66	13.05	0.6004
16	2216	7.26	64.61	13.47	0.6316
17	2217	7.82	61.76	13.23	0.6389
18	2218	7.55	67.19	13.56	0.6878
19	2219	6.74	60.36	13.45	0.5473
20	2220	7.3	64.71	12.9	0.6096
21	2221	7.49	64.18	12.89	0.6194
22	2222	7.56	63.16	13.25	0.6328
23	2223	7.68	63.13	14	0.6789
24	2224	7.17	57.76	14.25	0.5901
25	2225	7.32	68.62	13.45	0.6756
26	2226	9.2	68.13	13.2	0.8271
27	2227	7.58	51.11	12.39	0.4798
28	2228	9.3	62.66	12.8	0.7459
29	2229	9.32	57.16	13.1	0.6981
30	2230	7.54	57.21	14.02	0.6047
31	2231	7.59	58.95	14.13	0.6322
32	2232	7.76	52.99	13.15	0.5409
33	2233	7.63	57.9	12.88	0.5692
34	2234	7.88	52.67	12	0.498
35	2235	9.21	59.11	12.33	0.6714
36	2236	9.29	56.74	12.83	0.6763
37	2237	7.8	56.33	13.94	0.6123
38	2238	8.95	59.58	13.18	0.7026
39	2239	7.61	58.21	13.47	0.5966
40	2240	7.88	59.08	12.88	0.5997
41	2241	9.32	60.45	11.86	0.6682

42	2242	9.27	54.94	13.87	0.7064
43	2243	9.01	63.18	13.88	0.7902
44	2244	7.85	58.82	12.04	0.5558
45	2245	7.81	60.85	13.49	0.6412
46	2246	7.59	62.72	13.52	0.6436
47	2247	7.72	58.04	13.42	0.6014
48	2248	9.12	60.85	12.65	0.7022
49	2249	9.28	58.73	12.28	0.6691
50	2250	9.28	60.68	12.44	0.7006
51	2251	9.41	63.43	10.55	0.6295
52	2252	7.69	60.67	12.3	0.5737
53	2253	9.29	63.57	13.61	0.8036
54	2254	7.82	60.29	12.87	0.6068
55	2255	9.64	61.35	12.94	0.7654
56	2256	9.38	56.86	13.26	0.7073
57	2257	7.79	61.51	13.85	0.6637
58	2258	9.24	55.75	13.29	0.6847
59	2259	9.4	56.63	13	0.6918
60	2260	9.31	60.15	12.77	0.715
61	2261	7.33	52.65	12.08	0.4662
62	2262	7.21	54.64	14.77	0.5818
63	2263	7.2	56.45	13.23	0.5378
64	2264	7.8	51.35	14.92	0.5975
65	2265	4.48	55.08	15.36	0.379
66	2266	7.23	55.82	14.58	0.5885
67	2267	8.01	54.64	13.16	0.5759
68	2268	7.5	53.2	14.25	0.5685
69	2269	7.52	57.55	14.68	0.6354
70	2270	7.4	59.01	13.71	0.5987
71	2271	7.55	57.11	14.67	0.6327
72	2272	7.87	63.55	14.65	0.7327
73	2273	7.59	57.16	14.12	0.6125
74	2274	7.4	47.44	14.8	0.5195
75	2275	7.95	52.71	13.36	0.5597
76	2276	4.43	51.48	11.56	0.2636
77	2277	7.5	49.51	14.28	0.5302
78	2278	7.54	53.2	14.38	0.5768
79	2279	4.74	51.3	13.66	0.3323
80	2280	7.92	57.37	13.28	0.6035
81	2281	7.67	57.34	12.4	0.5453
82	2282	7.74	62.5	13.41	0.6486
83	2283	7.63	59.55	13.74	0.6241
84	2284	7.18	53.35	13.61	0.5213
85	2285	8.68	56.44	13.41	0.6571
86	2286	9.24	56.14	12.58	0.6523
87	2287	7.3	57.93	13.22	0.5592
88	2288	4.41	56.91	13.16	0.3303
89	2289	7.67	52.18	13.15	0.5262
90	2290	7.08	58.69	12.92	0.5367
91	2291	7.13	60.44	13.85	0.5968

92	2292	7.03	59.82	13.61	0.5722
93	2293	6.97	58.59	13.28	0.5423
94	2294	7.24	58.4	12.65	0.535
95	2295	7.01	59.83	13.35	0.5601
96	2296	7.05	60.7	12.85	0.5499
97	2297	7.22	60.64	13.26	0.5805
98	2298	7.26	56.2	12.28	0.5009
99	2299	6.99	47.82	13.63	0.4557
100	2300	7.11	49.28	14.02	0.4913

Name of Division : Bhilwara

Challan No. : 04/52

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	301	8.72	56.7	15.82	0.7822
2	302	7.76	55.91	12.91	0.5603
3	303	9.26	57.36	13.3	0.7065
4	304	9.56	55.1	12.25	0.6453
5	305	7.29	58.58	13.86	0.5919
6	306	7.69	63.09	11.6	0.5629
7	307	7.43	59.17	13.4	0.5892
8	308	9.24	61.41	12.44	0.7059
9	309	7.31	60.06	14.77	0.6484
10	310	7.5	41.75	17.27	0.5407
11	311	7.32	59.86	12.81	0.5614
12	312	7.87	64.36	13.28	0.6729
13	313	7.96	59.5	12.3	0.5827
14	314	7.72	64.46	14.33	0.7133
15	315	7.54	60.71	13.31	0.6092
16	316	8.76	60.75	12.69	0.6754
17	317	9.35	67.92	14.52	0.9219
18	318	7.72	63.19	12.91	0.63
19	319	7.7	56.16	13.78	0.596
20	320	7.87	52.9	13.57	0.5651
21	321	7.93	53.43	12.03	0.5099
22	322	7.85	56.03	12.53	0.5511
23	323	7.93	60.41	13.31	0.6376
24	324	7.98	61.59	13.74	0.6751
25	325	7.76	51.42	14.74	0.5882
26	326	7.82	59.23	13.78	0.6381
27	327	9.23	55.95	13.6	0.7024
28	328	7.95	60.53	12.09	0.5819
29	329	8.83	57.04	13.18	0.664
30	330	8.05	58.04	13.77	0.6432
31	331	8.02	60.49	11.59	0.5622
32	332	7.92	55.54	13.97	0.6146
33	333	9.19	59.38	13.46	0.7343
34	334	9.62	60.83	13.04	0.7629
35	335	7.54	56.81	13.57	0.5813
36	336	7.84	61.86	13.74	0.6664
37	337	9.63	56.35	13.77	0.7473
38	338	8.09	58.95	13.5	0.644

39	339	9.62	63.45	12.91	0.7879
40	340	9.22	64.74	13.76	0.8215
41	341	7.95	57.35	14.19	0.6471
42	342	7.48	55.41	13.32	0.552
43	343	8.98	61.24	12.82	0.7049
44	344	9.16	52.01	13.84	0.6595
45	345	9.62	60.94	12.41	0.7273
46	346	7.68	61.67	11.87	0.5622
47	347	7.58	56.82	12.69	0.5465
48	348	7.87	51.78	13.11	0.5344
49	349	7.67	55.99	12.16	0.5223
50	350	7.66	58.14	13.02	0.5799
51	351	7.58	59.21	12.67	0.5685
52	352	8.13	58.64	12.55	0.5984
53	353	9.84	56.33	13.46	0.7459
54	354	7.57	58.1	12.39	0.545
55	355	7.66	57.58	13.39	0.5906
56	356	8.08	61.02	14.01	0.6908
57	357	9.71	60.12	12.99	0.7584
58	358	9.8	59.99	13.1	0.7703
59	359	9.77	57.94	13.6	0.7699
60	360	9.62	61.78	12.2	0.7253
61	361	8.09	56	12.5	0.5663
62	362	9.52	64.99	13.31	0.8235
63	363	9.72	60.29	12.49	0.7319
64	364	8.22	48.67	13.4	0.5359
65	365	9.28	59.78	12.61	0.6997
66	366	8.07	57.92	11.4	0.5326
67	367	10.12	52.54	13.7	0.7286
68	368	9.39	59.77	13.3	0.7465
69	369	7.97	58.59	13.01	0.6073
70	370	9.77	55.32	12.55	0.678
71	371	9.76	56.08	13.07	0.7154
72	372	7.65	59.34	14.41	0.6541
73	373	7.75	60.6	13.61	0.6394
74	374	8.87	59.13	13.72	0.7194
75	375	9.53	65.47	14.07	0.8777
76	376	9.65	59.63	13.94	0.8019
77	377	7.43	56.78	13.67	0.5766
78	378	9.5	64.17	13.71	0.836
79	379	9.56	58.95	13.1	0.738
80	380	8.08	55.17	14.14	0.6302
81	381	7.67	59.54	12.46	0.5691
82	382	9.29	61.84	12.79	0.7348
83	383	9.35	58.67	13.79	0.7564
84	384	8.1	66.46	13.5	0.7266
85	385	9.15	58.28	13.07	0.6972
86	386	7.78	59.64	13.18	0.6115
87	387	9.38	60.26	13.91	0.786
88	388	9.65	54.13	13.3	0.6948

89	389	7.7	59.86	13.21	0.6091
90	390	7.96	59.64	12.96	0.6153
91	391	7.66	62.16	12.89	0.6136
92	392	8.96	65.58	13.13	0.7715
93	393	7.4	59.54	12.55	0.5528
94	394	9.27	58.54	13.2	0.7166
95	395	9.55	61.46	11.18	0.6561
96	396	9.69	54.3	14.09	0.7413
97	397	9.14	64.43	12.28	0.723
98	398	7.61	67.35	13.16	0.6742
99	399	9.92	56.32	13.46	0.7519
100	400	9.41	50.78	14	0.6691

Name of Division : Bhilwara

Challan No. : 07/54

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	601	7.65	55.15	13.33	0.5623
2	602	7.61	59.9	11.79	0.5373
3	603	7.64	59.85	13.3	0.6081
4	604	7.5	57.39	12.72	0.5475
5	605	7.73	57.77	14.02	0.6261
6	606	7.56	60.17	11.42	0.5194
7	607	9.66	44.71	14.05	0.6066
8	608	7.28	53.95	13.9	0.546
9	609	7.75	50.98	14.01	0.5533
10	610	7.48	50.85	14.43	0.549
11	611	7.62	57.27	14.37	0.6271
12	612	7.38	55.26	14.24	0.5808
13	613	9.38	59.55	13.92	0.7776
14	614	7.82	58.5	13.61	0.6225
15	615	7.54	58.24	12.98	0.57
16	616	7.54	57.13	13.93	0.6002
17	617	7.53	55.78	13.68	0.5745
18	618	7.38	49.35	13.86	0.5048
19	619	7.68	53.65	13.33	0.5491
20	620	7.58	56.58	13.24	0.5677
21	621	9.08	55.95	13.24	0.6728
22	622	7.68	58.69	13.36	0.6021
23	623	7.65	58.08	13.19	0.586
24	624	7.58	58.58	13.37	0.5935
25	625	7.85	61.68	12.81	0.6201
26	626	9.21	51.4	12.39	0.5867
27	627	9.68	58.38	13.45	0.7599
28	628	7.49	60.79	13.49	0.6142
29	629	7.88	61.98	12.47	0.6091
30	630	7.57	50.49	13.84	0.5291
31	631	9.46	58.89	13.94	0.7767
32	632	7.4	51.73	13.76	0.5269
33	633	7.56	53.8	14.65	0.5957
34	634	9.14	51.37	15.11	0.7093
35	635	7.4	59.04	13.25	0.5787

36	636	7.96	59.07	13.05	0.6137
37	637	7.57	51.57	14.35	0.5602
38	638	7.36	51.57	13.54	0.5137
39	639	7.55	56.6	13.87	0.5927
40	640	7.86	55.72	13.07	0.5722
41	641	7.89	54.6	14.05	0.6052
42	642	7.68	58.76	12.56	0.5668
43	643	7.83	63.83	13.74	0.6867
44	644	7.64	58.44	13.06	0.5829
45	645	7.71	59.89	13.11	0.6052
46	646	9.08	57.4	13.22	0.6892
47	647	9.06	62.27	14.34	0.8091
48	648	7.72	64.05	13.57	0.6709
49	649	9.25	58.52	14.75	0.7983
50	650	9.24	57.69	15.15	0.8076
51	651	7.72	57.5	13.37	0.5937
52	652	7.73	58.94	14.61	0.6656
53	653	9.03	58.8	14.35	0.7621
54	654	7.81	60.03	13.11	0.6146
55	655	7.94	40.86	14.22	0.4613
56	656	7.62	56.68	14.87	0.6424
57	657	8.95	59.2	13.63	0.7223
58	658	7.44	53.68	13.62	0.5439
59	659	8.06	65.68	13.92	0.7367
60	660	7.44	57.4	12.65	0.5401
61	661	7.48	66.05	13.26	0.6552
62	662	7.46	62.63	14.4	0.6729
63	663	7.52	67.1	12.25	0.6181
64	664	7.73	57.7	14.97	0.6679
65	665	7.2	57.02	15.03	0.617
66	666	9.13	56.83	15.13	0.7852
67	667	9.06	58.99	14.54	0.7773
68	668	7.73	58.06	14.73	0.6609
69	669	7.64	61.13	15.62	0.7296
70	670	8.97	58.38	14.61	0.7651
71	671	7.77	57.57	14.68	0.6566
72	672	9.37	47.73	14.92	0.6671
73	673	9.09	52.1	14.2	0.6727
74	674	9.45	56.05	13.9	0.7362
75	675	7.81	58.42	13.49	0.6154
76	676	7.11	56.76	14.61	0.5894
77	677	9.35	55.22	14.03	0.7246
78	678	7.52	57.48	14.06	0.6076
79	679	7.52	54.43	15.18	0.6212
80	680	7.92	50.68	14.74	0.5916
81	681	4.13	57.92	14.71	0.3519
82	682	7.36	57.35	13.98	0.5903
83	683	7.22	56.19	14.79	0.6
84	684	8.1	59.62	13.62	0.6577
85	685	7.56	60.83	13.5	0.6207

86	686	7.4	65.26	13.64	0.6586
87	687	7.14	62.68	16.16	0.7233
88	688	7.33	42.43	13.76	0.4281
89	689	7.49	50.46	13.34	0.5041
90	690	6.95	48.39	16.78	0.5643
91	691	7.4	58.36	14.75	0.6371
92	692	7.03	57.83	14.72	0.5983
93	693	7.74	56.43	12.19	0.5325
94	694	6.97	57.71	14.64	0.589
95	695	7.21	47.48	13.1	0.4485
96	696	7.11	49.97	13.59	0.4828
97	697	7.99	57.91	14.56	0.6736
98	698	7.11	55.43	13.28	0.5233
99	699	6.56	50.02	15.05	0.494
100	700	7.33	54.84	13.8	0.5549

Date: 05.09.2022

अस्वीकरण:—

फसल वर्ष 2021.22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 32/78**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3101	7.72	64.84	12.89	0.6454
2	3102	9.25	61.11	12.5	0.7067
3	3103	9.19	62.08	13.51	0.771
4	3104	9.12	65.64	13.07	0.7825
5	3105	7.31	64.56	12.79	0.6038
6	3106	7.76	64.34	12.57	0.6278
7	3107	8.96	67.62	12.87	0.7795
8	3108	8	55.87	14.05	0.628
9	3109	8.19	47.11	12.91	0.498
10	3110	7.86	62.88	13.71	0.6775
11	3111	8.24	58.51	14.05	0.6773
12	3112	7.97	57.61	13.11	0.6017
13	3113	8.16	55.67	12.88	0.5851
14	3114	8	58.12	12.58	0.5848
15	3115	8.03	58.87	11.96	0.5653
16	3116	9.87	61.21	13.69	0.8271
17	3117	8.06	58.57	13.13	0.6198
18	3118	7.25	59.98	12.7	0.5525
19	3119	7.4	55.97	13.31	0.5513
20	3120	7.07	60.16	12.78	0.5437
21	3121	7.31	57.44	12.88	0.5409
22	3122	7.57	60.75	11.85	0.545
23	3123	7.46	58.94	13.76	0.605
24	3124	7.34	62.88	12.39	0.5718
25	3125	7.3	62.87	12.6	0.5782
26	3126	7.56	60.24	12.58	0.573
27	3127	6.83	64.4	12.84	0.5648
28	3128	9.48	63.16	10.56	0.6323
29	3129	7.65	50.4	14.23	0.5485
30	3130	9.9	58.38	12.14	0.7019
31	3131	8.11	56.12	13.93	0.6342
32	3132	8.28	64.64	12.22	0.6541
33	3133	7.83	60.69	14.42	0.6851
34	3134	7.85	59.7	12.65	0.5927
35	3135	8.31	57.09	14.19	0.6731
36	3136	8.02	59.42	12.08	0.5758
37	3137	7.76	56.8	14.37	0.6332
38	3138	7.9	62.15	13.77	0.6762
39	3139	8.23	62.06	13.44	0.6864
40	3140	7.53	57.66	13.2	0.573
41	3141	7.78	60.77	12.46	0.5889
42	3142	9.55	57.93	12.69	0.7019
43	3143	7.74	56.77	14.34	0.63
44	3144	7.75	59.72	14.02	0.6487

45	3145	7.96	64.08	12.08	0.6161
46	3146	8.24	66.39	11.45	0.6262
47	3147	7.99	64.84	13.49	0.6991
48	3148	8.03	64.34	12.88	0.6657
49	3149	8.15	57.09	13.82	0.643
50	3150	6.76	51.99	14.35	0.5043
51	3151	8.07	62.59	13.88	0.7013
52	3152	7.95	57.89	13.37	0.6153
53	3153	7.87	60.49	12.51	0.5958
54	3154	9.68	61.58	13.64	0.8131
55	3155	7.87	60.98	13.84	0.6642
56	3156	7.86	58.91	14.02	0.6492
57	3157	7.39	57.8	14.41	0.6156
58	3158	7.97	59.54	13.62	0.6464
59	3159	9.69	58.03	13.22	0.7432
60	3160	9.63	69.62	10.24	0.6866
61	3161	7.99	56.67	13.92	0.6304
62	3162	8	55.85	14.81	0.6616
63	3163	8.24	63.34	13.88	0.7243
64	3164	7.82	61.72	14.78	0.7132
65	3165	7.64	64.58	12.91	0.6372
66	3166	7.6	60.56	14.02	0.6452
67	3167	7.87	64.48	12.73	0.6461
68	3168	8.35	63.01	13.06	0.6872
69	3169	7.92	58.32	13.82	0.6384
70	3170	8.25	62.29	12.71	0.6534
71	3171	10.04	60.32	13.81	0.8363
72	3172	7.73	68.04	14.04	0.7382
73	3173	8.09	62.68	13.82	0.7006
74	3174	7.51	63.69	14.34	0.6857
75	3175	4.67	67.38	9.75	0.3068
76	3176	7.73	65.19	14.17	0.7143
77	3177	8.07	52.04	12.62	0.5302
78	3178	7.85	56.29	12.9	0.5699
79	3179	9.37	58.85	12.86	0.7093
80	3180	7.87	57.13	12.88	0.5792
81	3181	8	57.8	13.53	0.6256
82	3182	8.03	59.71	13.92	0.6673
83	3183	7.99	57	11.04	0.5026
84	3184	7.79	53.97	13.34	0.5609
85	3185	8.1	56.58	14.92	0.6836
86	3186	8.15	59.02	13.88	0.6675
87	3187	7.85	60.36	13.68	0.6484
88	3188	7.78	59.2	13.36	0.6154
89	3189	7.74	62.13	13.68	0.6579
90	3190	8.05	61.68	13.96	0.6931
91	3191	9.91	59.05	13.16	0.77
92	3192	7.84	66.29	12.85	0.668
93	3193	7.86	59.11	12.05	0.5596
94	3194	8.04	66.29	13.14	0.7003

95	3195	9.58	56.23	12.43	0.6696
96	3196	7.81	61.22	13.2	0.631
97	3197	9.48	62.83	13.19	0.7859
98	3198	8.07	61.43	12.73	0.6311
99	3199	7.75	62.41	13.03	0.6301
100	3200	7.83	60.42	13.37	0.6327

Name of Division : Bhilwara

Challan No. : 31/77

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3038	9.3	65.40	13.07	0.7952
2	3080	9.11	61.33	12.90	0.7206
3	3074	7.52	54.85	12.74	0.5256
4	3052	7.61	68.31	12.78	0.6644
5	3006	9.07	65.24	12.52	0.7410
6	3096	8.9	57.92	13.90	0.7164
7	3028	7.79	60.71	13.51	0.6388
8	3004	7.84	61.83	12.53	0.6076
9	3065	8.04	58.70	12.93	0.6102
10	3037	7.37	62.14	13.58	0.6220
11	3072	9.03	53.38	13.83	0.6664
12	3089	7.73	61.94	13.40	0.6416
13	3026	9.1	56.58	13.49	0.6943
14	3013	9.06	63.63	11.99	0.6913
15	3039	9.21	63.36	12.91	0.7534
16	3003	9.08	59.39	13.39	0.7219
17	3071	7.43	60.43	12.69	0.5699
18	3030	9.24	61.10	13.21	0.7457
19	3044	9.12	62.31	13.34	0.7579
20	3058	3.81	53.92	12.91	0.2652
21	3064	7.78	58.45	12.51	0.5687
22	3040	9.18	63.43	13.07	0.7610
23	3073	7.92	55.16	12.02	0.5251
24	3100	9.02	63.98	12.91	0.7451
25	3021	7.68	59.48	13.50	0.6167
26	3097	7.69	58.59	13.77	0.6206
27	3011	7.96	60.46	13.00	0.6257
28	3088	9.17	63.56	12.43	0.7244
29	3085	7.59	59.53	12.65	0.5715
30	3081	7.73	62.97	12.34	0.6006
31	3078	9.08	62.93	12.90	0.7373
32	3022	7.66	57.40	13.90	0.6113
33	3092	9.05	64.98	12.31	0.7240
34	3024	8.7	65.54	12.92	0.7369
35	3016	7.61	63.14	12.05	0.5791
36	3025	9.6	57.57	11.79	0.6518
37	3018	9.23	60.47	12.30	0.6867
38	3053	9.35	61.24	12.74	0.7293
39	3012	7.62	63.31	12.95	0.6248
40	3045	8.99	64.42	13.15	0.7615
41	3023	7.7	64.89	12.33	0.6160

42	3049	7.42	62.32	12.72	0.5884
43	3098	8.85	60.73	12.79	0.6876
44	3002	7.3	61.77	13.21	0.5957
45	3051	9.27	68.51	12.92	0.8204
46	3015	8.23	57.38	12.51	0.5909
47	3008	8.97	60.38	12.84	0.6952
48	3066	9.11	58.21	12.01	0.6368
49	3032	9.1	58.04	11.87	0.6270
50	3093	7.7	60.82	12.84	0.6014
51	3036	7.69	60.40	12.88	0.5983
52	3062	7.46	53.64	12.58	0.5036
53	3054	9.29	65.88	12.95	0.7924
54	3027	9.6	60.18	12.43	0.7181
55	3063	9.17	55.33	13.01	0.6602
56	3029	7.55	58.02	13.68	0.5995
57	3043	9.11	62.34	13.30	0.7552
58	3086	7.7	60.09	11.53	0.5336
59	3082	8.93	57.72	11.59	0.5974
60	3087	9.37	61.35	12.36	0.7102
61	3057	7.61	65.65	12.83	0.6408
62	3077	7.57	61.52	12.34	0.5746
63	3031	8.19	56.08	13.64	0.6265
64	3079	7.73	65.53	11.16	0.5651
65	3068	9.07	58.38	11.80	0.6249
66	3046	7.58	57.42	12.14	0.5283
67	3001	4.57	55.83	12.68	0.3236
68	3067	7.41	56.86	13.00	0.5476
69	3070	7.75	58.76	13.04	0.5937
70	3050	9.43	69.71	12.85	0.8449
71	3014	7.6	65.81	13.84	0.6924
72	3075	7.73	64.64	12.78	0.6385
73	3061	8.96	56.94	13.73	0.7007
74	3034	7.9	58.23	12.38	0.5696
75	3007	7.59	61.97	13.01	0.6118
76	3005	7.89	61.51	12.31	0.5973
77	3010	9.39	61.29	12.29	0.7071
78	3076	7.32	56.47	14.50	0.5995
79	3019	8	54.33	12.79	0.5560
80	3048	9.17	57.19	13.60	0.7134
81	3017	7.63	58.77	11.49	0.5150
82	3042	9.25	57.33	11.76	0.6235
83	3069	7.43	52.89	12.48	0.4904
84	3056	9.02	59.86	13.00	0.7018
85	3059	9.54	59.76	12.52	0.7136
86	3095	7.76	62.55	12.50	0.6068
87	3020	7.87	58.27	11.79	0.5407
88	3084	9.3	63.55	12.90	0.7626
89	3090	9.14	57.58	11.83	0.6224
90	3035	9.2	63.08	12.92	0.7498
91	3094	7.87	62.03	12.74	0.6217

92	3009	7.38	64.70	12.80	0.6111
93	3055	9.04	62.55	11.85	0.6699
94	3047	9.17	62.86	12.81	0.7382
95	3083	9.1	62.55	13.01	0.7407
96	3033	8.83	58.96	12.57	0.6543
97	3099	7.97	64.49	12.42	0.6384
98	3060	7.55	59.52	12.74	0.5723
99	3091	9.08	60.08	12.32	0.6719
100	3041	9.28	64.28	13.16	0.7851

Date: 01.09.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 08/55**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	701	8.5	62.35	16.39	0.8687
2	702	7.44	53.11	12.8	0.5059
3	703	7.3	53.39	14.5	0.565
4	704	7.02	56.89	13.59	0.5426
5	705	7.19	59.48	13.15	0.5623
6	706	7.18	52.68	13.9	0.5256
7	707	7.11	52.97	12.76	0.4806
8	708	7.03	58.03	13.46	0.549
9	709	7.07	56.49	13.01	0.5196
10	710	7.08	52.43	12.23	0.4538
11	711	7.52	58.59	12.29	0.5414
12	712	7.27	55.43	13.8	0.5562
13	713	7.57	55.92	14.06	0.595
14	714	7.43	56.74	14.12	0.5951
15	715	3.46	48.8	13.71	0.2315
16	716	7.62	58.93	11.96	0.5372
17	717	7.34	58.39	13.67	0.5857
18	718	7.04	58.24	12.79	0.5245
19	719	8.48	51.73	12.29	0.5393
20	720	7.44	48.71	13.3	0.4821
21	721	7.72	52.5	12.99	0.5265
22	722	7.38	56.45	13.69	0.5705
23	723	7.6	57.85	13.43	0.5905
24	724	8.74	56.1	13.28	0.6511
25	725	4.3	50.57	14.04	0.3053
26	726	8.59	62.16	16.52	0.8822
27	727	7.45	53.17	13.8	0.5468
28	728	7.4	56.01	13.98	0.5794
29	729	7.37	55.01	15.11	0.6124
30	730	7.81	53.36	14.13	0.5889
31	731	7.65	59.96	13.18	0.6043
32	732	8.68	57.05	14.02	0.6944
33	733	7.36	63.68	13	0.6094
34	734	3.59	56.51	13.98	0.2836
35	735	7.46	57.39	11.92	0.5103
36	736	7.32	51.08	13.18	0.4926
37	737	7.67	56.06	13.13	0.5645
38	738	8.2	48.68	12.57	0.5018
39	739	7.45	52.85	13.85	0.5453
40	740	7.73	56.98	13.64	0.6006
41	741	7.82	59.53	13.37	0.6225
42	742	7.48	56.71	13.24	0.5617
43	743	7.9	60.57	14.03	0.6715
44	744	8.12	57.37	12.9	0.6009

45	745	7.73	55.74	12.83	0.5527
46	746	9.74	58.51	13.3	0.7578
47	747	7.44	60.41	14.6	0.6562
48	748	7.87	61.94	14.3	0.6973
49	749	7.63	56.89	14.45	0.6272
50	750	8.11	58.09	13.2	0.622
51	751	7.52	55.35	14.47	0.6024
52	752	7.8	60.91	12.9	0.6131
53	753	7.45	52.75	12.34	0.485
54	754	7.67	53.46	14.37	0.5891
55	755	9.33	58.36	13.37	0.7277
56	756	8.19	59.5	14.52	0.7076
57	757	7.91	59.33	14.48	0.6795
58	758	7.84	59.72	14.38	0.6735
59	759	7.89	58.06	13.33	0.6107
60	760	7.93	58.57	14.12	0.6558
61	761	7.49	58.6	13.75	0.6037
62	762	9.2	58.93	14.14	0.7664
63	763	7.7	53.86	13.31	0.5521
64	764	7.44	62.52	13.1	0.6093
65	765	8.01	58.12	13.99	0.6512
66	766	8	56.13	15.16	0.6808
67	767	7.77	61.2	13.01	0.6185
68	768	9.25	59.01	13.44	0.7335
69	769	7.61	56.06	14.45	0.6164
70	770	7.83	61.05	13.32	0.6366
71	771	7.67	60.99	14.71	0.688
72	772	9.49	59.66	12.82	0.726
73	773	7.35	43.57	13.89	0.4447
74	774	7.76	52.03	13.51	0.5455
75	775	7.47	53.86	13.42	0.5401
76	776	7.9	53.67	13.9	0.5893
77	777	7.47	47.53	13.38	0.4751
78	778	7.09	52.26	13.43	0.4977
79	779	7.97	53.19	13.18	0.5587
80	780	7.7	50.21	12.63	0.4882
81	781	7.4	51.09	13.23	0.5002
82	782	7.73	52.53	13.14	0.5334
83	783	8.1	51.07	13.04	0.5395
84	784	7.15	56.24	13.3	0.5348
85	785	7.7	54.8	13.61	0.5744
86	786	9.03	54.82	13.61	0.6736
87	787	7.89	60.96	12.8	0.6154
88	788	7.47	56.56	13.22	0.5588
89	789	7.74	51.46	13.21	0.5263
90	790	7.44	54.85	13.66	0.5573
91	791	7.68	52.67	12.87	0.5207
92	792	9.09	55.8	13.01	0.6599
93	793	7.24	56.93	13.4	0.5524
94	794	7.43	55.47	13.5	0.5565

95	795	8.51	49.88	13.37	0.5676
96	796	4.21	57.64	13.39	0.325
97	797	7.25	62.22	14.03	0.6329
98	798	8.53	55.16	12.98	0.6107
99	799	7.31	55.53	13.6	0.5519
100	800	7.46	58.25	13.8	0.5998

Name of Division : Bhilwara			Challan No. : 29/75		
------------------------------------	--	--	----------------------------	--	--

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2801	7.79	57.15	12.3	0.5476
2	2802	7.72	57.85	12.48	0.5574
3	2803	7.8	53.81	13.85	0.5811
4	2804	7.78	63.4	12.87	0.6348
5	2805	7.64	58.52	12.27	0.5486
6	2806	7.48	54.65	13.12	0.5363
7	2807	7.74	60.1	12.43	0.5782
8	2808	7.94	63.58	13.04	0.6582
9	2809	7.74	59	12.92	0.5898
10	2810	7.7	52.64	14.29	0.579
11	2811	7.24	57.57	12.38	0.5162
12	2812	7.45	57.16	12.51	0.5327
13	2813	7.62	58.95	13.44	0.6035
14	2814	7.52	50.42	13.23	0.5016
15	2815	7.55	55.77	11.66	0.4908
16	2816	7.61	56.79	12.08	0.522
17	2817	7.73	57.62	11.45	0.5102
18	2818	7.48	56.69	13.48	0.5715
19	2819	7.87	63.81	12.83	0.6446
20	2820	9.16	61.39	12.77	0.7181
21	2821	7.37	59.57	13.04	0.5726
22	2822	7.56	57.17	12.61	0.5451
23	2823	9.09	58.7	12.21	0.6518
24	2824	8.58	60.13	13.49	0.6958
25	2825	7.66	62.45	12.75	0.6097
26	2826	7.57	60.64	12.52	0.5746
27	2827	7.58	58.17	13.39	0.5905
28	2828	7.71	52.8	13.73	0.559
29	2829	8	61.02	13	0.6344
30	2830	8.36	58.49	13.46	0.6579
31	2831	7.68	62.7	12.7	0.6113
32	2832	7.71	56.8	12.73	0.5574
33	2833	7.87	57.62	12.1	0.5485
34	2834	7.68	59.94	13.26	0.6106
35	2835	8.09	60.27	13.75	0.6707
36	2836	8.1	60.58	12.97	0.6367
37	2837	9.03	53.78	12.12	0.5888
38	2838	9.14	60.04	13.36	0.733
39	2839	9.07	62.76	12.65	0.7202
40	2840	6.99	61.11	13.04	0.5571
41	2841	9.25	62.66	12.64	0.7326

42	2842	7.48	65.33	12.31	0.6014
43	2843	4.63	59.08	12.75	0.3486
44	2844	7.85	61.67	12.92	0.6256
45	2845	7.98	52.68	12.17	0.5115
46	2846	7.55	63.19	13.28	0.6334
47	2847	9.34	61.06	13.33	0.7603
48	2848	7.7	67	12.67	0.6537
49	2849	7.75	59.66	12.22	0.565
50	2850	7.7	64.15	14.26	0.7045
51	2851	7.3	47.91	13.34	0.4665
52	2852	7.58	51.14	13.49	0.523
53	2853	7.76	54.58	12.13	0.5137
54	2854	8.24	54.37	12.45	0.5578
55	2855	9.01	55.28	11.52	0.5739
56	2856	7.64	56.59	12.33	0.5333
57	2857	7.7	57.01	12.91	0.5667
58	2858	7.54	55.08	11.66	0.4841
59	2859	7.75	58.81	12.55	0.572
60	2860	9.01	53.84	12.74	0.6181
61	2861	7.46	54.65	11.73	0.4782
62	2862	7.37	57.37	11.71	0.4953
63	2863	7.79	54.71	12.89	0.5492
64	2864	7.59	52.32	12.52	0.4971
65	2865	7.58	56.3	13.37	0.5708
66	2866	7.66	61.41	12.15	0.5714
67	2867	7.77	59.77	13.03	0.6053
68	2868	9.02	56.07	12.97	0.6558
69	2869	7.47	63.23	13.41	0.6335
70	2870	7.62	54.36	12.8	0.5304
71	2871	7.82	59.54	11.84	0.5513
72	2872	7.42	57.36	12.43	0.529
73	2873	9.48	58.85	13.71	0.765
74	2874	7.61	58.15	11.88	0.5259
75	2875	7.96	60.85	12.06	0.5843
76	2876	7.62	61.41	13.45	0.6294
77	2877	7.67	58.16	12.17	0.543
78	2878	7.98	56.3	13.91	0.6248
79	2879	7.89	56.36	12.78	0.5681
80	2880	9.45	58.12	12.42	0.6823
81	2881	7.7	62.53	13.13	0.6322
82	2882	7.63	60.21	12.59	0.5784
83	2883	7.41	60.11	12.61	0.5617
84	2884	7.48	60.36	13.39	0.6044
85	2885	9.15	54.21	13.39	0.6643
86	2886	7.5	62.52	12.64	0.5925
87	2887	7.43	58.63	13.24	0.5766
88	2888	7.73	62.07	13.26	0.6362
89	2889	7.7	58.74	12.96	0.586
90	2890	7.73	59.66	12.09	0.5573
91	2891	7.7	62.73	12.99	0.6275

92	2892	7.65	61.06	12.45	0.5814
93	2893	8.97	56.49	12.55	0.636
94	2894	8.39	62.11	16.55	0.8625
95	2895	7.87	60.39	13.07	0.6209
96	2896	7.28	62.31	16.37	0.7426
97	2897	7.54	55.27	11.81	0.4924
98	2898	7.61	56.25	14.17	0.6065
99	2899	7.84	57.92	12.55	0.57
100	2900	7.79	57.2	12.81	0.571

Name of Division : Bhilwara

Challan No. : 39/85

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3801	7.2	58.7	13.83	0.5846
2	3802	7.72	62.59	12.99	0.6276
3	3803	7.52	61.74	12.29	0.5708
4	3804	7.8	56.63	13.31	0.5881
5	3805	7.84	58.23	14.73	0.6727
6	3806	7.24	60.95	13.7	0.6045
7	3807	7.68	54.34	13.84	0.5775
8	3808	7.55	60.71	14.82	0.6795
9	3809	9.32	58.75	14.18	0.7764
10	3810	7.58	59.12	12.45	0.5579
11	3811	8.13	57.68	14.51	0.6805
12	3812	7.83	57.89	13.75	0.6233
13	3813	7.09	64.04	13.34	0.6055
14	3814	7.61	62.22	14.8	0.7009
15	3815	7.71	58.96	13.01	0.5914
16	3816	7.78	57.52	13.23	0.5921
17	3817	7.84	58.61	13.82	0.635
18	3818	7.82	56.45	13.87	0.6123
19	3819	9.01	58.89	11.48	0.6091
20	3820	7.54	56.52	12.77	0.5444
21	3821	7.65	57.61	13.21	0.5822
22	3822	7.35	56.45	14.67	0.6086
23	3823	7.8	54.42	14.09	0.5983
24	3824	7.7	56.27	13.08	0.5667
25	3825	7.77	58.81	13.81	0.6309
26	3826	7.85	64.74	14.3	0.7269
27	3827	7.78	57.79	13.53	0.6084
28	3828	9.07	60.95	13.57	0.7501
29	3829	7.72	56.08	13.21	0.5721
30	3830	7.66	54.39	13.46	0.5607
31	3831	8.23	58.07	12.81	0.6123
32	3832	7.73	68.21	13.34	0.7034
33	3833	7.68	59.14	13.68	0.6213
34	3834	8.32	56.4	13.79	0.6473
35	3835	7.55	59.3	11.33	0.5074
36	3836	8.06	54.05	12.56	0.5473
37	3837	10.27	42.97	13.01	0.5741
38	3838	7.47	50.45	12.92	0.487

39	3839	7.88	50.58	13.8	0.55
40	3840	7.7	58.17	13.08	0.586
41	3841	7.39	64.04	12.62	0.5971
42	3842	7.87	57.6	13.11	0.5942
43	3843	8.07	61.35	13.5	0.6682
44	3844	8.11	63.47	13.25	0.6821
45	3845	7.6	60.28	14.78	0.6772
46	3846	7.55	64.71	13.75	0.672
47	3847	7.11	57.57	14.5	0.5937
48	3848	7.47	59.88	14.31	0.6402
49	3849	7.39	64.57	12.65	0.6038
50	3850	7.52	56.44	13.93	0.5911
51	3851	7.7	68.69	12.08	0.6391
52	3852	8.09	48.05	14.28	0.555
53	3853	7.82	48.46	11.68	0.4426
54	3854	7.83	50.02	13.21	0.5176
55	3855	7.57	52.58	13.62	0.542
56	3856	8.16	51.06	14.16	0.59
57	3857	7.58	62.2	13.12	0.6185
58	3858	7.73	62.33	12.74	0.6138
59	3859	7.44	57	12.53	0.5312
60	3860	7.53	60.16	13.75	0.6227
61	3861	7.57	59.21	13.06	0.5852
62	3862	7.54	55.31	12.89	0.5376
63	3863	7.54	60.73	14.26	0.653
64	3864	8.01	62.5	12.67	0.6344
65	3865	7.49	59.63	13.9	0.6209
66	3866	7.44	67.59	13.76	0.6919
67	3867	7.36	62.43	14.5	0.6661
68	3868	7.33	61.2	14.66	0.6575
69	3869	7.5	60.48	13.92	0.6315
70	3870	7.35	64.98	13.79	0.6586
71	3871	7.29	68.24	13.94	0.6933
72	3872	7.28	56	13.59	0.554
73	3873	7.22	55.31	13.31	0.5314
74	3874	7.21	55.46	13.92	0.5566
75	3875	8.03	56.42	13.17	0.5966
76	3876	7.16	55.77	10.26	0.4096
77	3877	7.4	60.21	14.6	0.6505
78	3878	7.35	54.61	13.7	0.5498
79	3879	7.21	58.65	12.31	0.5206
80	3880	4.4	51.52	14.23	0.3225
81	3881	7.38	56.84	13.21	0.5542
82	3882	8.85	54.44	13.83	0.6664
83	3883	7.12	54.37	13.28	0.5141
84	3884	7.11	57.68	13.54	0.5553
85	3885	7.63	53.31	13.75	0.5593
86	3886	7.23	58.73	12.75	0.5415
87	3887	7.54	57.31	11.8	0.5097
88	3888	7.51	56.64	13.45	0.5723

89	3889	7.42	58.34	13.16	0.5699
90	3890	4.43	57.29	12.67	0.3216
91	3891	7.05	64.56	12.58	0.5725
92	3892	7.22	59.24	12.91	0.5523
93	3893	9.27	56.44	13.86	0.7249
94	3894	7.54	57.51	12.48	0.5414
95	3895	7.32	58.11	12.94	0.5505
96	3896	7.61	60.88	13.42	0.6217
97	3897	7.41	62.71	13.32	0.6187
98	3898	7.07	60.73	13.29	0.5705
99	3899	7.25	63.27	12.47	0.572
100	3900	7.04	58.59	12.66	0.5224

Date: 31.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 36/82**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3501	7.63	61.36	13.05	0.6112
2	3502	8.52	57.76	13.45	0.662
3	3503	7.95	61.53	13.34	0.6527
4	3504	7.86	57.59	12.83	0.5809
5	3505	7.93	65.02	12.95	0.6677
6	3506	7.99	62.83	12.45	0.6248
7	3507	7.93	64.01	13.14	0.6669
8	3508	8.14	60.43	12.48	0.6138
9	3509	8.03	64.88	13.1	0.6825
10	3510	7.75	62.71	13.17	0.6402
11	3511	9.55	65.47	12.83	0.8022
12	3512	7.91	62.83	12.96	0.6439
13	3513	7.62	68.18	13.57	0.7048
14	3514	7.84	67.35	13.1	0.6915
15	3515	9.59	63.96	12.79	0.7845
16	3516	7.82	63.77	12	0.5982
17	3517	7.9	68.82	13.14	0.7142
18	3518	9.38	65.38	12.74	0.7814
19	3519	7.88	65.68	13.25	0.6856
20	3520	7.84	65.47	12.92	0.6633
21	3521	3.99	67.84	11.72	0.3172
22	3522	7.9	65.52	12.38	0.6407
23	3523	7.54	61.4	13.53	0.6266
24	3524	7.7	63.73	13.1	0.6429
25	3525	8.15	65.9	14.19	0.762
26	3526	7.91	54.38	13.07	0.5624
27	3527	7.82	59.91	12.97	0.6076
28	3528	8.11	64.45	12.77	0.6675
29	3529	9.62	57.65	13.43	0.7446
30	3530	7.84	63.74	12.25	0.6123
31	3531	7.9	61.62	12.38	0.6028
32	3532	7.65	51.93	12	0.4766
33	3533	8.04	58.9	11.54	0.5467
34	3534	7.6	56.05	13.22	0.5632
35	3535	8.97	55.05	13.9	0.6862
36	3536	7.78	50.36	13.66	0.5353
37	3537	7.73	54.56	12.43	0.5241
38	3538	8.18	50.32	11.98	0.4933
39	3539	7.67	59.99	12.3	0.566
40	3540	7.76	58.7	12.64	0.5758
41	3541	9.03	55.69	13.56	0.6818
42	3542	9.77	60.74	13.29	0.7884
43	3543	8.2	58.54	12.49	0.5994
44	3544	8.05	57.22	12.27	0.5651

45	3545	7.79	52.23	12.75	0.5188
46	3546	8.18	57.46	11.96	0.562
47	3547	9.17	56.31	13.82	0.7134
48	3548	7.92	62.35	12.83	0.6336
49	3549	7.95	60.37	12.03	0.5772
50	3550	7.91	64.91	12.36	0.6344
51	3551	7.74	60.02	12.76	0.5929
52	3552	9.72	57.2	12.9	0.7173
53	3553	9.22	55.93	12.32	0.6353
54	3554	7.99	60.5	12.28	0.5937
55	3555	7.56	64.65	12.17	0.595
56	3556	7.95	60.54	13.16	0.6336
57	3557	7.91	62.44	12.99	0.6415
58	3558	7.66	66.02	12.36	0.6251
59	3559	7.63	40.15	12.98	0.3975
60	3560	7.59	45.23	13.91	0.4774
61	3561	7.71	45.91	13.22	0.468
62	3562	8.1	51.67	12.68	0.5306
63	3563	7.96	57.89	13.35	0.6153
64	3564	7.87	57.44	13.63	0.6162
65	3565	7.86	58.68	12.2	0.5628
66	3566	8.16	55.32	13.09	0.5908
67	3567	8.01	51.92	13.71	0.5703
68	3568	9.34	57.49	13.85	0.7435
69	3569	7.77	53.12	12.97	0.5354
70	3570	9.52	52.45	13.27	0.6626
71	3571	8.01	55.23	13.53	0.5983
72	3572	7.58	50.26	13.83	0.5268
73	3573	9.52	57.24	13.56	0.7388
74	3574	7.92	57.74	13.28	0.6075
75	3575	8.04	61.32	13.06	0.644
76	3576	7.74	58.26	13.8	0.6223
77	3577	7.83	62.46	12.84	0.628
78	3578	7.76	58.61	13.77	0.6262
79	3579	7.91	58.84	13.02	0.6059
80	3580	9.5	58.5	13.98	0.7771
81	3581	7.76	58.89	13.23	0.6045
82	3582	7.89	57.96	12.8	0.5854
83	3583	7.84	59.16	13.54	0.628
84	3584	9.46	57.69	12.9	0.7038
85	3585	7.95	58.19	12.36	0.5716
86	3586	7.36	60.63	13.05	0.5822
87	3587	7.51	59.2	12.89	0.573
88	3588	7.72	61.05	12.69	0.5983
89	3589	7.86	61.66	14.01	0.6791
90	3590	7.67	56.98	13.23	0.5783
91	3591	7.96	54.74	12.55	0.5469
92	3592	8.13	57.11	13.76	0.639
93	3593	9.4	57.53	13.77	0.7445
94	3594	7.84	60.32	13.36	0.6319

95	3595	7.91	56.74	14.03	0.6296
96	3596	7.55	58.85	13.88	0.6168
97	3597	7.84	57.34	13.1	0.5888
98	3598	9.27	57.14	13.79	0.7305
99	3599	7.85	59.6	12.11	0.5668
100	3600	7.86	60.54	13.4	0.6374

Name of Division : Bhilwara

Challan No. : 38/84

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3701	7.65	57	13.42	0.5852
2	3702	7.8	65.33	12.46	0.6349
3	3703	9.41	59.34	14.21	0.7933
4	3704	7.52	61.38	13.8	0.6369
5	3705	7.37	58.82	12.89	0.5586
6	3706	7.95	62.28	13.5	0.6686
7	3707	7.65	58.49	13.52	0.6051
8	3708	7.97	63.32	13.83	0.6982
9	3709	7.55	60.12	14.22	0.6455
10	3710	7.64	57.16	13.91	0.6074
11	3711	7.61	59.64	12.86	0.5837
12	3712	7.7	63.2	12.29	0.5983
13	3713	7.4	58.8	14.51	0.6312
14	3714	7.39	62.27	12.67	0.5831
15	3715	7.31	58.78	13.54	0.5819
16	3716	7.83	59.19	12.6	0.5841
17	3717	7.63	61.89	13.57	0.6409
18	3718	7.13	61.73	13.22	0.5818
19	3719	7.13	66.02	14.37	0.6766
20	3720	7.57	65.17	13.49	0.6654
21	3721	7.2	64.4	13.43	0.6228
22	3722	8.13	57.48	14.18	0.6626
23	3723	7.83	59.38	13.91	0.6468
24	3724	9.24	60.73	13.47	0.7558
25	3725	7.57	54.18	13.9	0.57
26	3726	8.5	58.15	14.58	0.7208
27	3727	8.19	56.88	13.27	0.6183
28	3728	8.02	58.63	12.81	0.6023
29	3729	9.36	61.93	12.74	0.7385
30	3730	7.56	61.62	14.17	0.66
31	3731	7.61	59.69	13.4	0.6088
32	3732	7.48	58.21	13.21	0.5752
33	3733	7.91	63.74	13.29	0.67
34	3734	7.91	59.24	14.28	0.6692
35	3735	7.85	57.72	14.02	0.6351
36	3736	7.43	59.62	12.83	0.5684
37	3737	7.67	63.1	13.2	0.6389
38	3738	7.79	56.08	13.98	0.6107
39	3739	7.79	61.17	13.94	0.6645
40	3740	7.65	61.28	13.38	0.6273
41	3741	7.94	60.34	12.78	0.6122

42	3742	7.69	61.61	15.27	0.7236
43	3743	7.64	56.07	13.16	0.5638
44	3744	9.46	58.87	12.03	0.6698
45	3745	7.77	60.93	13.92	0.6589
46	3746	7.94	61	12.74	0.6169
47	3747	7.88	59.73	12.22	0.5752
48	3748	7.54	59.62	13.55	0.6092
49	3749	9.23	59.17	13.32	0.7273
50	3750	9.16	58.52	12.73	0.6824
51	3751	7.58	63.06	13.08	0.6253
52	3752	7.64	63.83	12.97	0.6326
53	3753	7.93	59	13.41	0.6273
54	3754	7.62	58.01	12.83	0.5669
55	3755	9.46	62.16	14.3	0.841
56	3756	9.56	61	14.66	0.8547
57	3757	9.33	59.89	13.64	0.7623
58	3758	7.77	59.97	13.84	0.6449
59	3759	7.47	65.78	11.98	0.5886
60	3760	7.71	65.04	12.52	0.6276
61	3761	7.54	60.39	13.5	0.6145
62	3762	8.01	59.94	12.01	0.5767
63	3763	8.05	63.9	13.57	0.6979
64	3764	7.72	60.14	12.89	0.5983
65	3765	7.77	62	13.92	0.6706
66	3766	7.59	62.38	12.95	0.6133
67	3767	9.69	63.95	13.03	0.8072
68	3768	8.06	66.9	12.96	0.6988
69	3769	7.81	64.55	13.03	0.6568
70	3770	7.7	59.84	12.65	0.5829
71	3771	7.57	66.49	12.8	0.6442
72	3772	7.49	64.05	13.69	0.6569
73	3773	7.75	51.67	13.35	0.5347
74	3774	7.82	51.62	12.82	0.5177
75	3775	7.75	58.24	13.39	0.6045
76	3776	9.63	56.13	13.75	0.7434
77	3777	7.91	62.26	12.82	0.6312
78	3778	7.7	55.88	13.01	0.5598
79	3779	7.91	60.88	13.6	0.6549
80	3780	7.54	57.69	12.22	0.5316
81	3781	7.55	59.55	11.94	0.5368
82	3782	7.62	57.15	11.93	0.5197
83	3783	7.96	59.62	12.4	0.5882
84	3784	7.34	63.54	12.61	0.5879
85	3785	7.86	55.75	13.02	0.5706
86	3786	7.85	57.81	13.16	0.5974
87	3787	7.52	55.6	12.61	0.5272
88	3788	8.01	57.43	13.09	0.6024
89	3789	7.46	58.58	13.74	0.6005
90	3790	7.43	54.18	12.62	0.5082
91	3791	8.08	50.93	12.94	0.5325

92	3792	9.41	60.93	13.21	0.7575
93	3793	7.39	61.41	13.84	0.6281
94	3794	7.69	59.51	11.81	0.5406
95	3795	7.87	63.88	13.24	0.6658
96	3796	7.53	59.46	13.87	0.6212
97	3797	7.68	61.24	12.21	0.5745
98	3798	7.69	59.83	13.2	0.6075
99	3799	7.95	60.86	13.59	0.6575
100	3800	7.14	60.06	13.5	0.5791

Date: 28.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 34/80**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3332	8.08	59.13	12.75	0.6092
2	3368	7.5	62.29	14.22	0.6645
3	3398	8.42	63.25	12.19	0.6492
4	3342	7.84	61.28	14.00	0.6727
5	3372	7.5	63.60	12.48	0.5955
6	3360	7.7	62.14	12.76	0.6106
7	3383	7.25	63.76	12.72	0.5880
8	3306	8	61.56	11.24	0.5536
9	3346	8.02	62.84	12.76	0.6432
10	3325	8.01	60.97	12.76	0.6232
11	3333	7.93	55.18	13.63	0.5963
12	3357	7.77	63.66	12.17	0.6022
13	3365	7.94	57.07	12.28	0.5566
14	3302	7.76	62.05	11.78	0.5673
15	3326	7.9	60.39	13.05	0.6225
16	3330	7.84	63.82	13.74	0.6876
17	3374	7.46	58.94	13.01	0.5722
18	3349	8.19	60.46	13.22	0.6544
19	3316	7.74	54.12	13.12	0.5495
20	3385	7.65	55.68	11.89	0.5064
21	3314	7.76	53.50	12.32	0.5114
22	3317	7.69	60.52	12.74	0.5929
23	3379	7.59	60.58	12.89	0.5928
24	3381	7.52	60.82	13.60	0.6219
25	3352	7.93	64.19	11.76	0.5987
26	3378	7.33	59.62	12.85	0.5615
27	3313	8.17	57.49	12.16	0.5711
28	3309	4.49	58.48	12.72	0.3341
29	3397	10.02	63.54	12.04	0.7665
30	3327	7.6	60.72	13.09	0.6042
31	3340	7.84	60.06	12.12	0.5708
32	3375	7.7	61.92	12.79	0.6098
33	3391	7.44	64.89	11.30	0.5454
34	3335	8.25	59.59	11.70	0.5750
35	3395	7.53	62.42	11.76	0.5527
36	3396	7.48	66.47	14.04	0.6979
37	3338	7.87	56.16	11.31	0.4997
38	3315	7.72	58.66	11.13	0.5041
39	3388	7.73	62.35	12.24	0.5898
40	3358	7.55	59.35	12.69	0.5685
41	3389	7.73	65.37	13.72	0.6934
42	3364	9.35	58.17	13.17	0.7162
43	3310	8.03	55.89	11.42	0.5123
44	3393	7.75	63.59	12.60	0.6208

45	3345	7.59	60.27	12.48	0.5708
46	3363	7.78	62.44	12.86	0.6247
47	3323	7.3	55.36	12.05	0.4869
48	3328	7.76	61.43	12.44	0.5929
49	3359	7.62	59.13	13.83	0.6233
50	3334	7.97	57.18	13.71	0.6248
51	3362	7.34	58.08	12.86	0.5483
52	3318	7.88	56.35	12.67	0.5626
53	3382	7.81	57.05	12.87	0.5733
54	3376	9.64	58.94	12.39	0.7037
55	3369	7.68	66.48	12.06	0.6159
56	3307	8.04	46.83	12.71	0.4784
57	3387	7.46	64.15	13.03	0.6237
58	3348	9.05	58.00	13.47	0.7068
59	3390	7.72	64.27	12.35	0.6130
60	3386	7.62	61.25	12.70	0.5928
61	3320	7.84	60.70	13.84	0.6586
62	3312	8.34	55.42	11.78	0.5446
63	3331	7.63	56.47	12.04	0.5188
64	3347	7.56	62.66	12.18	0.5768
65	3337	7.62	57.41	12.30	0.5380
66	3336	7.88	56.36	11.02	0.4893
67	3400	9.41	66.31	13.18	0.8224
68	3329	7.59	51.56	11.91	0.4660
69	3305	7.91	66.50	13.55	0.7127
70	3324	7.7	58.97	13.46	0.6114
71	3311	4.64	48.59	13.71	0.3090
72	3339	7.78	57.14	11.13	0.4948
73	3303	7.65	69.02	13.68	0.7222
74	3301	8.02	67.43	11.64	0.6296
75	3373	7.45	61.69	12.68	0.5826
76	3344	7.85	63.96	13.51	0.6782
77	3355	7.96	62.79	11.56	0.5779
78	3377	7.91	56.32	13.14	0.5853
79	3319	7.81	56.64	13.79	0.6100
80	3353	7.74	67.59	13.17	0.6889
81	3394	7.54	66.91	12.85	0.6484
82	3366	9.26	53.43	13.18	0.6519
83	3304	7.72	68.18	13.67	0.7195
84	3341	9.63	61.33	12.38	0.7309
85	3371	7.56	63.86	13.92	0.6721
86	3343	7.44	56.46	11.71	0.4918
87	3322	7.6	56.73	12.89	0.5556
88	3350	7.64	61.82	13.99	0.6609
89	3351	7.81	60.20	12.76	0.5998
90	3361	7.56	60.26	12.93	0.5889
91	3367	7.09	61.11	13.88	0.6012
92	3370	7.44	63.04	13.77	0.6458
93	3308	7.37	59.73	13.41	0.5903
94	3399	7.58	65.49	13.97	0.6936

95	3380	7.35	60.42	12.96	0.5755
96	3321	7.59	56.09	13.53	0.5761
97	3384	7.78	64.17	12.97	0.6473
98	3392	7.39	60.03	12.66	0.5616
99	3354	8.1	62.75	12.86	0.6537
100	3356	10.08	60.26	12.76	0.7752

Name of Division : Bhilwara

Challan No. : 15/62

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1427	7.45	52.30	11.93	0.4649
2	1434	8.63	52.46	12.33	0.5584
3	1487	9.89	59.27	12.33	0.7230
4	1441	9.18	58.60	11.81	0.6353
5	1497	7.82	65.14	12.50	0.6365
6	1456	7.75	61.64	11.73	0.5603
7	1451	7.62	56.59	12.30	0.5304
8	1439	7.75	59.29	11.64	0.5347
9	1442	7.62	57.24	12.16	0.5304
10	1450	7.7	55.65	11.86	0.5082
11	1477	7.95	56.64	13.14	0.5915
12	1403	7.64	63.54	12.59	0.6112
13	1420	7.63	62.99	12.53	0.6020
14	1447	9.01	57.38	11.42	0.5902
15	1495	9.33	56.70	13.30	0.7035
16	1401	9.34	61.94	12.14	0.7024
17	1466	7.65	58.77	11.89	0.5347
18	1467	4.5	62.81	12.53	0.3542
19	1423	7.73	64.10	12.70	0.6292
20	1408	7.91	68.59	13.69	0.7427
21	1452	7.67	59.33	12.19	0.5545
22	1461	9.15	59.74	12.52	0.6844
23	1412	7.82	58.66	11.93	0.5474
24	1425	7.59	63.90	13.11	0.6360
25	1469	8.07	63.88	13.42	0.6916
26	1404	9.36	55.25	11.22	0.5803
27	1499	9.18	63.33	13.64	0.7932
28	1435	7.8	57.57	12.84	0.5764
29	1446	7.94	71.76	9.31	0.5304
30	1481	9.7	58.15	12.64	0.7129
31	1498	8.17	61.84	14.05	0.7100
32	1422	7.86	63.84	12.64	0.6343
33	1478	7.96	60.54	13.08	0.6304
34	1428	9.13	54.16	12.44	0.6154
35	1458	8.27	61.65	12.55	0.6401
36	1443	7.72	63.63	13.00	0.6384
37	1432	9.08	55.46	12.06	0.6075
38	1491	8.14	61.16	12.77	0.6357
39	1475	9.14	58.59	12.34	0.6608
40	1411	7.47	58.46	12.66	0.5528
41	1470	8.46	66.29	11.66	0.6540

42	1482	8.07	63.93	12.61	0.6504
43	1413	7.47	62.99	12.57	0.5916
44	1485	9.8	59.70	13.58	0.7948
45	1472	7.74	53.16	12.25	0.5039
46	1484	9.28	62.74	12.70	0.7396
47	1414	7.55	70.08	13.70	0.7248
48	1473	8.1	60.54	12.19	0.5978
49	1402	9.59	66.32	12.74	0.8104
50	1476	8.06	60.43	14.43	0.7028
51	1449	7.53	55.69	12.50	0.5241
52	1453	9	59.85	12.63	0.6804
53	1424	7.8	65.13	11.72	0.5951
54	1500	8.07	59.38	12.18	0.5835
55	1480	8.09	58.03	13.04	0.6124
56	1492	8.03	57.81	13.98	0.6488
57	1489	9.8	60.15	13.07	0.7703
58	1465	7.65	57.82	12.26	0.5424
59	1459	7.72	61.61	11.43	0.5435
60	1493	9.38	58.28	11.99	0.6557
61	1431	9.09	57.09	12.61	0.6545
62	1409	9.02	62.80	12.68	0.7180
63	1444	10	59.72	12.44	0.7430
64	1483	9.53	63.31	13.38	0.8072
65	1471	8.95	61.75	14.22	0.7858
66	1454	8	51.12	11.72	0.4792
67	1419	7.52	60.61	11.29	0.5144
68	1415	7.82	64.94	11.80	0.5990
69	1494	9.57	61.20	12.01	0.7034
70	1410	5.34	61.46	12.22	0.4010
71	1426	8.88	51.63	12.57	0.5763
72	1421	7.62	66.68	12.31	0.6256
73	1479	7.95	56.34	12.76	0.5716
74	1445	9.15	58.99	12.51	0.6753
75	1438	7.54	63.45	12.20	0.5836
76	1437	9.36	59.20	11.32	0.6271
77	1468	7.77	60.97	11.84	0.5610
78	1457	7.79	59.76	13.32	0.6201
79	1486	8.2	57.06	13.06	0.6109
80	1418	7.95	63.77	12.39	0.6280
81	1474	8.14	56.17	12.73	0.5820
82	1416	7.7	63.15	13.02	0.6329
83	1436	7.98	58.43	12.39	0.5778
84	1430	7.91	57.70	11.49	0.5244
85	1407	7.97	60.54	12.45	0.6009
86	1462	9.1	61.50	12.52	0.7007
87	1406	9.33	60.86	12.08	0.6858
88	1490	8.17	61.26	13.17	0.6593
89	1429	7.82	62.60	12.00	0.5873
90	1440	8.9	55.79	13.60	0.6755
91	1463	9.03	59.77	12.65	0.6827

92	1448	9.12	57.82	12.40	0.6539
93	1417	7.78	60.35	11.78	0.5532
94	1433	7.4	57.15	13.23	0.5594
95	1455	7.68	57.46	11.76	0.5192
96	1496	9.98	60.19	13.08	0.7854
97	1488	8.1	62.98	12.07	0.6156
98	1460	9.5	59.27	12.50	0.7039
99	1405	7.53	60.99	13.49	0.6197
100	1464	9.19	57.92	12.93	0.6883

Name of Division : Bhilwara

Challan No. : 44/90

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4369	7.96	59.02	12.28	0.5771
2	4322	8.77	58.33	12.10	0.6192
3	4371	7.72	62.53	10.99	0.5304
4	4364	7.99	63.36	12.39	0.6272
5	4381	7.77	62.00	12.53	0.6037
6	4319	7.82	67.15	12.27	0.6444
7	4394	9.16	60.53	11.53	0.6394
8	4318	7.53	62.43	14.82	0.6965
9	4333	7.8	56.39	13.53	0.5951
10	4392	7.76	58.29	11.46	0.5184
11	4302	9.47	63.71	13.72	0.8277
12	4339	8.92	59.40	13.84	0.7332
13	4365	8.01	60.64	12.25	0.5951
14	4308	7.77	68.67	13.86	0.7397
15	4350	7.5	65.51	12.14	0.5963
16	4361	7.46	59.30	12.23	0.5408
17	4387	7.51	56.75	12.25	0.5219
18	4360	8.89	55.37	11.31	0.5565
19	4391	7.66	58.25	13.05	0.5822
20	4363	7.78	59.22	12.26	0.5648
21	4400	9.13	62.12	13.07	0.7414
22	4357	7.34	66.45	13.81	0.6738
23	4335	9.15	58.24	13.91	0.7411
24	4304	7.71	62.77	14.39	0.6962
25	4301	7.94	65.03	13.62	0.7035
26	4389	7.41	58.46	12.68	0.5491
27	4331	9.41	60.37	13.42	0.7622
28	4382	7.65	65.11	10.83	0.5393
29	4338	8.82	61.37	13.88	0.7515
30	4311	8.88	60.51	13.37	0.7184
31	4386	7.77	57.04	13.01	0.5765
32	4320	7.81	62.81	13.80	0.6771
33	4383	7.47	61.62	12.50	0.5752
34	4321	7.52	60.05	11.09	0.5008
35	4374	7.69	63.02	12.52	0.6067
36	4337	9.4	57.44	13.46	0.7266
37	4388	7.8	59.76	12.45	0.5803
38	4332	7.7	62.76	12.70	0.6137

39	4349	8.89	64.96	12.72	0.7343
40	4384	7.36	63.58	11.94	0.5586
41	4379	9.49	60.97	12.28	0.7108
42	4323	7.65	61.14	13.43	0.6281
43	4359	7.72	59.55	12.23	0.5620
44	4312	7.86	61.07	12.38	0.5942
45	4347	7.53	57.13	10.71	0.4608
46	4344	7.57	62.50	12.35	0.5844
47	4380	7.58	60.81	12.00	0.5533
48	4358	7.65	57.81	12.96	0.5730
49	4329	7.55	60.89	12.60	0.5791
50	4356	7.3	62.84	13.72	0.6293
51	4370	7.5	62.63	13.70	0.6435
52	4348	9.19	66.88	13.53	0.8317
53	4362	7.37	61.39	12.98	0.5874
54	4317	7.63	60.37	12.94	0.5959
55	4305	7.95	64.79	13.17	0.6781
56	4340	7.72	53.53	12.93	0.5342
57	4336	9.14	59.62	14.88	0.8107
58	4372	7.71	62.90	12.48	0.6052
59	4330	9.3	60.66	13.09	0.7384
60	4303	7.79	63.53	13.52	0.6692
61	4309	7.67	61.96	13.27	0.6305
62	4377	7.86	65.72	12.83	0.6626
63	4351	9.09	67.88	12.89	0.7954
64	4306	7.89	64.56	13.85	0.7054
65	4398	8.98	59.30	13.19	0.7022
66	4342	7.72	62.32	12.08	0.5813
67	4324	9	58.50	12.31	0.6480
68	4366	7.71	59.68	12.13	0.5582
69	4326	7.71	57.85	13.59	0.6060
70	4399	7.67	56.80	13.17	0.5737
71	4397	7.94	62.27	12.35	0.6106
72	4367	7.75	63.09	13.20	0.6456
73	4325	7.88	61.48	13.26	0.6422
74	4373	7.63	54.05	12.75	0.5257
75	4345	8.93	58.80	13.15	0.6903
76	4378	9.76	62.65	13.38	0.8179
77	4393	7.68	61.06	12.92	0.6060
78	4346	7.39	65.16	13.11	0.6311
79	4310	8.01	61.03	13.30	0.6504
80	4316	7.69	59.52	13.86	0.6344
81	4343	8.72	61.25	13.34	0.7124
82	4396	7.41	57.71	12.58	0.5380
83	4315	9.1	59.43	12.57	0.6798
84	4390	7.76	59.88	12.89	0.5991
85	4314	8.13	62.35	14.35	0.7276
86	4352	7.28	58.58	13.52	0.5766
87	4328	7.73	61.96	12.38	0.5929
88	4307	7.84	64.25	12.45	0.6272

89	4353	8.93	63.35	13.12	0.7421
90	4385	9.46	54.04	14.40	0.7360
91	4368	8.12	61.14	11.91	0.5911
92	4395	7.63	55.78	12.51	0.5326
93	4313	8.1	64.39	13.60	0.7096
94	4355	7.36	65.51	12.73	0.6138
95	4341	7.62	57.87	13.53	0.5966
96	4334	7.57	64.74	14.40	0.7055
97	4376	7.78	62.23	11.54	0.5586
98	4375	7.85	60.92	12.95	0.6194
99	4327	7.91	63.44	12.86	0.6455
100	4354	8.73	61.21	12.37	0.6609

Name of Division : Bhilwara

Challan No. : 45/91

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4483	7.79	63.24	12.67	0.6240
2	4439	7.59	59.39	13.08	0.5897
3	4480	7.52	61.05	12.73	0.5843
4	4492	7.66	57.22	14.28	0.6258
5	4496	7.64	65.61	11.95	0.5990
6	4408	9.57	59.24	12.81	0.7264
7	4468	7.64	59.90	12.77	0.5845
8	4461	7.66	58.76	12.49	0.5622
9	4493	7.36	59.37	12.46	0.5446
10	4409	9.26	61.39	12.31	0.7001
11	4416	9.07	56.20	12.26	0.6249
12	4438	7.72	57.02	12.01	0.5288
13	4420	7.46	54.74	13.79	0.5632
14	4406	7.75	57.13	13.76	0.6092
15	4456	9.23	57.25	12.61	0.6664
16	4470	9.53	55.04	12.06	0.6328
17	4411	7.61	64.33	12.26	0.6004
18	4405	9.06	61.04	13.12	0.7257
19	4427	7.73	56.52	12.70	0.5550
20	4429	8.18	56.77	12.67	0.5881
21	4419	7.5	56.29	12.61	0.5325
22	4448	7.64	61.49	12.28	0.5768
23	4452	7.73	57.48	12.44	0.5527
24	4454	7.62	57.96	10.70	0.4724
25	4498	9.42	62.36	12.70	0.7461
26	4500	7.3	53.46	12.25	0.4782
27	4426	7.78	56.94	12.63	0.5594
28	4489	7.54	68.86	14.12	0.7329
29	4434	7.51	59.92	13.35	0.6008
30	4440	7.6	64.47	12.64	0.6194
31	4442	7.58	61.24	13.01	0.6041
32	4466	9.47	61.61	13.34	0.7784
33	4414	8.05	59.87	11.86	0.5716
34	4467	7.34	57.95	11.94	0.5079
35	4407	7.78	61.30	13.47	0.6426

36	4417	7.54	56.36	12.24	0.5203
37	4477	7.87	60.61	13.17	0.6280
38	4425	7.56	53.72	12.08	0.4906
39	4410	7.77	63.33	12.57	0.6185
40	4423	8.06	59.60	12.72	0.6109
41	4475	7.71	61.35	12.39	0.5860
42	4437	9.46	58.30	11.72	0.6461
43	4418	9.45	57.31	11.97	0.6483
44	4450	8.54	56.18	13.28	0.6371
45	4481	7.89	60.25	13.18	0.6265
46	4491	8.78	59.40	12.58	0.6559
47	4449	7.81	66.66	12.44	0.6474
48	4457	7.64	57.58	13.60	0.5982
49	4453	7.74	56.12	12.47	0.5418
50	4458	7.65	65.50	13.34	0.6686
51	4446	9.35	57.31	12.25	0.6564
52	4462	7.44	55.49	12.36	0.5104
53	4497	7.82	59.98	13.17	0.6178
54	4495	7.63	57.32	12.28	0.5372
55	4424	7.64	57.80	12.02	0.5310
56	4413	7.65	60.64	12.86	0.5967
57	4428	9.36	58.42	11.86	0.6486
58	4478	7.74	64.66	12.05	0.6029
59	4436	9.64	57.80	13.08	0.7288
60	4435	7.76	59.96	12.46	0.5797
61	4451	7.38	50.35	12.02	0.4465
62	4455	9.2	57.67	12.69	0.6734
63	4402	9.6	64.05	12.35	0.7594
64	4445	7.31	57.89	11.71	0.4956
65	4465	7.81	58.87	12.76	0.5865
66	4432	7.79	64.82	12.74	0.6435
67	4490	7.47	65.07	12.33	0.5991
68	4460	7.49	59.07	12.26	0.5423
69	4431	9.15	63.02	13.08	0.7540
70	4433	7.95	60.76	13.23	0.6392
71	4404	4.8	53.01	12.96	0.3298
72	4469	7.58	57.45	12.13	0.5283
73	4415	7.63	58.69	12.37	0.5539
74	4499	8.05	53.77	12.18	0.5273
75	4473	7.79	64.72	12.98	0.6544
76	4443	7.67	63.12	12.02	0.5822
77	4471	7.5	64.76	12.77	0.6203
78	4447	7.61	62.33	13.54	0.6423
79	4441	7.75	58.92	12.29	0.5611
80	4403	7.77	61.70	12.88	0.6177
81	4485	7.72	58.81	12.09	0.5489
82	4464	7.54	58.60	13.52	0.5972
83	4482	7.52	62.68	12.54	0.5911
84	4459	7.51	62.04	12.48	0.5813
85	4488	7.63	63.68	12.92	0.6279

86	4472	9.38	62.61	12.55	0.7373
87	4444	7.35	63.30	13.05	0.6071
88	4421	7.28	56.99	12.84	0.5329
89	4476	9.43	56.27	11.78	0.6252
90	4401	7.77	64.03	12.95	0.6441
91	4486	7.54	58.70	13.12	0.5806
92	4412	7.66	61.33	13.40	0.6297
93	4463	9.63	61.36	12.63	0.7463
94	4487	7.33	60.81	13.01	0.5798
95	4430	7.92	57.27	11.47	0.5203
96	4474	7.58	63.77	13.34	0.6451
97	4479	9.45	59.60	12.99	0.7314
98	4494	7.6	63.33	12.22	0.5882
99	4484	7.66	60.62	12.92	0.5998
100	4422	7.52	57.18	12.00	0.5159

Name of Division : Bhilwara

Challan No. : 47/93

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4644	7.55	60.75	12.02	0.5512
2	4674	9.15	55.96	13.74	0.7036
3	4620	7.61	53.45	12.98	0.5281
4	4661	7.85	64.83	11.37	0.5785
5	4643	7.56	62.84	13.46	0.6396
6	4685	7.82	61.45	13.18	0.6334
7	4608	7.78	59.69	12.67	0.5882
8	4662	7.81	54.31	10.16	0.4311
9	4603	7.74	61.86	12.14	0.5813
10	4637	7.69	63.02	13.60	0.6590
11	4623	7.31	52.14	13.71	0.5227
12	4695	7.6	58.04	11.85	0.5229
13	4672	9.37	61.27	12.22	0.7018
14	4650	7.39	65.29	13.26	0.6400
15	4689	7.99	60.31	13.30	0.6408
16	4640	7.68	64.47	13.29	0.6582
17	4646	7.45	62.35	13.83	0.6422
18	4634	5.72	64.28	13.16	0.4839
19	4670	7.86	64.08	11.25	0.5667
20	4658	7.9	61.11	12.37	0.5972
21	4688	9.36	58.15	12.71	0.6917
22	4638	7.56	65.16	13.61	0.6706
23	4675	9.15	59.03	12.93	0.6981
24	4648	7.3	57.59	13.96	0.5869
25	4609	7.49	63.70	13.08	0.6239
26	4653	8.05	58.20	10.45	0.4894
27	4615	7.62	66.67	12.28	0.6241
28	4633	7.38	57.28	14.02	0.5926
29	4618	6.93	54.60	13.15	0.4976
30	4666	7.81	59.41	12.09	0.5608
31	4686	8.98	63.64	13.31	0.7606
32	4649	7.47	65.71	12.89	0.6327

33	4681	8.42	59.03	12.26	0.6096
34	4678	7.93	54.49	12.97	0.5607
35	4693	8.9	64.09	12.47	0.7111
36	4682	9.02	58.71	13.75	0.7279
37	4619	7	53.31	13.71	0.5117
38	4696	8.11	59.71	12.49	0.6050
39	4604	7.71	55.10	11.60	0.4927
40	4617	7.44	55.76	12.79	0.5305
41	4630	7.21	66.38	12.73	0.6092
42	4700	7.63	59.17	13.25	0.5982
43	4647	7.68	62.33	12.82	0.6136
44	4614	7.57	62.09	12.95	0.6086
45	4625	7.66	57.05	12.02	0.5255
46	4612	7.18	62.12	12.89	0.5751
47	4613	7.68	61.28	12.78	0.6013
48	4642	7.76	59.41	13.47	0.6208
49	4660	9.81	66.93	13.64	0.8957
50	4679	9.02	59.87	12.59	0.6801
51	4663	7.97	61.80	11.62	0.5722
52	4676	7.54	52.92	12.62	0.5037
53	4635	7.65	64.40	13.21	0.6510
54	4680	9.56	61.46	13.23	0.7772
55	4683	9.25	58.27	13.75	0.7409
56	4607	7.57	59.85	12.03	0.5450
57	4657	9	58.78	12.69	0.6714
58	4636	7.55	67.49	12.91	0.6576
59	4602	7.61	59.38	12.38	0.5593
60	4624	7.67	52.97	13.46	0.5469
61	4699	7.95	59.87	11.17	0.5319
62	4611	7.91	55.32	12.60	0.5513
63	4671	7.58	63.50	12.05	0.5799
64	4605	7.59	59.65	13.51	0.6118
65	4651	8.14	57.13	10.55	0.4908
66	4601	7.44	61.43	10.27	0.4695
67	4668	7.74	63.28	13.32	0.6525
68	4659	9.33	60.57	12.25	0.6923
69	4684	9.15	63.50	12.25	0.7119
70	4687	9.18	56.25	13.56	0.7004
71	4691	9.22	58.80	11.79	0.6389
72	4631	7.94	62.17	12.55	0.6193
73	4652	8.06	62.57	12.45	0.6279
74	4621	8.04	56.62	13.33	0.6070
75	4628	7.9	60.69	13.54	0.6494
76	4626	7.16	57.40	12.40	0.5098
77	4664	7.73	64.55	12.55	0.6261
78	4697	7.75	56.82	12.25	0.5394
79	4639	7.66	66.03	13.83	0.6994
80	4632	8.07	60.88	12.88	0.6327
81	4692	7.88	59.03	11.67	0.5429
82	4645	7.5	65.17	13.75	0.6720

83	4627	8.31	56.52	12.85	0.6033
84	4655	8.07	61.58	11.81	0.5867
85	4656	7.78	61.61	11.90	0.5703
86	4610	7.44	66.74	13.20	0.6555
87	4641	7.6	58.99	12.37	0.5548
88	4665	7.77	63.32	12.56	0.6177
89	4690	7.77	55.64	13.12	0.5672
90	4606	7.44	47.77	13.04	0.4635
91	4667	8.04	58.97	11.92	0.5652
92	4616	4.6	53.22	12.68	0.3105
93	4629	7.92	61.43	12.70	0.6178
94	4694	7.48	57.71	12.79	0.5520
95	4669	7.92	62.99	12.84	0.6407
96	4698	7.67	62.55	12.85	0.6167
97	4673	7.75	68.08	12.46	0.6572
98	4677	9.15	58.86	12.62	0.6798
99	4654	8.2	60.69	12.47	0.6207
100	4622	7.5	58.94	14.23	0.6292

Name of Division : Bhilwara

Challan No. : 46/92

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4599	7.81	56.20	13.04	0.5725
2	4580	7.65	58.74	13.16	0.5913
3	4596	4.47	62.93	10.85	0.3053
4	4585	7.2	60.16	13.81	0.5983
5	4537	9.36	64.01	12.70	0.7610
6	4504	7.64	58.79	11.87	0.5333
7	4570	7.76	64.57	14.11	0.7069
8	4518	7.58	57.24	13.24	0.5746
9	4546	9.07	62.01	11.85	0.6666
10	4515	9.1	59.23	12.87	0.6934
11	4503	7.48	56.15	12.20	0.5124
12	4533	7.68	60.64	11.92	0.5553
13	4501	7.97	54.43	12.47	0.5412
14	4545	7.33	67.29	11.90	0.5871
15	4575	7.75	61.01	12.19	0.5766
16	4523	9.46	63.09	12.98	0.7748
17	4535	7.6	54.98	12.60	0.5267
18	4573	7.87	58.15	12.45	0.5698
19	4520	9.29	68.86	12.71	0.8129
20	4555	7.62	61.90	11.15	0.5258
21	4534	9.08	60.02	12.81	0.6983
22	4598	7.71	55.87	11.78	0.5073
23	4539	7.57	61.27	10.18	0.4724
24	4512	7.95	59.72	12.41	0.5891
25	4594	7.82	65.60	13.05	0.6694
26	4578	7.86	61.24	11.87	0.5714
27	4592	7.07	62.86	13.67	0.6073
28	4593	6.22	62.11	13.77	0.5318
29	4543	8.17	61.37	12.82	0.6430

30	4528	7.45	64.47	12.33	0.5923
31	4559	7.92	63.54	12.37	0.6225
32	4508	9.55	61.87	12.93	0.7640
33	4590	7.61	62.59	13.04	0.6210
34	4600	7.37	56.92	12.49	0.5240
35	4581	7.68	60.14	12.01	0.5545
36	4502	7.64	54.90	11.95	0.5012
37	4530	9.68	58.98	12.17	0.6950
38	4541	9.32	62.50	14.19	0.8267
39	4583	7.11	56.65	13.61	0.5482
40	4536	7.5	63.57	12.85	0.6128
41	4517	7.71	58.85	12.47	0.5659
42	4560	7.61	59.50	12.52	0.5669
43	4566	7.72	63.58	11.17	0.5481
44	4582	7.43	58.30	13.48	0.5840
45	4531	9.07	57.46	11.61	0.6050
46	4556	8.93	68.11	13.35	0.8117
47	4544	7.81	57.76	12.69	0.5725
48	4561	7.84	63.09	12.71	0.6288
49	4507	7.5	61.07	12.23	0.5602
50	4572	7.56	63.75	12.82	0.6177
51	4549	7.83	64.66	12.54	0.6350
52	4584	7.14	58.67	13.50	0.5655
53	4562	8.02	65.18	11.94	0.6240
54	4513	9.49	61.36	12.17	0.7089
55	4553	9.11	69.32	12.45	0.7862
56	4550	9.64	64.96	12.22	0.7654
57	4565	7.68	59.57	14.32	0.6551
58	4571	8.04	62.41	12.13	0.6086
59	4564	7.65	59.31	12.16	0.5516
60	4552	8.78	60.72	11.84	0.6313
61	4505	7.79	62.76	11.28	0.5515
62	4524	7.74	63.05	12.61	0.6153
63	4558	7.66	61.14	11.68	0.5469
64	4514	7.78	57.32	12.49	0.5570
65	4540	7.15	60.47	12.70	0.5491
66	4529	7.74	63.93	12.29	0.6084
67	4526	9.18	67.33	12.28	0.7592
68	4589	7.41	57.73	14.26	0.6098
69	4567	7.74	60.18	13.48	0.6277
70	4538	9.08	63.47	11.93	0.6874
71	4597	7.62	57.42	11.70	0.5121
72	4563	7.5	64.44	12.51	0.6045
73	4595	6.81	69.13	13.38	0.6299
74	4506	9.58	62.03	12.74	0.7568
75	4568	7.84	56.79	12.63	0.5621
76	4576	7.49	58.32	13.07	0.5707
77	4569	7.79	66.66	12.15	0.6310
78	4516	9.33	63.38	11.90	0.7035
79	4588	7.62	65.77	12.63	0.6332

80	4527	9.55	62.54	12.09	0.7220
81	4509	9.14	62.00	12.16	0.6892
82	4548	9.27	60.33	12.80	0.7156
83	4542	7.21	58.52	12.15	0.5126
84	4574	7.76	57.89	13.25	0.5952
85	4522	9.04	58.57	12.55	0.6644
86	4532	9.34	64.30	12.04	0.7229
87	4586	7.23	58.23	13.10	0.5516
88	4557	9.07	59.22	12.92	0.6939
89	4587	7.2	62.88	13.17	0.5962
90	4551	9.6	58.98	12.82	0.7258
91	4554	9.52	63.96	12.43	0.7568
92	4511	7.67	57.62	12.53	0.5538
93	4525	9.45	64.03	12.45	0.7532
94	4579	7.74	64.08	13.42	0.6656
95	4547	7.59	55.55	12.96	0.5465
96	4591	7.25	61.86	14.44	0.6474
97	4519	8.16	61.76	11.63	0.5859
98	4510	9.15	62.34	12.80	0.7302
99	4521	7.98	62.58	12.51	0.6248
100	4577	7.91	61.53	13.12	0.6383

Date: 27.08.2022

अस्वीकरण:—

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 16/63**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1529	7.86	60.66	12.35	0.5887
2	1534	7.4	55.38	11.41	0.4677
3	1600	9.58	55.93	11.94	0.6399
4	1589	9.04	59.95	11.73	0.6355
5	1576	9.12	54.35	11.90	0.5901
6	1535	7.61	55.94	13.14	0.5593
7	1588	9.47	54.63	12.50	0.6468
8	1562	10.12	53.67	11.72	0.6365
9	1533	7.43	56.67	10.78	0.4540
10	1582	7.95	56.72	11.99	0.5406
11	1504	8.03	65.72	13.02	0.6874
12	1574	7.92	50.74	11.31	0.4546
13	1560	7.74	62.01	11.19	0.5372
14	1577	7.21	59.91	13.05	0.5638
15	1581	8.09	56.84	12.26	0.5639
16	1547	7.69	58.58	12.85	0.5791
17	1528	9.09	60.82	12.22	0.6754
18	1511	9.56	65.19	11.77	0.7333
19	1561	7.37	50.78	12.64	0.4732
20	1595	8.96	56.27	11.92	0.6012
21	1514	8.05	64.04	13.41	0.6915
22	1537	7.73	53.34	11.57	0.4769
23	1530	7.77	57.06	11.90	0.5276
24	1567	7.76	54.65	11.95	0.5067
25	1525	9.43	50.49	12.22	0.5818
26	1566	7.79	51.94	11.46	0.4635
27	1565	8.13	55.81	11.61	0.5268
28	1587	7.99	57.06	11.51	0.5249
29	1553	9.45	59.43	11.74	0.6596
30	1543	7.75	56.69	11.22	0.4929
31	1512	7.79	64.53	12.41	0.6240
32	1502	9.48	65.53	13.35	0.8295
33	1536	7.7	59.35	12.67	0.5790
34	1517	8.17	64.34	11.58	0.6087
35	1555	7.53	62.41	11.04	0.5188
36	1532	8.11	59.69	10.62	0.5142
37	1573	8.39	53.76	10.60	0.4782
38	1579	7.51	56.74	11.95	0.5092
39	1591	7.6	62.67	11.46	0.5457
40	1501	9.63	60.76	12.82	0.7502
41	1551	7.62	61.38	12.33	0.5768
42	1508	8.24	57.89	12.25	0.5842
43	1523	7.76	61.46	11.34	0.5409
44	1548	8.71	60.05	12.69	0.6637

45	1569	7.94	59.98	12.27	0.5844
46	1552	9.49	58.89	12.09	0.6757
47	1544	7.46	60.60	8.78	0.3969
48	1592	9.31	57.60	12.15	0.6517
49	1524	9.17	57.41	11.29	0.5942
50	1585	9.82	53.54	13.37	0.7031
51	1503	9.49	60.68	12.92	0.7440
52	1526	8.89	58.88	11.60	0.6072
53	1584	7.58	59.13	12.19	0.5465
54	1515	9.8	61.44	12.55	0.7556
55	1564	8.47	58.97	11.72	0.5853
56	1593	7.97	60.62	12.32	0.5954
57	1568	9.36	50.99	12.53	0.5981
58	1541	7.31	63.79	11.48	0.5351
59	1594	7.53	55.88	11.49	0.4834
60	1583	7.65	56.62	11.59	0.5018
61	1527	7.94	59.32	11.33	0.5336
62	1542	7.68	59.47	12.61	0.5760
63	1545	7.72	58.13	11.34	0.5087
64	1546	9.01	56.92	12.03	0.6172
65	1556	7.95	59.71	13.01	0.6177
66	1550	10.12	60.40	11.59	0.7084
67	1570	9.42	57.22	11.67	0.6293
68	1586	9.43	58.17	11.43	0.6271
69	1505	7.63	62.45	12.89	0.6142
70	1559	7.51	59.13	12.11	0.5377
71	1571	7.55	57.33	12.05	0.5217
72	1519	8.08	64.41	12.59	0.6553
73	1554	7.64	61.50	12.36	0.5806
74	1596	7.67	60.17	11.83	0.5461
75	1563	8.93	53.87	13.01	0.6260
76	1575	7.84	54.35	12.68	0.5402
77	1531	8.93	59.61	11.06	0.5885
78	1518	8.18	66.84	13.15	0.7190
79	1506	8.17	56.99	12.51	0.5825
80	1521	8.87	48.34	9.99	0.4284
81	1539	7.95	55.87	11.60	0.5152
82	1509	9.92	61.96	12.51	0.7688
83	1520	9.65	61.89	13.18	0.7874
84	1538	9.01	55.46	12.35	0.6172
85	1507	8.08	62.08	11.07	0.5551
86	1578	7.88	61.56	13.16	0.6383
87	1557	9.02	61.85	12.14	0.6774
88	1516	9.54	68.23	13.35	0.8691
89	1513	9.49	60.68	12.92	0.7440
90	1598	7.65	57.41	12.54	0.5508
91	1549	8.85	56.89	11.92	0.6000
92	1597	9.39	56.71	12.34	0.6573
93	1572	8.05	52.41	9.48	0.4001
94	1580	9.02	56.97	10.80	0.5547

95	1540	7.53	53.71	12.96	0.5241
96	1599	8.78	59.45	12.46	0.6506
97	1590	9.08	59.09	12.49	0.6701
98	1558	9.03	58.48	10.53	0.5562
99	1522	9.89	49.17	12.26	0.5964
100	1510	9.48	62.58	13.37	0.7935

Name of Division : Bhilwara

Challan No. : 06/176

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	531	7.54	57.09	12.45	0.5361
2	552	9.52	61.65	13.72	0.8054
3	563	7.16	59.26	13.85	0.5878
4	580	7.81	53.76	10.06	0.4225
5	535	9.84	55.65	12.26	0.6711
6	530	8.04	61.05	12.94	0.6352
7	597	7.41	61.12	13.83	0.6261
8	546	7.97	60.44	12.97	0.6248
9	544	7.71	60.71	12.04	0.5636
10	566	7.45	57.03	13.75	0.5841
11	584	7.28	61.70	13.57	0.6093
12	505	7.62	63.78	12.79	0.6218
13	507	7.49	62.10	12.88	0.5992
14	536	7.89	58.04	12.94	0.5925
15	512	7	63.51	13.34	0.5929
16	528	8.2	54.45	12.93	0.5773
17	595	7.78	63.46	12.69	0.6263
18	553	7.91	59.97	13.49	0.6399
19	581	7.78	62.84	13.13	0.6418
20	596	7.23	57.14	13.83	0.5712
21	518	7.62	54.56	11.62	0.4831
22	522	7.66	59.79	13.70	0.6274
23	567	7.4	64.49	13.34	0.6364
24	545	7.79	59.63	12.96	0.6022
25	534	7.45	63.37	11.96	0.5647
26	539	7.77	54.00	12.26	0.5144
27	585	8.61	62.03	13.32	0.7112
28	517	7.69	49.49	12.59	0.4791
29	578	7.58	59.41	14.04	0.6322
30	600	7.51	59.56	12.81	0.5730
31	513	9.58	53.15	12.44	0.6332
32	526	8.3	48.94	14.71	0.5976
33	574	7.6	59.11	13.74	0.6171
34	510	7.65	63.12	12.44	0.6005
35	598	7.73	63.69	14.27	0.7027
36	579	5.14	44.69	14.07	0.3233
37	543	9.31	59.32	12.51	0.6908
38	572	7.36	57.35	13.53	0.5711
39	519	7.8	53.86	11.99	0.5039
40	573	7.53	64.84	13.49	0.6589
41	515	7.63	45.05	12.67	0.4357

42	501	8.05	59.23	13.44	0.6408
43	591	7.71	60.74	12.68	0.5937
44	509	7.5	61.17	12.60	0.5782
45	568	7.81	57.01	13.91	0.6193
46	540	7.47	56.68	12.44	0.5266
47	548	8.23	55.23	13.05	0.5934
48	502	7.86	60.81	13.53	0.6469
49	571	7.68	58.58	13.21	0.5944
50	529	9.44	60.82	12.41	0.7127
51	564	7.78	58.97	13.68	0.6278
52	588	7.62	59.33	12.89	0.5829
53	560	7.42	65.41	11.74	0.5699
54	590	7.84	57.00	12.61	0.5637
55	549	9.47	64.04	12.57	0.7623
56	582	8.8	60.71	12.58	0.6723
57	538	7.87	54.05	12.53	0.5328
58	589	7.45	62.25	13.48	0.6251
59	594	7.73	61.26	12.72	0.6022
60	592	7.26	59.83	13.47	0.5852
61	511	7.64	63.50	14.08	0.6830
62	514	7.52	52.34	12.48	0.4911
63	521	4.66	49.70	12.41	0.2875
64	523	8.35	56.63	11.78	0.5569
65	577	7.65	60.07	13.83	0.6357
66	561	7.85	58.31	12.86	0.5887
67	558	7.76	63.42	12.09	0.5952
68	565	7.51	58.43	13.86	0.6083
69	524	7.67	60.79	11.30	0.5269
70	551	9.73	58.06	13.16	0.7434
71	575	7.63	65.13	14.23	0.7073
72	537	9.71	61.71	11.94	0.7156
73	559	7.91	60.96	12.01	0.5790
74	541	8.38	62.00	10.56	0.5489
75	547	9.44	65.44	11.00	0.6797
76	562	5.22	63.14	14.03	0.4625
77	593	7.66	59.12	13.40	0.6067
78	532	9.21	64.97	11.93	0.7138
79	583	7.12	56.05	12.95	0.5169
80	569	7.94	61.46	13.20	0.6439
81	520	7.95	55.17	13.74	0.6026
82	503	7.6	57.42	13.44	0.5867
83	542	7.66	54.58	11.95	0.4994
84	555	9.56	65.61	13.60	0.8528
85	587	7.67	63.02	13.31	0.6435
86	570	7.67	62.44	12.57	0.6021
87	576	7.48	67.78	13.28	0.6732
88	506	7.55	62.94	9.44	0.4485
89	533	7.75	61.93	12.43	0.5968
90	554	9.65	62.96	11.45	0.6958
91	504	7.84	61.57	13.76	0.6640

92	527	9.61	58.60	12.35	0.6958
93	508	7.48	66.55	13.09	0.6515
94	586	7.3	61.23	14.52	0.6490
95	599	7.59	61.05	13.15	0.6095
96	525	7.87	58.28	12.34	0.5659
97	557	9.83	62.13	12.02	0.7343
98	516	7.96	58.53	10.42	0.4856
99	550	8	61.95	11.69	0.5792
100	556	8.08	62.68	12.87	0.6521

Name of Division : Bhilwara

Challan No. : 05/53

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	419	7.76	62.95	13.46	0.6573
2	461	9.44	55.02	12.09	0.6278
3	497	7.62	61.92	12.10	0.5707
4	437	7.84	59.52	11.66	0.5441
5	481	7.72	52.42	12.67	0.5126
6	449	7.62	63.68	12.37	0.6005
7	425	9.69	61.06	11.46	0.6783
8	499	9.15	60.98	12.17	0.6789
9	420	9.57	60.71	13.08	0.7599
10	443	7.6	63.60	12.59	0.6088
11	477	7.74	59.44	13.64	0.6277
12	414	10.03	60.88	12.75	0.7783
13	496	7.54	58.82	12.84	0.5693
14	417	8.03	60.96	11.98	0.5862
15	463	7.54	60.73	13.29	0.6085
16	451	8.76	60.98	12.96	0.6920
17	469	8.66	61.29	11.78	0.6253
18	448	9.55	57.64	11.21	0.6169
19	435	9.57	60.86	12.54	0.7302
20	403	9.61	56.29	12.56	0.6794
21	431	7.73	63.53	11.70	0.5743
22	429	9.14	56.71	12.70	0.6581
23	418	7.89	60.05	11.01	0.5215
24	483	7.73	61.25	12.26	0.5805
25	427	7.84	64.09	12.86	0.6460
26	485	7.67	53.92	12.78	0.5285
27	401	7.94	58.60	12.88	0.5995
28	423	7.57	65.23	12.63	0.6238
29	455	7.99	59.52	11.96	0.5689
30	480	8.16	56.10	13.21	0.6047
31	450	9.48	60.01	12.36	0.7034
32	407	8.06	56.73	13.13	0.6005
33	493	7.51	63.99	13.24	0.6361
34	488	8.67	62.05	12.39	0.6667
35	466	9.68	54.23	12.76	0.6699
36	408	7.78	58.79	12.50	0.5718
37	491	9.06	63.24	11.64	0.6668
38	432	7.62	57.51	12.64	0.5540

39	479	7.47	59.07	11.85	0.5229
40	495	7.79	62.45	13.45	0.6544
41	447	7.85	57.48	12.32	0.5558
42	489	8.8	57.76	13.95	0.7093
43	433	8.18	52.09	11.79	0.5023
44	409	7.87	63.79	12.90	0.6477
45	459	9.07	60.94	12.01	0.6639
46	413	7.65	61.75	12.06	0.5699
47	442	7.63	66.00	12.74	0.6417
48	473	7.56	58.70	12.01	0.5330
49	460	8.19	57.35	11.12	0.5225
50	412	9.41	63.71	13.33	0.7989
51	405	9.35	62.11	12.20	0.7087
52	476	7.74	58.77	12.68	0.5766
53	457	9.17	65.49	12.92	0.7758
54	470	7.84	58.55	11.97	0.5496
55	471	9.46	56.89	12.62	0.6792
56	439	9.45	61.12	13.11	0.7569
57	411	9.44	60.09	13.13	0.7448
58	446	7.79	57.23	11.27	0.5025
59	494	7.79	63.78	12.59	0.6255
60	456	10.13	64.67	11.20	0.7334
61	404	9.28	57.94	12.82	0.6895
62	402	10.05	55.97	12.58	0.7075
63	434	7.98	61.56	11.50	0.5650
64	486	7.73	58.79	12.52	0.5689
65	428	10.04	62.57	12.10	0.7600
66	500	9.49	63.26	12.33	0.7402
67	406	9.68	56.69	12.75	0.6999
68	482	7.34	57.35	13.76	0.5791
69	438	8.21	59.59	11.50	0.5624
70	430	7.62	61.13	12.78	0.5951
71	464	7.8	65.71	12.69	0.6505
72	444	7.83	57.91	11.36	0.5152
73	487	7.24	59.93	12.78	0.5546
74	441	9.9	64.39	11.28	0.7187
75	421	8.02	62.16	13.18	0.6568
76	458	7.34	59.33	11.31	0.4925
77	467	7.86	62.19	13.83	0.6760
78	498	7.68	62.35	13.57	0.6497
79	465	7.81	62.94	12.79	0.6287
80	478	7.65	58.65	12.84	0.5760
81	474	7.7	58.80	12.43	0.5629
82	440	7.65	60.55	11.92	0.5523
83	445	9.32	56.12	12.79	0.6692
84	475	7.77	67.34	11.92	0.6239
85	452	8.06	64.50	13.95	0.7254
86	424	8.04	64.89	11.84	0.6175
87	490	7.67	65.71	13.16	0.6635
88	472	10.04	65.52	11.83	0.7781

89	436	7.5	58.85	12.32	0.5437
90	462	7.91	61.02	12.36	0.5964
91	410	7.83	63.34	12.54	0.6217
92	416	10.03	64.19	13.41	0.8636
93	415	8.06	64.87	12.55	0.6561
94	484	7.51	56.65	13.82	0.5880
95	468	7.95	57.77	11.98	0.5501
96	492	7.76	60.41	11.26	0.5277
97	453	7.83	59.26	12.61	0.5849
98	422	10.09	61.80	12.54	0.7820
99	454	7.59	66.16	11.35	0.5700
100	426	7.58	57.66	11.93	0.5215

Date: 26.08.2022

अस्वीकरण:—

फसल वर्ष 2021–22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 43/89**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4292	8.12	60.35	12.51	0.6131
2	4247	7.54	62.21	13.97	0.6552
3	4249	7.52	63.94	12.40	0.5963
4	4245	7.55	60.45	13.20	0.6025
5	4210	9.39	58.80	12.91	0.7127
6	4248	9.27	57.56	13.48	0.7194
7	4272	7.97	60.60	13.38	0.6464
8	4205	8.9	58.08	11.59	0.5990
9	4287	7.33	59.73	13.24	0.5798
10	4264	7.47	60.49	12.51	0.5655
11	4203	7.73	57.04	14.20	0.6261
12	4208	7.74	54.49	13.08	0.5519
13	4281	7.54	62.31	13.71	0.6439
14	4293	7.51	60.73	14.05	0.6406
15	4251	7.54	65.70	12.92	0.6401
16	4215	9.17	58.58	13.11	0.7043
17	4275	9.19	59.75	12.57	0.6902
18	4250	7.73	58.51	13.21	0.5975
19	4216	7.82	62.15	12.58	0.6115
20	4280	7.63	63.06	12.72	0.6119
21	4242	7.46	56.38	13.71	0.5767
22	4288	8.16	64.51	14.70	0.7736
23	4255	7.67	57.65	13.32	0.5891
24	4219	7.63	59.74	13.68	0.6234
25	4297	7.7	64.49	14.30	0.7099
26	4290	7.82	63.44	14.27	0.7077
27	4224	9.15	63.15	13.35	0.7713
28	4230	7.97	57.22	13.26	0.6049
29	4266	9.12	64.80	14.17	0.8372
30	4202	7.46	58.10	13.30	0.5767
31	4256	7.49	63.12	13.26	0.6269
32	4276	7.56	66.33	12.30	0.6169
33	4274	8.96	62.81	12.55	0.7060
34	4268	9.04	58.86	12.78	0.6798
35	4265	7.69	62.18	12.17	0.5821
36	4207	7.51	60.11	13.72	0.6196
37	4243	7.76	56.67	12.81	0.5634
38	4238	7.89	57.49	13.10	0.5941
39	4217	7.86	59.13	13.19	0.6131
40	4235	7.18	55.67	15.16	0.6060
41	4233	9.66	56.30	12.88	0.7003
42	4237	7.47	59.90	13.56	0.6066
43	4260	7.65	60.85	12.18	0.5669
44	4263	8.77	62.06	11.88	0.6463

45	4209	7.29	56.23	13.20	0.5409
46	4231	7.52	58.27	11.93	0.5226
47	4234	7.95	58.35	12.51	0.5803
48	4298	7.77	61.15	12.77	0.6068
49	4222	7.59	60.71	13.52	0.6231
50	4258	7.56	56.87	12.77	0.5489
51	4227	7.49	53.05	12.61	0.5011
52	4240	7.79	60.93	12.51	0.5936
53	4252	9.28	61.07	11.89	0.6737
54	4257	7.69	66.57	13.52	0.6921
55	4225	7.97	59.81	13.01	0.6201
56	4214	7.54	60.10	12.83	0.5813
57	4270	7.81	61.51	12.36	0.5936
58	4286	7.39	61.47	13.47	0.6119
59	4291	7.95	59.88	13.11	0.6241
60	4223	7.74	68.24	12.92	0.6827
61	4244	7.44	58.80	13.96	0.6108
62	4239	7.62	59.05	11.99	0.5395
63	4278	7.53	57.89	13.09	0.5708
64	4226	7.54	59.04	13.57	0.6040
65	4296	7.73	64.56	12.86	0.6416
66	4221	7.85	58.48	13.25	0.6084
67	4299	7.85	61.82	13.12	0.6366
68	4201	7.72	60.73	13.01	0.6099
69	4241	7.59	62.64	13.30	0.6322
70	4282	7.58	56.60	12.76	0.5473
71	4300	7.8	63.09	12.98	0.6388
72	4232	7.96	53.74	13.77	0.5890
73	4295	7.88	64.69	13.80	0.7037
74	4289	8.16	65.12	14.42	0.7662
75	4218	7.64	52.11	15.16	0.6036
76	4213	7.68	55.31	13.79	0.5860
77	4211	7.53	60.42	13.77	0.6265
78	4206	7.7	61.01	11.85	0.5567
79	4204	7.47	60.25	12.55	0.5647
80	4277	7.61	62.69	12.55	0.5989
81	4294	7.78	65.07	13.69	0.6932
82	4261	7.62	64.28	10.35	0.5067
83	4212	9.77	64.44	9.23	0.5813
84	4229	9.76	53.80	13.44	0.7056
85	4259	7.51	57.84	11.58	0.5032
86	4283	9.03	51.01	12.41	0.5716
87	4220	7.37	58.93	12.85	0.5579
88	4269	7.6	60.20	12.48	0.5708
89	4236	8.03	57.67	11.77	0.5452
90	4246	9.94	54.68	12.29	0.6680
91	4267	9.08	62.96	12.60	0.7200
92	4284	7.56	59.39	12.24	0.5496
93	4271	7.64	59.17	12.22	0.5524
94	4253	4.73	60.21	12.36	0.3519

95	4285	8.93	58.10	12.77	0.6626
96	4262	7.6	61.38	12.58	0.5867
97	4228	8.72	58.50	11.91	0.6078
98	4254	7.7	61.35	11.93	0.5636
99	4273	9.14	60.80	15.61	0.8674
100	4279	7.53	62.92	12.62	0.5979

Date: 25.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 13/60**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1253	8	58.18	12.34	0.5744
2	1243	7.81	52.97	12.63	0.5225
3	1255	8.06	56.53	12.03	0.5481
4	1272	9.24	56.84	13.44	0.7059
5	1244	7.61	51.30	13.49	0.5266
6	1245	8.08	61.04	13.17	0.6496
7	1238	7.84	49.66	13.21	0.5143
8	1246	7.43	57.70	12.37	0.5305
9	1219	8.14	57.82	12.92	0.6081
10	1202	7.98	51.41	12.99	0.5331
11	1284	8.03	61.60	12.34	0.6103
12	1242	8.05	57.48	12.72	0.5885
13	1203	8.33	55.43	13.19	0.6089
14	1241	7.31	57.82	12.61	0.5329
15	1275	8.98	56.74	12.18	0.6205
16	1247	7.71	58.66	12.26	0.5543
17	1237	8.43	53.86	12.50	0.5673
18	1270	7.49	40.55	13.59	0.4127
19	1280	7.62	63.96	13.70	0.6675
20	1254	9.71	64.79	12.46	0.7836
21	1208	9.82	62.64	13.36	0.8219
22	1298	9.29	59.05	12.35	0.6772
23	1215	7.82	49.58	12.87	0.4989
24	1277	7.61	59.64	12.56	0.5700
25	1248	7.6	52.63	13.40	0.5358
26	1223	8.09	62.36	12.65	0.6383
27	1294	9.39	64.43	14.02	0.8479
28	1264	8.44	59.09	12.47	0.6220
29	1228	10.31	54.06	13.37	0.7454
30	1267	4.67	55.03	12.47	0.3204
31	1229	10.22	55.79	12.60	0.7185
32	1224	10.69	54.56	13.38	0.7804
33	1265	8.14	59.86	12.38	0.6032
34	1262	7.78	57.42	12.66	0.5656
35	1239	7.96	50.32	12.34	0.4943
36	1271	7.9	46.16	12.67	0.4622
37	1217	8.31	50.94	11.99	0.5077
38	1225	10.12	57.74	12.89	0.7529
39	1213	8.51	59.19	13.21	0.6655
40	1263	8.19	55.21	12.10	0.5471
41	1218	8.36	50.58	13.09	0.5534
42	1266	7.64	55.50	12.58	0.5333
43	1212	10.12	52.04	13.03	0.6861
44	1291	9.14	61.15	13.61	0.7604

45	1278	8.89	60.86	13.75	0.7441
46	1227	9.77	54.56	13.03	0.6946
47	1282	9.24	58.75	12.20	0.6625
48	1290	9.03	64.24	13.61	0.7892
49	1232	8.23	60.87	13.47	0.6749
50	1286	9.39	59.22	13.15	0.7315
51	1281	7.62	59.41	12.91	0.5845
52	1233	7.61	57.62	14.40	0.6316
53	1249	7.97	61.68	13.63	0.6703
54	1221	9.8	55.99	13.43	0.7370
55	1259	8.45	54.33	12.76	0.5856
56	1295	7.76	59.27	13.85	0.6371
57	1261	8.07	54.19	12.12	0.5302
58	1252	7.97	57.05	12.60	0.5730
59	1288	9.23	61.67	12.42	0.7070
60	1207	7.84	48.96	13.73	0.5268
61	1299	8.86	62.62	12.71	0.7053
62	1274	9.14	56.70	13.63	0.7065
63	1240	7.95	47.57	14.15	0.5350
64	1201	8.01	44.75	13.72	0.4918
65	1234	4.02	55.10	13.59	0.3011
66	1289	8.15	60.47	13.20	0.6504
67	1251	7.64	55.76	13.15	0.5600
68	1204	5.01	43.91	13.16	0.2896
69	1214	8.13	56.51	12.72	0.5845
70	1287	9.11	60.19	11.61	0.6368
71	1269	7.33	49.64	12.57	0.4574
72	1257	7.79	53.42	12.64	0.5258
73	1210	8.01	54.63	13.95	0.6104
74	1283	8.79	59.86	12.85	0.6760
75	1236	8.35	59.25	13.81	0.6830
76	1231	9.77	61.31	12.64	0.7572
77	1292	7.87	53.85	12.79	0.5422
78	1276	7.52	59.41	13.23	0.5911
79	1222	9.78	55.01	13.54	0.7286
80	1205	8.2	48.71	13.32	0.5322
81	1250	7.86	60.00	12.88	0.6076
82	1235	8.05	58.49	12.07	0.5683
83	1273	9.13	56.75	13.53	0.7012
84	1260	8.09	53.65	12.67	0.5501
85	1268	8.37	64.07	11.99	0.6428
86	1220	8.04	56.29	12.58	0.5692
87	1206	8.47	48.33	13.70	0.5607
88	1211	3.82	53.72	13.70	0.2812
89	1209	7.96	51.95	13.61	0.5628
90	1216	8.17	56.88	12.06	0.5605
91	1279	7.76	60.77	12.62	0.5952
92	1226	9.49	54.79	13.16	0.6842
93	1230	9.98	57.33	12.58	0.7196
94	1293	7.36	56.83	12.65	0.5292

95	1300	9.02	61.68	12.66	0.7045
96	1256	8.08	52.75	12.82	0.5462
97	1285	9.13	56.66	12.39	0.6409
98	1297	9.31	61.83	11.73	0.6750
99	1258	9.05	59.47	12.88	0.6932
100	1296	9.01	61.66	13.59	0.7550

Date: 24.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 02/50**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	101	7.9	54.06	12.91	0.5514
2	102	8.79	59.11	11.25	0.5845
3	103	7.49	63.16	13.06	0.6179
4	104	8.9	60.58	13.24	0.7138
5	105	7.58	59.31	12.73	0.5723
6	106	8.64	61.21	13.84	0.7318
7	107	7.57	60.08	13.07	0.5942
8	108	7.6	65.6	13.67	0.6817
9	109	7.87	61.19	12.98	0.6249
10	110	7.52	65	13.06	0.6384
11	111	7.55	60.69	13.38	0.6131
12	112	9.36	63.63	12.59	0.7497
13	113	8.25	64.75	13.3	0.7103
14	114	8.7	57.46	13.42	0.6708
15	115	8.64	65.64	13.22	0.75
16	116	8.97	58.47	12.79	0.671
17	117	7.75	62.8	13.31	0.6479
18	118	8.28	63.75	13.41	0.7079
19	119	7.79	58.42	12.72	0.5788
20	120	8.27	63.7	13.34	0.703
21	121	8.32	61.23	13.13	0.6689
22	122	7.58	63.11	13.09	0.6261
23	123	7.69	60.45	12.95	0.6021
24	124	7.48	66.22	13.3	0.659
25	125	8.51	67.3	13.43	0.7693
26	126	8.61	65.07	13.02	0.7293
27	127	7.63	54.74	11.76	0.4914
28	128	8.17	60.78	12.88	0.6397
29	129	7.98	63.96	12.55	0.6408
30	130	8.58	61.72	12.72	0.6735
31	131	7.9	59.14	12.01	0.5609
32	132	9.31	62.12	12.35	0.7141
33	133	9.08	60.45	12.56	0.6892
34	134	8.19	63.57	12.87	0.6699
35	135	9.11	63	12.22	0.7015
36	136	9.58	59.54	11.32	0.6457
37	137	9.17	58.14	9.53	0.508
38	138	8.71	61.58	11.4	0.6114
39	139	7.52	60.35	11.3	0.5129
40	140	9.2	58.83	12.48	0.6753
41	141	9.09	60.33	11.97	0.6563
42	142	9	60.12	11.94	0.6462
43	143	9.52	61.49	12.07	0.7064
44	144	7.8	61.29	12.68	0.6061

45	145	7.55	64.15	12.55	0.6078
46	146	9.38	60.28	13.06	0.7382
47	147	9.52	53.64	12.04	0.615
48	148	9.16	57.41	12.84	0.6751
49	149	7.74	58.86	12.76	0.5813
50	150	9.14	65.7	12.95	0.7778
51	151	9.01	63.49	12.9	0.7379
52	152	9.4	63.06	12.5	0.7407
53	153	9.27	61.94	12.51	0.7184
54	154	9.17	64.2	12.51	0.7364
55	155	9.53	63.46	12.72	0.7691
56	156	7.63	62.42	12.96	0.6173
57	157	9.41	65.38	12.22	0.7519
58	158	9.12	65.99	13.37	0.8044
59	159	9.05	62.12	13.52	0.7602
60	160	9.26	62.34	13.22	0.763
61	161	8.87	64.36	12.43	0.7096
62	162	9.56	60.13	12.74	0.7323
63	163	8.74	60.46	12.5	0.6607
64	164	7.72	59.84	13.29	0.6137
65	165	8.77	62.11	11.25	0.613
66	166	7.69	58.19	11.98	0.536
67	167	7.7	59.8	11.97	0.5513
68	168	9.09	62.13	12.33	0.6963
69	169	9.07	56.17	12.98	0.6612
70	170	9.28	62.88	12.95	0.7554
71	171	9.08	58.94	12.88	0.6892
72	172	10.02	60.87	12.95	0.7896
73	173	9.17	64.1	12.93	0.7602
74	174	9.1	63.08	12.54	0.7198
75	175	9.01	65.52	12.23	0.7217
76	176	8.75	61.14	12.43	0.665
77	177	9.41	63.07	13.02	0.7726
78	178	9.01	58.6	13.05	0.6893
79	179	3.89	63.54	13.17	0.3256
80	180	7.76	49.96	13.91	0.5393
81	181	7.7	57.16	12.93	0.569
82	182	7.97	57.6	13.11	0.6017
83	183	7.95	55.09	14.38	0.6296
84	184	8.18	61.79	14.1	0.7125
85	185	7.7	58.86	11.74	0.5321
86	186	7.45	53.72	13.66	0.5468
87	187	7.64	53.11	14.91	0.6051
88	188	7.75	60.83	14.89	0.7022
89	189	9.58	54.97	13.15	0.6926
90	190	9.49	60.36	13.34	0.7639
91	191	9.6	56.35	14.13	0.7642
92	192	7.86	61.05	13.82	0.6634
93	193	7.94	52.02	14.34	0.5923
94	194	8.14	50.21	13.74	0.5617

95	195	9.52	58.56	13.52	0.754
96	196	7.8	61.51	10.49	0.5031
97	197	7.83	66.46	14.57	0.7579
98	198	8.09	61.59	12.99	0.6472
99	199	7.35	59.05	14.87	0.6453
100	200	7.74	60.09	13.63	0.6339

Name of Division : Bhilwara **Challan No. : 48/94**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4701	7.83	62.63	12.17	0.5966
2	4702	7.36	63.55	12.9	0.6035
3	4703	7.6	63.8	12.59	0.6103
4	4704	7.45	66.55	12.92	0.6407
5	4705	7.89	59.71	13.26	0.6249
6	4706	7.46	60.28	13.16	0.5916
7	4707	7.7	63.63	12.51	0.6129
8	4708	7.55	63.65	13.42	0.6448
9	4709	7.73	64.06	12.6	0.6238
10	4710	7.52	60.94	12.91	0.5918
11	4711	7.49	64.36	12.35	0.5955
12	4712	7.72	60.06	12.62	0.5852
13	4713	3.79	63.99	12.49	0.3028
14	4714	7.67	66.43	13.01	0.6627
15	4715	7.6	64.54	12.75	0.6255
16	4716	7.72	67.77	12.7	0.6647
17	4717	7.66	55.93	13.5	0.5783
18	4718	7.58	55.39	12.22	0.5132
19	4719	7.95	60.82	12.53	0.6058
20	4720	7.97	64.08	13.98	0.7141
21	4721	7.95	58.41	11.54	0.5358
22	4722	10.04	58.74	13.89	0.8193
23	4723	7.71	57.75	13.97	0.6222
24	4724	7.74	51.66	12.97	0.5186
25	4725	7.91	55.9	14.22	0.6288
26	4726	7.92	57.85	13.55	0.6209
27	4727	7.95	54.71	13.73	0.597
28	4728	7.46	55.74	14.94	0.6214
29	4729	7.67	62.69	15.66	0.7532
30	4730	7.91	60	14.15	0.6716
31	4731	7.68	61.83	15.01	0.7127
32	4732	8.03	56.44	14.3	0.648
33	4733	7.88	64.11	14.65	0.7399
34	4734	7.53	58.74	13.06	0.5776
35	4735	9.77	63.47	14.35	0.89
36	4736	10.02	62.05	14.59	0.9068
37	4737	8.18	61.95	14.06	0.7125
38	4738	8.02	63.62	13.77	0.7026
39	4739	9.93	55.11	14.15	0.7745
40	4740	7.63	65.39	15.08	0.7523
41	4741	8.2	58.65	14.12	0.679

42	4742	9.89	60.49	14.56	0.8713
43	4743	4.78	62.28	15.62	0.4651
44	4744	7.51	56.88	13.08	0.5587
45	4745	7.61	57.72	13.31	0.5844
46	4746	7.69	58.27	13.57	0.6083
47	4747	7.61	58.61	13.73	0.6126
48	4748	7.62	58.46	13.43	0.5982
49	4749	7.56	60.13	11.31	0.5141
50	4750	7.64	62.84	12.4	0.5952
51	4751	7.54	60.77	12.39	0.5678
52	4752	7.47	62	12.74	0.5901
53	4753	7.56	58.83	12.12	0.539
54	4754	7.09	57.93	13.03	0.5353
55	4755	8.32	52.78	12.45	0.5466
56	4756	7.8	58.26	13.06	0.5936
57	4757	7.73	62.96	14.39	0.7003
58	4758	7.48	58.51	13.25	0.5797
59	4759	8.77	62.41	12.99	0.7112
60	4760	7.72	60.65	12.51	0.5859
61	4761	9.64	59.67	14.18	0.8155
62	4762	7.62	61.22	11.78	0.5494
63	4763	7.86	63.96	12.7	0.6382
64	4764	7.46	64.87	13.64	0.6602
65	4765	8.07	63.54	12.89	0.6609
66	4766	7.67	59.96	12.83	0.5898
67	4767	7.59	55.48	13.05	0.5495
68	4768	7.94	55.4	13.54	0.5955
69	4769	7.72	61.48	12.17	0.5775
70	4770	7.62	59.86	13.41	0.6119
71	4771	7.51	59.62	12.85	0.5753
72	4772	7.71	60.86	13.08	0.6137
73	4773	7.52	62.98	12.83	0.6076
74	4774	7.49	59.05	12.02	0.5318
75	4775	7.77	61.72	13.09	0.6278
76	4776	7.82	62.31	13.45	0.6553
77	4777	7.65	61.3	13.46	0.6311
78	4778	7.87	57.94	12.88	0.5871
79	4779	7.5	61.23	13.25	0.6082
80	4780	9.35	61.61	12.11	0.6975
81	4781	9.23	56.33	12.89	0.6701
82	4782	7.7	63.19	13.12	0.6383
83	4783	7.46	65.13	12.08	0.5871
84	4784	7.66	68.34	13.23	0.6925
85	4785	7.95	63.5	11.65	0.5883
86	4786	9.6	57.9	14.66	0.815
87	4787	7.73	58.37	14.49	0.654
88	4788	7.72	59.16	14.55	0.6647
89	4789	7.85	59.24	14.03	0.6523
90	4790	7.61	57.62	13.54	0.5936
91	4791	7.45	50.7	14.06	0.5312

92	4792	7.99	58.51	14.46	0.676
93	4793	7.85	60.46	12.4	0.5887
94	4794	7.82	59.99	15.22	0.714
95	4795	7.82	60.48	15.44	0.7304
96	4796	7.21	60.78	14.73	0.6453
97	4797	7.58	61.42	13.37	0.6223
98	4798	7.53	59.53	15.05	0.6747
99	4799	7.45	62.48	14.05	0.6541
100	4800	7.68	61.95	15	0.7135

Date: 23.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 01/49**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	1	7.37	53.21	12.23	0.4798
2	2	9.06	57.87	12.96	0.6795
3	3	7.61	61.61	13.23	0.6202
4	4	7.58	55.58	12.47	0.5253
5	5	9.13	57.27	12.1	0.6327
6	6	9.21	58.17	11.54	0.618
7	7	7.54	57.43	11.91	0.5157
8	8	9.11	54.63	12.36	0.6149
9	9	7.62	51.99	12.62	0.4999
10	10	7.54	53.23	11.52	0.4622
11	11	9.33	60.06	10.99	0.6158
12	12	7.39	62.08	10.91	0.5003
13	13	7.56	56.98	11.35	0.4891
14	14	7.38	54.07	11.71	0.4672
15	15	7.59	56.65	12.71	0.5465
16	16	8.99	59.21	11.1	0.5906
17	17	9.12	61.53	12.38	0.6949
18	18	8.99	57.35	11.98	0.6176
19	19	7.57	64.87	12.56	0.617
20	20	8.98	59.88	12.17	0.6546
21	21	3.74	55.14	12.91	0.2663
22	22	3.73	55.38	12.69	0.2622
23	23	3.74	61.7	12.45	0.2872
24	24	9.8	54.53	11.22	0.5998
25	25	7.8	56.76	12.05	0.5335
26	26	7.88	59.1	12.45	0.58
27	27	9.61	60.71	11.97	0.6986
28	28	7.8	56.71	12.18	0.539
29	29	9.59	55.71	11.76	0.6281
30	30	7.68	58.13	13.14	0.5868
31	31	7.52	58.84	13.44	0.5948
32	32	9.18	56.14	12.9	0.6646
33	33	7.64	57.97	12.26	0.5432
34	34	9.11	55.61	12.66	0.6413
35	35	7.55	61.46	12.58	0.5836
36	36	9.34	58.22	12.54	0.6818
37	37	9.15	58.17	12.53	0.667
38	38	9.44	57.66	12.78	0.6957
39	39	7.6	56.43	12.99	0.5571
40	40	7.66	59.99	13.95	0.6411
41	41	9.11	61.81	12.23	0.6887
42	42	9.26	63.08	13.4	0.7825
43	43	7.6	50	11.9	0.4522
44	44	9.03	51.82	12.18	0.5698

45	45	7.43	58.45	9.73	0.4228
46	46	7.49	57.53	11.96	0.5153
47	47	7.74	54.06	12.36	0.517
48	48	7.72	55.58	11.82	0.5072
49	49	4.91	57.38	12.2	0.3437
50	50	7.73	59.88	13.09	0.606
51	51	9.97	58.15	13.69	0.7936
52	52	7.77	60.16	10.37	0.4848
53	53	7.99	61.97	12.73	0.6304
54	54	7.38	57.03	13.62	0.5734
55	55	7.69	60.89	12.84	0.6014
56	56	7.65	56.41	13.01	0.5615
57	57	7.84	57.94	12.63	0.5739
58	58	7.47	55.33	13.09	0.5408
59	59	7.98	57.61	11.13	0.5115
60	60	8.09	62.53	12.06	0.61
61	61	7.75	64.04	11.59	0.5751
62	62	9.21	56.81	12.04	0.63
63	63	7.56	59.01	11.93	0.5322
64	64	7.57	56.84	12.44	0.5352
65	65	7.82	58.2	12.18	0.5544
66	66	9.46	63.81	12.08	0.7294
67	67	7.91	61.92	11.4	0.5584
68	68	9.7	66.52	11.65	0.7517
69	69	9.46	58.99	11.73	0.6546
70	70	9.35	58.98	12.24	0.6751
71	71	7.76	58.74	11.07	0.5044
72	72	9.18	59.09	11.86	0.6435
73	73	9.35	62.83	12.14	0.7134
74	74	7.75	58.16	11.49	0.5177
75	75	8.13	59.85	11.63	0.5658
76	76	9.4	64.62	11.3	0.6862
77	77	9.48	60.51	12.26	0.7034
78	78	9.37	64.33	11.58	0.6981
79	79	9.52	66.76	10.8	0.6864
80	80	8.03	60.71	11.58	0.5645
81	81	7.81	62.25	11.1	0.5397
82	82	9.46	62.78	10.39	0.6168
83	83	9.63	61.95	11.74	0.7001
84	84	9.23	66.04	11.04	0.6729
85	85	7.87	61.46	11.15	0.5391
86	86	7.57	63.85	12.45	0.6018
87	87	9.35	69.73	9.92	0.647
88	88	9.02	57.77	12.15	0.6332
89	89	9.5	63.53	12.26	0.7401
90	90	4.1	67.77	9.59	0.2665
91	91	7.77	59.28	12.23	0.5633
92	92	7.8	55.91	12.56	0.5476
93	93	7.48	57.87	11.32	0.4899
94	94	7.61	57.68	12.33	0.5411

95	95	7.58	59.08	12.02	0.5382
96	96	7.62	56.75	11.37	0.4915
97	97	7.42	56.14	12.45	0.5187
98	98	7.81	55.44	12.75	0.5522
99	99	7.87	62.23	12.05	0.5902
100	100	7.95	55.11	12.45	0.5454

Name of Division : Bhilwara

Challan No. : 37/83

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3601	7.89	55.26	13.88	0.6052
2	3602	7.96	58.02	15.17	0.7005
3	3603	7.75	52.31	13.42	0.5441
4	3604	7.84	56.56	14.52	0.6437
5	3605	9.13	58.91	14.04	0.7551
6	3606	7.99	59.67	14.38	0.6855
7	3607	7.69	60.73	12.19	0.5691
8	3608	7.47	63.31	13.32	0.6297
9	3609	7.52	59.31	14.7	0.6557
10	3610	7.81	56.68	13.87	0.6139
11	3611	7.8	65.37	12.56	0.6404
12	3612	7.61	59.13	12.5	0.5624
13	3613	8.01	61.7	11.7	0.5783
14	3614	8.22	58.41	11.76	0.5647
15	3615	9.51	60.87	12.58	0.7285
16	3616	9.51	60.56	11.71	0.6743
17	3617	7.94	63.83	13.11	0.6646
18	3618	8.04	61.91	13.5	0.6721
19	3619	9.27	61.3	12.95	0.736
20	3620	8.05	56.56	12.8	0.5828
21	3621	8.64	61.82	12.71	0.6791
22	3622	7.94	60.99	12.63	0.6114
23	3623	7.66	59.21	13.14	0.5959
24	3624	9.81	60.1	13.08	0.7711
25	3625	7.54	58.67	12.1	0.5353
26	3626	8.05	63.91	12.8	0.6585
27	3627	9.28	61.18	12.5	0.7099
28	3628	9.53	59.97	12.32	0.7043
29	3629	9.76	64.4	12.13	0.7623
30	3630	9.63	65.13	13.08	0.8205
31	3631	7.55	59.7	12.38	0.5579
32	3632	9.6	60.15	11.52	0.6653
33	3633	7.94	62.37	11.94	0.5915
34	3634	9.56	59.44	11.69	0.6644
35	3635	9.6	60.1	12.15	0.7008
36	3636	7.96	60.78	12.39	0.5994
37	3637	8	59.73	13.06	0.624
38	3638	7.56	63.78	12.32	0.5942
39	3639	9.09	60.85	12.64	0.699
40	3640	8.18	63.97	12.3	0.6438
41	3641	8.05	63.9	13.05	0.6714

42	3642	9.14	68.82	10.13	0.6371
43	3643	7.31	57.1	13.5	0.5636
44	3644	7.59	58.73	13.91	0.6201
45	3645	7.95	53.88	12.23	0.5239
46	3646	7.59	61.51	12.94	0.6042
47	3647	7.4	58.59	13.52	0.5861
48	3648	7.56	55.28	13.97	0.5836
49	3649	7.54	56.01	12.94	0.5466
50	3650	7.73	60.71	12.82	0.6014
51	3651	7.52	56.3	13.84	0.5858
52	3652	9.01	53.76	13.67	0.6622
53	3653	7.65	56.08	12.3	0.5279
54	3654	7.54	56.4	14.11	0.6002
55	3655	8.05	56.16	12.96	0.586
56	3656	9.05	57.64	12.89	0.6724
57	3657	7.69	62.3	12.34	0.5914
58	3658	7.76	60.94	12.93	0.6115
59	3659	7.49	65.69	13.17	0.6479
60	3660	7.42	54.21	11.86	0.4771
61	3661	7.34	57.18	13.85	0.5813
62	3662	7.27	60.98	13.51	0.599
63	3663	7.56	58.46	13.6	0.601
64	3664	7.52	58.04	12.89	0.5625
65	3665	7.64	58.29	13.38	0.5959
66	3666	7.5	60	13.17	0.5925
67	3667	7.68	58.6	12.13	0.546
68	3668	8.36	57.77	12.34	0.5961
69	3669	7.8	58.53	12.54	0.5725
70	3670	8.05	60.82	12.53	0.6134
71	3671	7.54	68.86	12.69	0.659
72	3672	7.98	47.16	13.46	0.5067
73	3673	7.1	54.11	15.54	0.5971
74	3674	7.35	56.03	13.8	0.5682
75	3675	7.65	58.88	12.31	0.5546
76	3676	7.7	59.73	13.01	0.5983
77	3677	9.8	60.2	13.31	0.785
78	3678	7.84	54.54	13.88	0.5935
79	3679	7.59	60.58	13.45	0.6186
80	3680	7.82	62.25	13.82	0.6725
81	3681	7.67	54.38	13.18	0.5499
82	3682	7.82	54.57	12.77	0.5451
83	3683	7.72	60.03	12.51	0.5798
84	3684	7.49	54.55	13.64	0.5573
85	3685	7.43	59.11	13.7	0.6018
86	3686	7.47	58.22	14	0.6088
87	3687	7.53	58.23	13.14	0.576
88	3688	7.37	54.37	15.25	0.611
89	3689	7.3	58.83	11.98	0.5147
90	3690	7.72	60.39	13.13	0.6122
91	3691	8.02	56.9	13.37	0.6103

92	3692	7.73	60.4	12.98	0.606
93	3693	7.44	55.04	14.39	0.5892
94	3694	7.43	57.56	13.62	0.5825
95	3695	7.42	60.38	12.36	0.5535
96	3696	7.39	62.37	12.39	0.5712
97	3697	7.86	59.05	14.29	0.6634
98	3698	7.75	59.17	12.71	0.5828
99	3699	7.56	59.38	12.77	0.573
100	3700	7.79	63.87	13.76	0.6847

Name of Division : Bhilwara

Challan No. : 49/95

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4801	7.76	60.39	13.48	0.6317
2	4802	7.97	65.75	13.9	0.7285
3	4803	9.86	65.35	10.97	0.707
4	4804	7.55	58.76	13.73	0.6093
5	4805	7.86	63.22	13.41	0.6665
6	4806	7.78	57.48	14.25	0.6372
7	4807	7.92	61.68	14.9	0.7278
8	4808	7.51	60.68	13.79	0.6286
9	4809	7.93	61.33	13.39	0.6511
10	4810	8.15	61.89	13.51	0.6813
11	4811	7.52	62.11	13.85	0.6467
12	4812	7.96	62.41	14.98	0.7443
13	4813	7.74	54.74	12.75	0.5403
14	4814	7.6	58.34	14.23	0.6308
15	4815	7.2	60.68	13.89	0.607
16	4816	7.55	58.59	13.76	0.6085
17	4817	7.46	62.74	13.68	0.6401
18	4818	7.82	63.95	13.79	0.6897
19	4819	7.8	58.88	12.84	0.5897
20	4820	7.62	58.79	14.1	0.6317
21	4821	7.87	61.31	14.24	0.6871
22	4822	7.59	69.49	12.38	0.6527
23	4823	7.94	65.01	13.98	0.7217
24	4824	7.47	61.32	13.57	0.6215
25	4825	7.78	58.64	13.71	0.6255
26	4826	7.08	58.9	15.08	0.6287
27	4827	7.99	59.96	13.78	0.66
28	4828	7.39	59.26	14.09	0.6171
29	4829	7.62	58.86	13.01	0.5837
30	4830	7.21	56.78	13.9	0.5689
31	4831	9.83	54.69	13.93	0.749
32	4832	7.44	56.11	14.13	0.59
33	4833	7.79	58.29	13	0.5905
34	4834	7.63	57.31	14.26	0.6234
35	4835	7.81	58.83	14.7	0.6756
36	4836	7.72	51.23	12.77	0.5049
37	4837	7.86	55.23	12.82	0.5565
38	4838	7.73	54.74	13.34	0.5643

39	4839	5.17	58.6	13.38	0.4053
40	4840	8.02	59	13.66	0.6464
41	4841	7.72	59.6	13.64	0.6276
42	4842	7.71	59.68	15.05	0.6924
43	4843	7.92	60.4	14.67	0.7017
44	4844	7.78	60.37	13.3	0.6247
45	4845	7.88	59.59	15.17	0.7124
46	4846	7.74	61.63	13.03	0.6215
47	4847	7.92	61.39	14.89	0.7239
48	4848	7.35	58.94	14.13	0.6123
49	4849	7.5	60.46	13.46	0.6105
50	4850	7.64	60.21	14.27	0.6563
51	4851	7.29	62.17	14.64	0.6634
52	4852	7.73	60.73	13.63	0.64
53	4853	7.59	58.75	13.62	0.6072
54	4854	7.95	52.4	13.53	0.5637
55	4855	7.77	62.85	13.49	0.6589
56	4856	7.52	55.11	13.03	0.5399
57	4857	7.6	58.42	13.09	0.5814
58	4858	7.51	59.92	14.74	0.6631
59	4859	7.89	59.05	14.63	0.6817
60	4860	7.78	62.17	13.09	0.6333
61	4861	7.58	64.94	13.64	0.6716
62	4862	4.54	60.38	13.91	0.3814
63	4863	7.7	61.72	12.39	0.5891
64	4864	7.41	59.19	14.46	0.6343
65	4865	7.74	66.03	14.01	0.7159
66	4866	7.54	62.19	13.01	0.61
67	4867	8.02	64.99	13.37	0.6969
68	4868	7.56	63.1	14.66	0.6993
69	4869	7.97	60.73	13.73	0.6647
70	4870	7.7	60.18	14.09	0.653
71	4871	7.97	60.45	13.9	0.6695
72	4872	7.77	62.8	13.11	0.6395
73	4873	9.71	62.31	15.02	0.9089
74	4874	7.83	64.81	13.78	0.6992
75	4875	7.36	59.04	13.48	0.5859
76	4876	10.36	58.89	12.5	0.7625
77	4877	7.72	63.38	14.26	0.6979
78	4878	7.39	63.97	14.29	0.6754
79	4879	7.62	61.46	13.6	0.637
80	4880	7.89	59.63	12.88	0.606
81	4881	7.49	58.64	12.93	0.5677
82	4882	4.49	59.62	13.69	0.3664
83	4883	7.51	60.75	13.43	0.6128
84	4884	7.52	61.97	14.41	0.6715
85	4885	7.58	61.1	12.36	0.5723
86	4886	7.67	66.14	12.46	0.632
87	4887	7.67	66.01	13.07	0.6619
88	4888	7.64	60.3	12.34	0.5684

89	4889	7.51	59.61	13.15	0.5888
90	4890	7.86	64.64	11.74	0.5966
91	4891	7.34	62.22	11.78	0.538
92	4892	7.86	65.3	12.16	0.6241
93	4893	7.6	61.37	13.07	0.6095
94	4894	7.48	65.12	10.55	0.5139
95	4895	7.49	62.14	11.99	0.558
96	4896	7.32	58.84	13.31	0.5732
97	4897	7.63	58.37	12.2	0.5433
98	4898	7.57	59.58	13.02	0.5874
99	4899	7.59	68.76	13.06	0.6816
100	4900	7.61	64.36	13.16	0.6446

Name of Division : Bhilwara

Challan No. : 54/100

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5301	7.56	67.47	12.91	0.6585
2	5302	7.69	62.47	12.45	0.5983
3	5303	7.58	58.96	12.91	0.5768
4	5304	7.69	64.21	12.68	0.626
5	5305	7.38	60.04	13.04	0.5779
6	5306	7.65	59.85	11.68	0.5347
7	5307	8.12	64.78	12.16	0.6399
8	5308	7.24	58.75	13.31	0.5662
9	5309	7.64	66.84	12.07	0.6165
10	5310	7.7	61.7	14.04	0.6668
11	5311	7.69	58.36	14.38	0.6452
12	5312	7.51	54.69	14.63	0.6008
13	5313	7.6	58.84	14.31	0.6399
14	5314	7.87	52.44	14.97	0.6178
15	5315	7.63	56.41	16.36	0.7042
16	5316	7.99	57.9	13.96	0.6456
17	5317	8.05	53.26	15.45	0.6625
18	5318	10.07	53.37	13.49	0.725
19	5319	7.68	52.57	13.32	0.5376
20	5320	7.77	53.52	14.87	0.6185
21	5321	7.67	52.18	14.81	0.5929
22	5322	7.68	57.22	15.82	0.695
23	5323	7.76	60.32	14.61	0.6837
24	5324	7.75	55.31	15.01	0.6433
25	5325	7.64	55.59	14.98	0.6364
26	5326	7.71	54.85	13.73	0.5806
27	5327	7.33	58.34	14.52	0.6209
28	5328	7.86	62.32	13.45	0.6587
29	5329	7.56	56.94	13.05	0.5617
30	5330	7.72	60.79	13.51	0.6338
31	5331	7.57	61.91	13.68	0.6412
32	5332	9.36	61.18	12.77	0.731
33	5333	7.99	59.37	12.7	0.6024
34	5334	7.62	64.85	14.02	0.6927
35	5335	7.66	64.56	13.66	0.6756

36	5336	7.3	64.56	13.49	0.6358
37	5337	7.28	66.59	12.63	0.6122
38	5338	7.53	61.91	13.6	0.634
39	5339	7.54	55.85	12.91	0.5436
40	5340	7.59	57.15	13.12	0.5693
41	5341	7.9	56.38	13.25	0.5901
42	5342	7.65	56.64	13.17	0.5707
43	5343	7.78	63.13	11.41	0.5602
44	5344	7.51	63.11	13.74	0.6511
45	5345	7.66	55.34	12.9	0.5469
46	5346	7.64	59.91	12.57	0.5753
47	5347	7.82	59.65	12.61	0.5881
48	5348	7.63	57.43	13.2	0.5784
49	5349	7.98	56.62	12.8	0.5785
50	5350	7.67	59.12	11.76	0.5331
51	5351	7.57	58.56	13.93	0.6177
52	5352	7.69	61.07	12.35	0.5798
53	5353	7.97	58.05	12.83	0.5938
54	5354	7.81	62.07	13.07	0.6334
55	5355	7.72	57.82	13.13	0.5859
56	5356	7.52	56.04	11.81	0.4978
57	5357	7.75	64.21	12.44	0.6192
58	5358	7.63	58.6	13.28	0.5936
59	5359	7.32	54.43	12.55	0.5
60	5360	7.49	56.12	13.49	0.567
61	5361	7.75	57.22	14.07	0.6239
62	5362	7.63	60.38	13.91	0.6409
63	5363	8.09	57.79	13.53	0.6326
64	5364	7.64	61.47	13.54	0.6356
65	5365	7.53	56.89	12.46	0.5339
66	5366	7.68	52.47	14.54	0.586
67	5367	7.21	62.37	13.18	0.5927
68	5368	7.65	59.78	12.78	0.5845
69	5369	7.89	56.51	12.67	0.5649
70	5370	7.73	58.39	12.55	0.5666
71	5371	7.66	59.74	13.51	0.6182
72	5372	7.64	57.97	12.64	0.56
73	5373	7.86	59	13.34	0.6186
74	5374	7.67	57.13	13.74	0.6021
75	5375	8.61	58.64	12.69	0.6406
76	5376	7.49	58.45	14.18	0.6209
77	5377	7.48	55.48	13.12	0.5445
78	5378	4.59	57.19	12.5	0.3282
79	5379	9.73	59.13	13.07	0.7521
80	5380	7.66	58.89	12.09	0.5454
81	5381	7.66	58.83	13.29	0.599
82	5382	7.52	60.3	13.71	0.6219
83	5383	7.45	60.25	11.9	0.5342
84	5384	7.64	56.85	14.07	0.6112
85	5385	7.7	61.54	14.3	0.6776

86	5386	9.01	59.44	13.73	0.7352
87	5387	7.7	56.38	12.45	0.5405
88	5388	7.69	63.13	12.1	0.5875
89	5389	7.68	57.54	13.42	0.5929
90	5390	9.35	60.01	13.6	0.763
91	5391	9.32	57.55	14.02	0.7521
92	5392	7.71	59.19	12.82	0.5852
93	5393	7.3	59.52	14	0.6081
94	5394	9.13	62.72	12.72	0.7286
95	5395	7.54	60.98	13.28	0.6107
96	5396	7.76	65.36	13.65	0.6922
97	5397	7.51	59.46	14.28	0.6376
98	5398	7.53	59.72	12.22	0.5497
99	5399	7.57	66.73	13.79	0.6964
100	5400	7.34	62.19	13.56	0.6188

Name of Division : Bhilwara

Challan No. : 55/101

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5401	7.85	57.26	13.34	0.5997
2	5402	7.62	57.02	12.28	0.5334
3	5403	7.83	62.86	12.69	0.6248
4	5404	7.82	63.81	13.26	0.6616
5	5405	7.52	64.24	13.43	0.649
6	5406	7.49	60.05	13.16	0.5917
7	5407	8.17	65.34	13.35	0.7124
8	5408	9.28	63.97	13.35	0.7925
9	5409	7.52	61.32	12.49	0.576
10	5410	7.72	62.43	13.6	0.6554
11	5411	7.56	56.84	14.29	0.6139
12	5412	7.78	58.6	13.36	0.6092
13	5413	7.95	62.8	13.25	0.6614
14	5414	7.73	57.66	13.09	0.5836
15	5415	7.67	61.44	13.35	0.6289
16	5416	7.5	53.49	13.46	0.54
17	5417	7.84	62.45	12.62	0.6178
18	5418	9.3	59.78	13.3	0.7394
19	5419	7.53	54.69	13.18	0.5429
20	5420	9.42	59.32	13.32	0.7442
21	5421	7.24	58.1	14.22	0.598
22	5422	7.57	59.91	11.87	0.5382
23	5423	7.25	50.42	14.8	0.5408
24	5424	9.43	58.3	14	0.7695
25	5425	7.66	56.62	13.37	0.5799
26	5426	7.64	54.77	14.1	0.5898
27	5427	8.9	56.57	14.6	0.7351
28	5428	7.9	57.72	13.01	0.5933
29	5429	7.66	59.14	13.54	0.6136
30	5430	7.39	60.43	14.23	0.6355
31	5431	7.7	58.1	12.46	0.5575
32	5432	8.26	54.27	13.49	0.6046

33	5433	8.95	61.67	13.54	0.7473
34	5434	7.45	57.81	13.09	0.564
35	5435	7.75	57.39	13.33	0.5929
36	5436	7.53	61.72	13.37	0.6212
37	5437	7.34	53.55	13.39	0.5263
38	5438	7.98	58.43	12.44	0.5801
39	5439	7.53	58.18	13.65	0.5979
40	5440	7.55	57.02	15.21	0.6546
41	5441	8.75	52.89	13.37	0.6186
42	5442	7.57	59.81	13.41	0.6071
43	5443	7.63	56.24	13.82	0.5929
44	5444	7.61	60.22	12.82	0.5875
45	5445	7.04	55.85	13.41	0.5273
46	5446	7.66	56.73	13.7	0.5952
47	5447	7.67	59.94	13.56	0.6236
48	5448	7.64	59.06	13.71	0.6188
49	5449	7.8	58.36	13.06	0.5944
50	5450	7.57	58.13	13.76	0.6056
51	5451	7.73	63.56	13.15	0.6462
52	5452	9.39	63.07	12.87	0.7625
53	5453	7.86	59	14.05	0.6516
54	5454	7.47	64.1	13.88	0.6648
55	5455	7.52	65.88	13.36	0.6618
56	5456	8.13	61.08	13.54	0.6724
57	5457	7.7	60.82	12.74	0.5968
58	5458	7.68	60.04	12.77	0.5891
59	5459	7.74	63.03	12.95	0.6316
60	5460	4.51	59.62	13.4	0.3603
61	5461	7.87	62.48	13.67	0.6721
62	5462	7.08	59.69	12.98	0.5487
63	5463	7.64	51.42	12.89	0.5065
64	5464	8.14	60.04	11.56	0.5649
65	5465	7.78	51.37	13.94	0.557
66	5466	7.51	56.27	11.73	0.4957
67	5467	9.47	57.01	12.31	0.6648
68	5468	7.57	57.25	12.21	0.5291
69	5469	9.26	56.82	12.28	0.6463
70	5470	7.58	55.43	11.37	0.4775
71	5471	7.91	55.2	12.37	0.5403
72	5472	7.7	55.38	12.73	0.5428
73	5473	7.77	54.83	12.89	0.5493
74	5474	7.91	53.79	13.66	0.5814
75	5475	7.38	57.5	14.07	0.597
76	5476	7.65	57.92	13.07	0.5791
77	5477	7.8	53.63	12.75	0.5335
78	5478	7.83	56.07	13.34	0.5857
79	5479	7.77	53.89	12.23	0.512
80	5480	6.96	52.25	13.05	0.4747
81	5481	7.72	56.57	12.67	0.5535
82	5482	7.41	56.79	13.03	0.5483

83	5483	8.28	53.69	13.02	0.5788
84	5484	7.48	60.12	12.67	0.57
85	5485	7.55	57.83	12.59	0.5496
86	5486	7.5	54.76	12.56	0.516
87	5487	7.37	59.19	12.86	0.5609
88	5488	9.75	55.93	12.48	0.6805
89	5489	7.47	59.34	11.98	0.5311
90	5490	9.55	57.06	12.78	0.6962
91	5491	9.48	58.43	11.95	0.6617
92	5492	7.79	58.75	12.12	0.5546
93	5493	7.25	56.31	13.85	0.5655
94	5494	7.62	61.43	12.7	0.5944
95	5495	7.74	62.3	12.68	0.6115
96	5496	7.68	55.67	12.84	0.5491
97	5497	9.66	59.2	12.52	0.7158
98	5498	7.65	58.75	13.34	0.5998
99	5499	7.71	61.44	11.82	0.5597
100	5500	7.56	57.24	12.16	0.5262

Name of Division : Bhilwara

Challan No. : 56/102

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5501	7.93	61.96	13.35	0.6558
2	5502	7.77	61.03	13.7	0.6496
3	5503	7.71	61.53	13.49	0.6399
4	5504	7.55	60.06	13.97	0.6334
5	5505	5.05	60.54	11.84	0.3621
6	5506	7.74	61.06	12.74	0.6022
7	5507	4.11	56.55	12.71	0.2955
8	5508	7.6	65.61	11.89	0.5928
9	5509	7.52	58.5	12.85	0.5655
10	5510	7.32	58.37	12.66	0.5409
11	5511	7.65	60.19	13.57	0.625
12	5512	7.5	57.77	12.97	0.5618
13	5513	7.14	57.85	14.69	0.6069
14	5514	7.56	54.43	12.9	0.5307
15	5515	7.93	54.05	12.41	0.5321
16	5516	7.52	62.56	14.48	0.6813
17	5517	8.08	62.58	13.92	0.7038
18	5518	7.83	53.05	12.97	0.5387
19	5519	7.48	60.15	13.57	0.6104
20	5520	7.58	61.72	13.25	0.62
21	5521	8.02	61.63	12.85	0.6352
22	5522	7.61	57.9	13.28	0.5852
23	5523	7.43	57.19	13.94	0.5922
24	5524	7.4	58.44	13.4	0.5794
25	5525	7.51	57.24	12.75	0.5482
26	5526	7.68	59.23	13.74	0.6252
27	5527	7.72	58.3	11.54	0.5196
28	5528	7.78	62	13.08	0.631
29	5529	7.74	55.47	13.56	0.582

30	5530	7.35	56.01	14.44	0.5946
31	5531	7.48	60.68	13	0.5902
32	5532	8.05	53.46	13.02	0.5603
33	5533	7.57	56.73	12.74	0.5473
34	5534	8.09	58.82	13.75	0.6545
35	5535	7.33	54.97	13.55	0.5461
36	5536	7.42	52.89	13.71	0.5379
37	5537	7.47	57.24	13.87	0.5931
38	5538	7.5	62.14	13.9	0.648
39	5539	7.42	56.09	13.07	0.5439
40	5540	7.55	59.44	13.71	0.6153
41	5541	7.71	60.01	12.81	0.5929
42	5542	7.36	62.8	13.44	0.6212
43	5543	7.71	63.54	13.58	0.6654
44	5544	7.41	55.62	14.78	0.6091
45	5545	7.5	58.29	11.29	0.4935
46	5546	7.31	57.23	13.63	0.5702
47	5547	9.57	61.29	13.4	0.7857
48	5548	4.68	56.63	13.16	0.3487
49	5549	7.51	55.91	13.79	0.579
50	5550	8.87	59.51	12.87	0.6794
51	5551	7.6	60	13.77	0.6278
52	5552	7.3	58.23	14.19	0.603
53	5553	7.52	63.62	13.23	0.6332
54	5554	7.56	63.24	13.09	0.626
55	5555	7.47	64.97	13.78	0.6686
56	5556	7.4	64.13	12.58	0.5972
57	5557	7.62	64.93	13.12	0.6492
58	5558	7.57	64.58	13.49	0.6593

Date: 22.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सूचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 25/71**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2401	8.14	64.17	12.54	0.6553
2	2402	8.11	64.6	12.69	0.665
3	2403	4.44	58.67	13.4	0.349
4	2404	7.94	57.15	11.29	0.5121
5	2405	8.13	58.15	12.31	0.5821
6	2406	3.7	58.07	14.88	0.3197
7	2407	8.02	63.61	14.04	0.7162
8	2408	3.65	52.94	14.51	0.2803
9	2409	7.8	51.32	12.96	0.5187
10	2410	7.85	50.79	12.84	0.5118
11	2411	9.85	50.02	12.69	0.6255
12	2412	7.77	53.86	13.78	0.5765
13	2413	8.07	54.55	13.77	0.6061
14	2414	8.28	51.77	13.68	0.5862
15	2415	8.05	56	13.21	0.5957
16	2416	7.96	54.13	14.24	0.6137
17	2417	7.52	53.38	12.16	0.488
18	2418	7.82	53.11	13.01	0.5404
19	2419	7.96	58.96	13.96	0.6551
20	2420	7.95	57.81	13.48	0.6193
21	2421	7.89	54.45	13.74	0.5902
22	2422	7.95	56.7	12.28	0.5533
23	2423	7.98	51.15	14.84	0.6057
24	2424	7.94	58.6	14.18	0.6598
25	2425	7.96	54.05	12.43	0.5349
26	2426	9.32	60.21	14.27	0.8006
27	2427	8.07	58.56	13.34	0.6303
28	2428	8.15	56.52	12.67	0.5835
29	2429	7.95	56.55	13.17	0.5923
30	2430	9.34	61.32	14.33	0.821
31	2431	7.99	57.34	13.2	0.6048
32	2432	7.78	59.19	12.62	0.5812
33	2433	7.95	57.82	13.71	0.6304
34	2434	9.64	55.72	13.51	0.7259
35	2435	8.11	58.92	12.3	0.588
36	2436	8.2	64.27	14.31	0.7544
37	2437	8.27	64.03	13.6	0.7203
38	2438	6.59	55.16	13.8	0.5015
39	2439	4	57.61	13.21	0.3044
40	2440	8.28	50.97	13.56	0.5721
41	2441	7.77	57.57	13.24	0.5921
42	2442	7.96	58.02	11.86	0.5476
43	2443	9.44	56.71	13.01	0.6967
44	2444	7.55	60.15	12.54	0.5693

45	2445	7.62	61.05	12.78	0.5944
46	2446	7.64	59.12	12.14	0.5486
47	2447	5.59	59.22	11.92	0.3947
48	2448	4.2	59.85	13.4	0.3368
49	2449	7.36	56.17	12.59	0.5204
50	2450	7.32	55.79	12.58	0.5139
51	2451	7.52	52.17	12.63	0.4956
52	2452	7.28	63.59	12.19	0.5642
53	2453	7.56	55.34	12.7	0.5315
54	2454	7.41	62.71	13.86	0.6439
55	2455	7.83	60.66	13.14	0.6241
56	2456	7.44	58.14	12.61	0.5454
57	2457	7.27	54.94	11.78	0.4704
58	2458	3.46	56.61	13.39	0.2623
59	2459	7.85	56.67	12.58	0.5597
60	2460	8	56.02	12.33	0.5528
61	2461	7.6	55.35	12.61	0.5305
62	2462	7.31	48.22	12.73	0.4488
63	2463	7.56	58.38	11.46	0.5058
64	2464	7.74	59.58	12.07	0.5565
65	2465	7.55	57.87	12.06	0.527
66	2466	7.34	62.37	12.7	0.5813
67	2467	7.44	58.57	12.24	0.5334
68	2468	7.26	59.56	12.64	0.5467
69	2469	7.36	62.69	13.8	0.6366
70	2470	7.57	64.58	12.22	0.5973
71	2471	7.98	61.59	13.04	0.6408
72	2472	7.96	60.32	13.61	0.6535
73	2473	4.38	61.41	12.88	0.3465
74	2474	7.68	62.98	12.73	0.6159
75	2475	8.92	57.33	13.57	0.694
76	2476	4.72	58.32	13.34	0.3672
77	2477	7.56	57.29	12.06	0.5224
78	2478	7.32	63.97	13.05	0.6112
79	2479	8.53	54.89	13.74	0.6432
80	2480	8.02	52.7	14.33	0.6055
81	2481	8.16	52.91	11.89	0.5133
82	2482	8.28	53.23	13.73	0.6053
83	2483	8.02	53.66	13.44	0.5782
84	2484	7.87	54.13	13.49	0.5745
85	2485	8.43	54.52	12.53	0.5758
86	2486	7.51	56.64	13.45	0.5723
87	2487	8.31	53.64	12.9	0.5751
88	2488	8.03	54.47	13.02	0.5693
89	2489	7.95	56.53	13.78	0.6193
90	2490	7.97	54.1	14.97	0.6456
91	2491	7.68	55.91	13.93	0.5983
92	2492	7.92	49.88	13.81	0.5457
93	2493	7.86	58	13.59	0.6194
94	2494	7.98	60.09	13.53	0.6488

95	2495	4.17	52.1	13.11	0.2848
96	2496	7.95	56.65	12.96	0.5835
97	2497	7.72	57.57	14.19	0.6307
98	2498	7.9	56.18	12.78	0.5672
99	2499	8.01	61.65	12.93	0.6384
100	2500	9.2	61.81	13.2	0.7507

Name of Division : Bhilwara

Challan No. : 50/96

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4901	7.61	58.29	13.55	0.6012
2	4902	7.67	59.71	12.51	0.5729
3	4903	7.66	61.43	12.52	0.5891
4	4904	7.59	60.98	12.73	0.589
5	4905	7.6	57.03	13.13	0.5692
6	4906	7.47	64.64	13.2	0.6372
7	4907	7.59	61.75	12.16	0.57
8	4908	7.65	61.91	12.71	0.6021
9	4909	7.56	62.61	13.53	0.6403
10	4910	7.7	62.36	11.93	0.5729
11	4911	7.55	64.79	14.12	0.6908
12	4912	7.8	60.51	13.07	0.617
13	4913	7.48	63.42	13.43	0.6373
14	4914	7.5	58.93	11.66	0.5152
15	4915	7.57	63.95	12.51	0.6056
16	4916	7.51	57.64	12.73	0.5512
17	4917	7.21	61.95	14.3	0.6388
18	4918	7.53	67.29	13.66	0.692
19	4919	7.54	64.49	13.79	0.6703
20	4920	7.75	66.66	14.21	0.7339
21	4921	7.79	60.77	12.82	0.6068
22	4922	7.51	61.65	12.77	0.591
23	4923	7.51	66.22	13.27	0.6601
24	4924	7.9	61.08	12.12	0.5846
25	4925	7.81	64.88	12.24	0.6201
26	4926	7.54	60.09	12.35	0.5595
27	4927	7.5	63.92	10.95	0.525
28	4928	7.57	59.15	12.21	0.5466
29	4929	7.68	66.53	11.62	0.5937
30	4930	7.33	68.04	13.48	0.6722
31	4931	7.53	67.16	12.73	0.6438
32	4932	7.34	64.36	12.69	0.5997
33	4933	7.76	65.58	11.63	0.5921
34	4934	7.6	63.17	13.38	0.6422
35	4935	7.47	63.08	13.52	0.6372
36	4936	7.31	66.43	12.84	0.6235
37	4937	7.64	61.07	12.58	0.5868
38	4938	7.54	65.23	11.28	0.5549
39	4939	7.57	63.44	11.3	0.5428
40	4940	4.42	61.54	13.5	0.3673
41	4941	4.49	64.83	12.9	0.3754

42	4942	7.72	56.19	13.01	0.5643
43	4943	7.62	52.75	14.16	0.5692
44	4944	7.75	56.6	12.51	0.5487
45	4945	7.61	60.64	13.9	0.6415
46	4946	7.58	56.94	13.21	0.57
47	4947	7.7	60.33	14.06	0.653
48	4948	7.29	58.85	13.51	0.5796
49	4949	7.25	56.28	12.4	0.506
50	4950	4.26	42.92	11.74	0.2147
51	4951	7.26	55.09	12.4	0.4959
52	4952	7.34	58.14	12.87	0.549
53	4953	7.82	61.62	12.4	0.5974
54	4954	7.46	58.63	12.35	0.5401
55	4955	8.06	54.01	13.24	0.5763
56	4956	4.18	59.65	13.09	0.3265
57	4957	4.54	55.82	12.36	0.3133
58	4958	7.84	59.25	12.84	0.5966
59	4959	7.81	50.5	13.43	0.5295
60	4960	7.59	53.29	12.93	0.523
61	4961	7.68	55.09	13.14	0.556
62	4962	7.64	61.44	13.38	0.628
63	4963	7.56	58.7	13.07	0.5799
64	4964	7.69	52.16	12.23	0.4906
65	4965	4.66	52.57	15.22	0.3728
66	4966	4.57	56.38	13.21	0.3405
67	4967	7.23	60.06	15.45	0.6709
68	4968	7.77	53.67	12.73	0.5307
69	4969	7.41	54.68	12.34	0.5002
70	4970	7.39	62.2	14.69	0.6754
71	4971	7.28	56.29	13.98	0.5729
72	4972	7.58	61.34	13.92	0.6473
73	4973	7.61	55.69	14.96	0.6339
74	4974	4.2	59.58	14.1	0.3528
75	4975	7.45	58.77	12.4	0.5431
76	4976	7.62	62.2	14.1	0.6683
77	4977	4.33	67.21	13.63	0.3966
78	4978	7.37	59.39	11.79	0.5159
79	4979	7.38	48.53	12.12	0.4339
80	4980	7.47	49.48	13.3	0.4915
81	4981	4.44	45.19	13.19	0.2646
82	4982	7.91	45.17	10.8	0.386
83	4983	8.55	51.58	12.27	0.5412
84	4984	7.51	59.14	12.51	0.5557
85	4985	7.05	53.04	13.16	0.4921
86	4986	8.13	53.23	12.23	0.5293
87	4987	4.15	55.26	12.81	0.2938
88	4988	8.06	54.7	13.25	0.5844
89	4989	7.43	51.69	13.99	0.5372
90	4990	7.2	56.03	13.03	0.5256
91	4991	4.93	52.25	11.71	0.3017

92	4992	4.56	54.81	14.3	0.3575
93	4993	8.15	57.81	10.57	0.498
94	4994	3.91	50.51	13.36	0.2639
95	4995	8.05	55.62	8.85	0.3961
96	4996	7.62	60.33	14.32	0.6584
97	4997	7.9	59.86	12.83	0.6067
98	4998	7.84	55.63	12.83	0.5598
99	4999	4.37	54.58	13.26	0.3164
100	5000	7.86	56.32	12.93	0.5722

Name of Division : Bhilwara

Challan No. : 51/97

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5001	9.41	59.39	13.92	0.7782
2	5002	4.06	51.58	13.3	0.2785
3	5003	7.64	54.67	13.3	0.5554
4	5004	7.63	59.79	14.33	0.6539
5	5005	7.72	55.66	12.77	0.5489
6	5006	8.02	56.49	13.54	0.6135
7	5007	7.95	64.02	12.98	0.6606
8	5008	7.78	54.68	13.61	0.5788
9	5009	7.73	58.34	13.66	0.6161
10	5010	8.05	57.41	11.77	0.5442
11	5011	8.1	61.16	13.73	0.6804
12	5012	7.84	61.43	14.34	0.6907
13	5013	8.06	51.89	13.41	0.561
14	5014	7.68	54.2	12.99	0.5407
15	5015	7.59	60.4	14.4	0.6603
16	5016	4.48	57.1	13.68	0.3499
17	5017	7.64	56.96	13.85	0.6028
18	5018	7.69	58.28	13.14	0.5891
19	5019	7.58	62.17	13.5	0.636
20	5020	7.84	50.62	13.89	0.5512
21	5021	7.62	53.68	13.19	0.5395
22	5022	7.35	55.46	12.84	0.5233
23	5023	7.53	56.4	14.34	0.6092
24	5024	7.79	64.86	13.48	0.6808
25	5025	7.84	57.61	13.5	0.61
26	5026	7.48	65.84	13.47	0.6635
27	5027	7.5	62.5	13.46	0.6308
28	5028	7.5	62.51	13.87	0.6502
29	5029	7.65	66.41	14.05	0.7137
30	5030	7.61	61.6	13.65	0.64
31	5031	7.57	61.15	12.85	0.595
32	5032	7.38	61.59	12.21	0.555
33	5033	7.7	67.21	13.17	0.6814
34	5034	7.57	57.33	13.13	0.57
35	5035	7.46	57.96	12.85	0.5558
36	5036	7.41	52.88	13.14	0.515
37	5037	7.42	52.89	12.97	0.509
38	5038	7.75	67.12	12.37	0.6433

39	5039	7.44	51.48	12.24	0.4687
40	5040	7.48	55.99	12.38	0.5184
41	5041	7.55	55.64	11.43	0.4802
42	5042	7.47	63.46	11.96	0.567
43	5043	8.1	58.76	12.05	0.5735
44	5044	7.6	57.1	12.12	0.5259
45	5045	8.5	58.59	12.39	0.6171
46	5046	9.11	59.45	12.68	0.6869
47	5047	7.36	62.36	13.33	0.6116
48	5048	7.68	64.48	13.49	0.6682
49	5049	7.63	60.66	12	0.5555
50	5050	7.48	62.96	12.6	0.5932
51	5051	7.82	62.15	13.11	0.6373
52	5052	7.7	61.01	12.77	0.5998
53	5053	9.26	55.5	12.31	0.6325
54	5054	7.51	61.57	12.12	0.5602
55	5055	9.12	60.33	12.3	0.6767
56	5056	9.23	65.35	12.64	0.7624
57	5057	7.58	62.13	14	0.6595
58	5058	7.75	58.74	12.46	0.5673
59	5059	4.57	63.21	10.57	0.3053
60	5060	7.38	62.81	12.91	0.5985
61	5061	4.87	61.85	13.03	0.3925
62	5062	7.39	57.9	13.06	0.5587
63	5063	7.65	64.46	13.06	0.6441
64	5064	7.59	64.36	12.91	0.6307
65	5065	7.54	52.49	13.7	0.5421
66	5066	7.3	56.21	14.78	0.6066
67	5067	7.25	57.58	13.39	0.559
68	5068	7.19	50.57	13.23	0.481
69	5069	7.5	58.71	12.89	0.5678
70	5070	7.51	54.57	12.85	0.5265
71	5071	7.53	59.66	13.46	0.6047
72	5072	7.07	63.13	13.84	0.6179
73	5073	7.39	60.19	13.61	0.6052
74	5074	7.5	59.93	13.5	0.6068
75	5075	7.66	57.65	13.03	0.5753
76	5076	7.45	55.83	12.29	0.5111
77	5077	6.42	56.41	13.21	0.4783
78	5078	7.47	55.4	12.89	0.5334
79	5079	7.57	58.52	13.24	0.5867
80	5080	7.22	60.38	13.53	0.5899
81	5081	8.56	62.59	12.59	0.6745
82	5082	7.36	60.21	14.65	0.6492
83	5083	7.53	60.19	13.72	0.622
84	5084	7.37	62.11	13.25	0.6066
85	5085	7.45	64.03	12.67	0.6042
86	5086	6.98	56.22	14.07	0.5521
87	5087	7.41	61.08	13.47	0.6098
88	5088	7.61	64.3	13.5	0.6605

89	5089	7.56	58.16	13.33	0.5859
90	5090	7.64	62.84	12.84	0.6165
91	5091	7.39	65.87	12.65	0.6156
92	5092	7.39	61.58	12.28	0.5587
93	5093	7.45	63.72	12.82	0.6087
94	5094	7.7	56.43	13.06	0.5675
95	5095	7.82	54.9	12.66	0.5435
96	5096	7.91	58.58	13.45	0.6233
97	5097	7.57	60.14	12.27	0.5587
98	5098	7.34	62.79	10.62	0.4896
99	5099	7.77	59.94	11.56	0.5385
100	5100	7.6	51.07	12.69	0.4925

Name of Division : Bhilwara

Challan No. : 52/98

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5101	7.7	62.23	12.66	0.6068
2	5102	7.6	62.58	13.52	0.643
3	5103	7.7	59.7	12.66	0.5821
4	5104	7.62	63.82	12.35	0.6005
5	5105	7.54	60.69	13.66	0.6251
6	5106	7.8	59.36	11.93	0.5522
7	5107	7.73	56.57	14.42	0.6308
8	5108	7.9	52.39	12.48	0.5167
9	5109	7.54	54.01	12.46	0.5074
10	5110	7.88	59.79	12.88	0.6068
11	5111	7.68	61.23	11.81	0.5553
12	5112	9.08	54.8	14.18	0.7055
13	5113	8.36	60.67	12.66	0.642
14	5114	8.18	59.83	12.55	0.6143
15	5115	7.1	59.86	14.32	0.6085
16	5116	7.5	62.2	11.93	0.5565
17	5117	7.63	62.84	11.98	0.5745
18	5118	7.62	61.49	12.44	0.5829
19	5119	7.57	58.2	12.84	0.5655
20	5120	7.71	63.6	12.17	0.5968
21	5121	7.57	61.71	12.54	0.5859
22	5122	7.86	59.13	12.38	0.5754
23	5123	7.57	60.74	12.53	0.5761
24	5124	7.69	63.62	10.66	0.5214
25	5125	7.71	58.97	11.77	0.5351
26	5126	7.51	62.9	13.74	0.6489
27	5127	7.55	62.33	13.2	0.6214
28	5128	7.79	59.07	13.14	0.6045
29	5129	7.6	62.72	13.63	0.6498
30	5130	7.72	56.88	12.8	0.562
31	5131	7.69	55.79	14.2	0.609
32	5132	7.66	61.08	13.36	0.6251
33	5133	7.75	59.71	13.15	0.6084
34	5134	7.97	62.29	12.71	0.6312
35	5135	7.41	61.09	11.28	0.5105

36	5136	7.55	55.21	13.46	0.561
37	5137	7.5	58.95	12.86	0.5685
38	5138	7.41	60.75	12.99	0.5846
39	5139	7.63	62.27	14.41	0.6844
40	5140	9.09	58.75	13.72	0.7327
41	5141	7.63	61.74	12.1	0.57
42	5142	7.69	65.41	12.66	0.6367
43	5143	7.85	63.78	12.95	0.6484
44	5144	9.14	57.08	13.7	0.7147
45	5145	7.62	63.75	12.42	0.6035
46	5146	7.41	61.66	12.91	0.5898
47	5147	6.86	63.19	12.2	0.5289
48	5148	7.83	62.15	13.1	0.6374
49	5149	7.61	59.27	12.79	0.5768
50	5150	7.7	63.36	12.33	0.6014
51	5151	7.8	62.68	13.66	0.6677
52	5152	7.6	61.36	13.54	0.6316
53	5153	7.44	67.19	13.56	0.6778
54	5154	7.34	64.03	13.34	0.6268
55	5155	7.67	55.22	15.14	0.6412
56	5156	7.45	61.04	13.2	0.6005
57	5157	7.56	63.11	13.12	0.626
58	5158	9.04	63.59	13.63	0.7838
59	5159	7.71	61.73	12.93	0.6153
60	5160	7.6	53.04	12.71	0.5122
61	5161	7.44	58.48	12.48	0.5431
62	5162	7.06	58.87	13.37	0.5556
63	5163	7.51	47.58	12.55	0.4483
64	5164	7.51	55.1	12.67	0.5242
65	5165	7.81	52.82	12.82	0.5287
66	5166	7.36	58.45	11.8	0.5078
67	5167	7.64	58.3	12.8	0.5699
68	5168	7.62	57.77	12.64	0.5563
69	5169	7.26	59.87	12.73	0.5532
70	5170	7.71	59.47	12.29	0.5636
71	5171	7.55	60.83	12.41	0.57
72	5172	7.67	60.06	13.02	0.5998
73	5173	7.31	59.61	13.03	0.568
74	5174	7.57	60.21	12.39	0.5647
75	5175	7.68	60.22	11.89	0.5499
76	5176	7.42	56.73	12.02	0.506
77	5177	4.33	54.85	12.49	0.2966
78	5178	7.5	58.48	11.75	0.5153
79	5179	7.43	58.75	12.61	0.5506
80	5180	7.34	55.97	12.63	0.5189
81	5181	7.47	61.5	12.54	0.5759
82	5182	7.54	58.51	13.09	0.5776
83	5183	7.91	62.77	12.54	0.6225
84	5184	7.35	61.19	13.07	0.588
85	5185	7.4	53.87	13.31	0.5306

86	5186	7.58	55.69	12.79	0.5397
87	5187	7.46	62.62	12.57	0.5871
88	5188	7.47	53.54	11.15	0.446
89	5189	7.37	53.73	13.44	0.5321
90	5190	7.32	55.86	13.66	0.5585
91	5191	7.46	66.95	12.37	0.6177
92	5192	7.19	60.36	12.61	0.5472
93	5193	7.25	58.22	13.36	0.5641
94	5194	7.86	53.98	13.6	0.5769
95	5195	7.43	58.78	12.84	0.561
96	5196	7.5	60.6	12.51	0.5685
97	5197	4.44	58.1	12.55	0.3237
98	5198	7.32	63.32	13.36	0.6193
99	5199	7.55	60.75	12.21	0.5602
100	5200	7.6	60.45	12.41	0.57

Name of Division : Bhilwara

Challan No. : 53/99

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	5201	7.54	59.08	12.37	0.5512
2	5202	7.17	60.3	13.28	0.5743
3	5203	7.17	59.58	13.9	0.5937
4	5204	7.32	56.24	13.99	0.5761
5	5205	7.71	62.05	11.85	0.5667
6	5206	7.36	61.69	12.3	0.5586
7	5207	7.19	59.24	12.46	0.5306
8	5208	7.89	65.35	13.66	0.7046
9	5209	7.44	67.99	12.28	0.6212
10	5210	7.85	57.12	13.22	0.5927
11	5211	7.74	55.58	12.27	0.5279
12	5212	8.18	54.84	12.29	0.5513
13	5213	7.4	55.42	13.14	0.5387
14	5214	7.8	56.06	13.16	0.5756
15	5215	7.75	57.53	12.92	0.5758
16	5216	7.38	59.35	12.11	0.5306
17	5217	7.94	66.47	13.01	0.6868
18	5218	7.78	57.76	12.45	0.5594
19	5219	7.11	56.04	12.42	0.4949
20	5220	7.96	57.41	13.36	0.6105
21	5221	7.79	56.22	13.61	0.5959
22	5222	7.72	56.98	12.25	0.5389
23	5223	7.7	56.27	13.12	0.5683
24	5224	7.07	55.93	13.27	0.5246
25	5225	7.75	56.67	12.65	0.5557
26	5226	7.08	55.33	13.21	0.5175
27	5227	7.57	57.26	12.47	0.5405
28	5228	7.67	56.85	12.63	0.5507
29	5229	9.16	60.9	11.66	0.6504
30	5230	8.72	60.37	12.47	0.6566
31	5231	7.84	63.76	12.34	0.617
32	5232	8.38	66.06	12.76	0.7064

33	5233	8.03	63.84	12.37	0.6344
34	5234	7.74	61.32	12.02	0.5704
35	5235	7.49	64.18	13.28	0.6381
36	5236	7.62	57.88	12.61	0.5563
37	5237	7.93	57.51	13.58	0.6193
38	5238	7.5	60.21	12.72	0.5745
39	5239	9.62	61.34	12.67	0.7475
40	5240	8.06	58.33	12.33	0.5795
41	5241	7.57	64.44	13.04	0.6359
42	5242	7.67	60.68	12.59	0.586
43	5243	7.73	62.15	13.15	0.6315
44	5244	7.59	61.66	12.07	0.5647
45	5245	7.56	60.09	12.86	0.5844
46	5246	7.67	63.68	12.09	0.5906
47	5247	7.58	60.18	12.89	0.5882
48	5248	9.56	61.26	11.85	0.6941
49	5249	7.5	64.07	12.44	0.5977
50	5250	7.98	59.13	12.09	0.5706
51	5251	7.55	63.93	12.89	0.6221
52	5252	9.11	61.46	12.63	0.7069
53	5253	7.5	57.75	12.12	0.525
54	5254	7.79	60.08	12.33	0.5772
55	5255	7.65	67.46	12.72	0.6564
56	5256	4.87	61.66	11.94	0.3584
57	5257	7.85	66.45	12.57	0.6555
58	5258	7.78	66.06	12.91	0.6636
59	5259	8.02	64.22	11.66	0.6007
60	5260	7.52	63.33	13.03	0.6204
61	5261	7.8	59.09	12.74	0.5873
62	5262	7.84	54.98	13.88	0.5982
63	5263	8.21	60.72	12.63	0.6297
64	5264	7.65	61.88	13.2	0.625
65	5265	6.76	59.44	11.91	0.4786
66	5266	7.61	55.02	11.6	0.4855
67	5267	8.12	54.57	12.15	0.5384
68	5268	7.61	58.3	12.8	0.5677
69	5269	7.86	58	13.22	0.6029
70	5270	7.51	58.76	13.19	0.582
71	5271	7.21	52.17	13.8	0.5191
72	5272	7.13	54.04	13.06	0.5034
73	5273	7.83	61.4	12.39	0.5959
74	5274	7.65	57.64	13.45	0.5929
75	5275	7.46	55.28	13.28	0.5476
76	5276	7.78	55.92	12.77	0.5555
77	5277	9.38	62.57	12.13	0.7119
78	5278	9.36	60.98	13.2	0.7535
79	5279	7.68	59.37	13.05	0.5952
80	5280	7.72	64.12	12.51	0.6191
81	5281	7.92	60.51	12.68	0.6075
82	5282	7.93	56.62	11.9	0.5345

83	5283	7.53	57.57	13.11	0.5685
84	5284	8	54.22	12.17	0.528
85	5285	7.85	56.63	13.21	0.5872
86	5286	9.07	61.47	12.23	0.6821
87	5287	7.88	61.48	12.78	0.6194
88	5288	7.81	63.51	12.06	0.5982
89	5289	7.7	57.33	11.77	0.5197
90	5290	7.63	60.68	13.22	0.6119
91	5291	7.77	58.55	12.52	0.5695
92	5292	7.59	58.13	13.02	0.5746
93	5293	7.92	62.96	11.93	0.5948
94	5294	8.73	58.73	13.33	0.6836
95	5295	7.88	60.64	12.68	0.606
96	5296	9.2	64.83	11.65	0.6946
97	5297	7.5	64.58	13.05	0.6323
98	5298	7.55	56.89	12.76	0.5481
99	5299	7.53	64.47	11.26	0.5467
100	5300	7.67	58.75	12.09	0.5446

Date: 21.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 03/51**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	201	8.29	57.69	14.54	0.6955
2	202	7.81	58.46	12.78	0.5834
3	203	8.22	61.38	13.42	0.6773
4	204	9.56	53.96	14.07	0.7256
5	205	7.54	61.89	13.72	0.6401
6	206	7.71	63.16	13.93	0.6785
7	207	7.75	61.25	14.07	0.668
8	208	9.46	56.47	14.17	0.7568
9	209	7.98	62.01	13.93	0.6895
10	210	9.61	56.06	13.56	0.7304
11	211	9.65	56.61	13.96	0.7623
12	212	10.02	61.04	13.27	0.8116
13	213	9.61	61.22	13.25	0.7794
14	214	7.81	56.03	15.1	0.6607
15	215	8.08	64.59	13.36	0.6973
16	216	8.03	60.8	12.6	0.6151
17	217	8.24	54.83	13.5	0.6098
18	218	9.51	61.47	12.4	0.7247
19	219	7.78	55.33	14.4	0.6201
20	220	8.05	59.26	13.09	0.6247
21	221	8.15	58.9	12.85	0.617
22	222	9.28	60.86	12.87	0.7266
23	223	7.99	55.92	13.47	0.6016
24	224	9.63	59.16	12.64	0.7203
25	225	8.04	61.13	12.55	0.6167
26	226	9.51	58.53	13.28	0.7389
27	227	7.46	54.48	14.34	0.5826
28	228	9.26	57	12.12	0.6399
29	229	9.15	59.8	13.38	0.732
30	230	9.59	62.22	14.35	0.8564
31	231	9.82	58.58	12.63	0.7267
32	232	9.49	58.51	13.07	0.726
33	233	9.2	65.7	12.74	0.77
34	234	9.69	63.28	12.09	0.7413
35	235	9.65	59.75	13.46	0.7759
36	236	7.67	59.92	12.97	0.596
37	237	9.36	57.95	11.87	0.644
38	238	7.5	43.78	13.23	0.4342
39	239	7.63	47.9	12.99	0.4746
40	240	8.06	53.06	12.65	0.5408
41	241	7.52	53.33	14.36	0.576
42	242	7.98	56.03	14.83	0.6631
43	243	8.26	57.26	14.11	0.6674
44	244	7.48	56.85	13.81	0.5872

45	245	8.09	56.2	14.38	0.6537
46	246	7.39	50.77	13.37	0.5018
47	247	7.79	51.17	13.43	0.5352
48	248	7.57	60.21	15.78	0.7191
49	249	7.18	62.32	13.88	0.6211
50	250	9.27	46.43	11.59	0.4987
51	251	9.54	49.7	12.68	0.601
52	252	9.57	54.47	11.62	0.6058
53	253	8.03	49.78	13.02	0.5203
54	254	10.22	58.14	12.5	0.743
55	255	7.37	56.36	13.06	0.5424
56	256	7.71	54.21	13.58	0.5675
57	257	9.51	59.66	12.47	0.7075
58	258	8.01	52.84	12.64	0.5351
59	259	9.44	56.7	13.79	0.7382
60	260	7.91	54.8	12.45	0.5395
61	261	8.91	54.66	13.01	0.6335
62	262	9.58	58.81	12.85	0.7242
63	263	8.1	57.51	12.68	0.5905
64	264	9.49	59.83	12.8	0.7269
65	265	9.23	58.82	13.46	0.731
66	266	8.48	59.78	12.58	0.6377
67	267	9.41	60.27	14.55	0.8253
68	268	9.28	57.23	13.65	0.7248
69	269	7.77	63.02	12.82	0.6278
70	270	7.77	58.9	12.16	0.5563
71	271	8.94	53.65	14.11	0.6768
72	272	7.64	53.18	14.86	0.6036
73	273	7.73	57.77	14.7	0.6563
74	274	7.72	54.57	13.14	0.5535
75	275	8.02	59.92	13.3	0.6392
76	276	8.89	56.77	14.46	0.7299
77	277	7.61	59.79	14.37	0.6537
78	278	9.46	63.6	14.01	0.8429
79	279	7.67	57.28	13.6	0.5975
80	280	9.32	61.5	13.3	0.7624
81	281	7.6	53.18	13.97	0.5647
82	282	7.62	56.21	13.25	0.5677
83	283	7.7	55.04	13.12	0.5559
84	284	8	56.89	14.08	0.6408
85	285	8.67	58.38	13.96	0.7066
86	286	7.8	60.6	13.32	0.6295
87	287	8.54	61.49	13.22	0.6943
88	288	7.64	59.16	14.49	0.6547
89	289	9.25	63.69	13.35	0.7862
90	290	8.04	63.4	15.27	0.7783
91	291	9.6	60.43	12.92	0.7498
92	292	7.44	64.44	13.92	0.6674
93	293	7.01	60.69	14.42	0.6134
94	294	9.01	64.3	12.29	0.7118

95	295	10.09	56.3	14.53	0.8254
96	296	8.86	63.9	10.8	0.6113
97	297	7.64	55.19	14.19	0.5982
98	298	10.28	53.47	13.13	0.7217
99	299	6.75	58.97	14.7	0.5852
100	300	10.12	64.56	12.27	0.8015

Date: 20.08.2022

अस्वीकरण:--

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 21/68**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2001	7.76	61.41	12.29	0.5859
2	2002	10.1	63.29	13.02	0.8322
3	2003	9.49	59.45	13.02	0.7345
4	2004	9.76	62.7	13.37	0.8179
5	2005	8.09	67.8	12.96	0.7111
6	2006	9.68	62.45	12.81	0.7744
7	2007	7.94	63.45	12.58	0.6336
8	2008	7.94	67.32	12.85	0.6868
9	2009	7.97	63.54	10.45	0.5292
10	2010	10.13	61.58	13.66	0.8519
11	2011	7.79	60.72	11.87	0.5617
12	2012	8.04	57.39	13.57	0.6263
13	2013	8.19	66.45	12.13	0.6601
14	2014	7.99	68.52	12.68	0.6943
15	2015	8	64.6	13.48	0.6968
16	2016	7.84	63.04	12.79	0.6319
17	2017	4.19	51.35	13.46	0.2895
18	2018	7.03	53.15	12.23	0.457
19	2019	7.9	56.37	12.38	0.5514
20	2020	7.2	46.37	12.53	0.4183
21	2021	7.2	53.52	13.99	0.5393
22	2022	6.77	47.39	12.51	0.4015
23	2023	4.12	47.25	12.95	0.2521
24	2024	6.89	59.49	13.5	0.5533
25	2025	2.68	62.83	15.45	0.2602
26	2026	4.27	66.45	12.9	0.3659
27	2027	6.7	45.7	12.6	0.3859
28	2028	4.13	50.31	13.58	0.2821
29	2029	7.61	43.32	12.26	0.4041
30	2030	7.15	47.77	13.69	0.4676
31	2031	7.24	50.95	13.11	0.4836
32	2032	7.44	57.85	12.84	0.5528
33	2033	7.57	51.82	14.15	0.5549
34	2034	7.26	53.35	13.33	0.5162
35	2035	4.54	50.19	12.37	0.2819
36	2036	7.58	52.21	13.31	0.5268
37	2037	7.61	48.9	13.87	0.516
38	2038	7.56	53.51	12.63	0.5111
39	2039	7.55	52.08	13.42	0.5277
40	2040	7.4	48.15	13.35	0.4758
41	2041	7.04	51.23	13.25	0.478
42	2042	6.96	53.15	12.42	0.4594

43	2043	7.73	49.22	13.31	0.5063
44	2044	7.27	55.69	12.17	0.4929
45	2045	6.87	53.81	12.73	0.4706
46	2046	7.33	58.95	13.1	0.5659
47	2047	7.39	55.1	13.14	0.535
48	2048	7.71	59.3	12.55	0.5736
49	2049	7.5	51.69	12.48	0.4837
50	2050	7.26	56.82	12.58	0.5191
51	2051	7.29	59.29	13.17	0.5693
52	2052	7.27	48.78	10.09	0.3577
53	2053	7.02	57.39	12.72	0.5125
54	2054	7.43	56.07	13.2	0.5498
55	2055	7.63	56.26	13.51	0.5799
56	2056	7.53	56.44	13.36	0.5678
57	2057	7.53	53.75	13.56	0.5489
58	2058	7.54	54.69	12.01	0.4954
59	2059	7.14	54.81	12.77	0.4998
60	2060	7.24	59.01	12.24	0.5227
61	2061	3.75	54.5	12.57	0.2569
62	2062	7.46	55.08	12.69	0.5215
63	2063	7.48	53.19	12.58	0.5004
64	2064	8.83	62.41	12.37	0.6817
65	2065	4.98	54.68	13.17	0.3586
66	2066	8.55	53.32	13.33	0.6079
67	2067	4.76	59.51	12.69	0.3594
68	2068	4.75	64.05	11.83	0.3601
69	2069	9.06	63.29	10.48	0.6007
70	2070	7.42	57.66	13.86	0.5929
71	2071	7.32	64.38	11.12	0.5241
72	2072	8.82	58.67	13.69	0.7082
73	2073	4.18	64.13	14.13	0.3787
74	2074	4.52	61.73	13.3	0.3711
75	2075	5.1	65.9	12.31	0.4136
76	2076	7.82	64.19	12.59	0.6319
77	2077	7.37	63.83	11.34	0.5336
78	2078	7.55	59.78	13.08	0.5904
79	2079	7.52	66.54	13.59	0.6798
80	2080	7.32	57.84	13.81	0.5849
81	2081	7.23	55.57	14.99	0.6023
82	2082	7.21	54.66	14.87	0.5862
83	2083	7.22	64.78	14.33	0.67
84	2084	7.53	63.15	14.16	0.6732
85	2085	7.85	66.39	14.14	0.7371
86	2086	6.66	59.6	14.88	0.5907
87	2087	7.5	57.54	13.54	0.5843
88	2088	7.26	59.8	14.53	0.6309
89	2089	6.93	60.93	15.1	0.6376

90	2090	7.1	57.38	14.15	0.5765
91	2091	7.15	62.42	15.14	0.6757
92	2092	9.37	61.44	14.71	0.847
93	2093	7.36	62.26	14.09	0.6455
94	2094	7.26	58.01	13.67	0.5757
95	2095	7.11	55.45	13.4	0.5283
96	2096	7.55	57.63	12.94	0.5632
97	2097	7.08	56.09	13.12	0.5211
98	2098	7.19	57.42	13.88	0.573
99	2099	7.59	63.3	14.19	0.6816
100	2100	7.48	64.75	14.08	0.6822

Name of Division : Bhilwara

Challan No. : 27/73

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2601	9.85	57.8	11.99	0.6826
2	2602	8.07	61.02	12.36	0.6085
3	2603	4.9	62.62	13.17	0.4043
4	2604	8.09	59.82	12.25	0.593
5	2605	10.69	61.34	12.75	0.836
6	2606	8.4	58.22	12.5	0.6115
7	2607	7.99	61.89	12.76	0.6312
8	2608	8.23	61.88	13.11	0.6675
9	2609	9.81	61.6	12.94	0.7819
10	2610	7.96	63.07	11.24	0.5644
11	2611	8.18	61.03	13.08	0.6528
12	2612	7.99	59.9	12.6	0.6032
13	2613	8.19	58.31	12.62	0.6028
14	2614	8.18	58.71	12.69	0.6094
15	2615	9.75	62.66	13.04	0.7966
16	2616	8.12	64.87	12.39	0.6528
17	2617	9.92	62.22	13.28	0.8194
18	2618	9.74	67	13.25	0.8649
19	2619	8.33	63.46	11.94	0.6314
20	2620	8.46	61.45	12.32	0.6404
21	2621	9.57	64.55	12.72	0.7857
22	2622	8.43	64.51	12.71	0.6913
23	2623	9.51	63.97	12.33	0.7503
24	2624	8.21	62.41	12.63	0.6469
25	2625	8.39	64.03	12.23	0.6569
26	2626	10.05	66.9	11.84	0.796
27	2627	8.22	62.69	14.21	0.7324
28	2628	7.76	68.21	12.31	0.6518
29	2629	8.18	62.69	12.87	0.6601
30	2630	10.19	61.89	12.2	0.7693
31	2631	9.86	64.94	11.19	0.7168
32	2632	8.14	64.96	11.9	0.6292
33	2633	10.91	69.59	12.49	0.9481
34	2634	7.95	53.76	12.8	0.547
35	2635	7.9	55.24	12.44	0.5427
36	2636	8.01	57.66	12.76	0.5895

37	2637	7.86	61.53	12.99	0.628
38	2638	7.99	59.08	13.19	0.6224
39	2639	8.2	60.81	12.43	0.6199
40	2640	8.13	59.85	13.25	0.6447
41	2641	9.74	58.86	12.54	0.7188
42	2642	8.16	62.54	12.38	0.6316
43	2643	8.16	61.26	13.3	0.665
44	2644	8.16	63.84	13.17	0.6863
45	2645	7.77	63.1	11.55	0.5664
46	2646	8.49	65.83	12.35	0.6902
47	2647	8.33	60.11	12.36	0.6189
48	2648	8.03	62.67	13.21	0.6649
49	2649	9.54	65.5	12.96	0.8099
50	2650	8.17	58.23	12.42	0.5907
51	2651	8.28	58.37	12.92	0.6243
52	2652	8.23	60.6	12.28	0.6123
53	2653	8.28	67.4	12.39	0.6914
54	2654	8.13	55.23	13.02	0.5845
55	2655	8.32	59.86	12.86	0.6406
56	2656	7.89	64	13.45	0.6793
57	2657	9.46	65.1	12.01	0.7398
58	2658	9.68	58.19	13.2	0.7434
59	2659	8.15	60.45	12.54	0.6178
60	2660	8.21	57.17	12.98	0.6092
61	2661	8.36	62.92	12.29	0.6462
62	2662	8.14	58.32	12.57	0.5967
63	2663	8.09	58.5	13.03	0.6165
64	2664	9.68	65.45	12.1	0.7667
65	2665	8.53	58.87	12.21	0.6133
66	2666	8.17	60.61	12.79	0.6332
67	2667	8.14	63.51	13.01	0.6724
68	2668	8.84	60.16	12.72	0.6763
69	2669	10.28	63.52	12.48	0.8152
70	2670	7.92	58.49	13.54	0.6273
71	2671	8.29	64.08	12.41	0.6591
72	2672	10.1	62.84	11.81	0.7494
73	2673	9.63	62.22	12.15	0.728
74	2674	7.93	63.49	12.99	0.6542
75	2675	8.17	62.37	13.5	0.6879
76	2676	8.24	56.98	12.32	0.5784
77	2677	9.87	66.9	13.15	0.8686
78	2678	10.29	64.45	12.44	0.8253
79	2679	8.49	61.19	11.47	0.596
80	2680	8.18	64.62	12.09	0.6389
81	2681	7.92	58.5	13.61	0.6304
82	2682	7.98	66.38	11.9	0.6304
83	2683	7.62	56.18	13.21	0.5654
84	2684	7.69	50.92	13.14	0.5145
85	2685	8.04	56.05	13.65	0.6151
86	2686	8.2	56.18	12.35	0.5691

87	2687	7.81	59.51	13.43	0.624
88	2688	8.29	57.83	13.12	0.6292
89	2689	10.01	59.2	12.6	0.7467
90	2690	8.23	65.82	12.52	0.6782
91	2691	8.2	62.58	12.93	0.6634
92	2692	8.47	65.51	12.62	0.7005
93	2693	8.25	61.61	13.21	0.6716
94	2694	8.42	63.75	12.47	0.6694
95	2695	8.07	60.75	12.76	0.6254
96	2696	8.34	62.63	12.79	0.668
97	2697	10.21	62.54	13.03	0.8321
98	2698	8.05	62.69	13.03	0.6577
99	2699	9.33	59.08	12.63	0.696
100	2700	8.42	61.76	12.66	0.6584

Name of Division : Bhilwara

Challan No. : 24/70

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2301	6.94	49.34	12.26	0.4199
2	2302	6.95	51.51	13.76	0.4928
3	2303	6.81	52.76	13.02	0.4678
4	2304	7.2	50.75	12.97	0.4738
5	2305	7.11	50.82	12.65	0.4572
6	2306	6.62	48.74	12.72	0.4104
7	2307	6.93	56.46	13.55	0.5301
8	2308	6.73	55.36	12.75	0.4751
9	2309	7.21	52.57	13.37	0.5069
10	2310	6.86	56.24	13.3	0.5131
11	2311	6.96	54.39	13.35	0.5053
12	2312	2.54	57.72	13.96	0.2047
13	2313	6.92	53.15	13.36	0.4913
14	2314	6.85	57.83	12.97	0.5138
15	2315	4.21	60.94	12.36	0.317
16	2316	7.24	51.37	12.19	0.4532
17	2317	7.17	51.82	13.22	0.4911
18	2318	7.72	57.31	13.24	0.5859
19	2319	9	58.39	13.74	0.7218
20	2320	7.51	58.17	12.52	0.5467
21	2321	7.54	55.84	12.77	0.5376
22	2322	7.29	60.15	12.27	0.538
23	2323	7.43	57.94	12.36	0.532
24	2324	7.34	56.35	12.71	0.5255
25	2325	7.12	63.54	11.84	0.5354
26	2326	7.62	58.96	13.04	0.586
27	2327	7.34	60.69	12.7	0.5659
28	2328	8.01	60.95	12.35	0.6032
29	2329	7.5	58.06	13.02	0.567
30	2330	7.44	57.8	13.01	0.5595
31	2331	7.29	61.59	13.3	0.5971
32	2332	7.09	57.05	12.3	0.4977
33	2333	7.06	56.82	14.19	0.569

34	2334	6.74	63.68	13.03	0.5594
35	2335	7.11	63.11	12.64	0.5674
36	2336	4.59	63.87	13.03	0.3819
37	2337	7.61	60.62	11.76	0.5426
38	2338	7.35	62.88	13.49	0.6233
39	2339	8.89	62.06	12.62	0.6961
40	2340	7.51	68.29	12.87	0.6601
41	2341	7.57	63.71	13.03	0.6283
42	2342	3.58	59.56	13.11	0.2796
43	2343	7.1	66.33	10.88	0.5126
44	2344	6.2	65.93	12.42	0.5078
45	2345	7.53	60.79	13.13	0.6009
46	2346	8.58	59.72	13.25	0.6787
47	2347	7.55	63.62	13.23	0.6357
48	2348	7.36	64.84	12.52	0.5976
49	2349	4.09	60.83	14.24	0.3542
50	2350	7.56	64.43	12.73	0.6199
51	2351	7.15	66.09	13.27	0.6271
52	2352	4.3	66.6	11.38	0.3259
53	2353	7.56	64.32	11.74	0.5708
54	2354	7.46	63.97	12.13	0.5789
55	2355	5.58	63.31	13.27	0.4687
56	2356	4.45	63.44	13.46	0.38
57	2357	7.46	55.99	13.36	0.558
58	2358	7.66	64.5	11.63	0.5745
59	2359	7.4	63.36	13.23	0.6201
60	2360	8.56	49.65	13.43	0.571
61	2361	7.81	55.51	14.99	0.6498
62	2362	8.04	57.4	13.71	0.6327
63	2363	7.99	54.87	13.19	0.5785
64	2364	8.69	57.18	13.48	0.67
65	2365	7.87	57.58	13.96	0.6327
66	2366	7.89	62.04	13.72	0.6714
67	2367	7.95	55.96	13.6	0.605
68	2368	7.73	57.84	13.85	0.6192
69	2369	8.06	60.75	14.47	0.7085
70	2370	7.52	63.02	15.71	0.7445
71	2371	3.71	60.1	14.64	0.3265
72	2372	3.79	59.07	13.17	0.2949
73	2373	4.05	62.92	14.03	0.3576
74	2374	7.71	61.22	14.33	0.6762
75	2375	7.44	48.01	13.1	0.468
76	2376	7.84	61.48	12.83	0.6186
77	2377	7.78	61.3	13.3	0.6341
78	2378	4.1	50.06	11.63	0.2386
79	2379	7.48	51.38	14.05	0.5401
80	2380	7.69	53.39	13.64	0.5598
81	2381	7.56	52.98	13.74	0.5504
82	2382	8.09	50.21	13.98	0.5679
83	2383	8.02	51.06	13.71	0.5614

84	2384	7.49	52.36	14.59	0.5722
85	2385	8.26	52.31	12.73	0.5501
86	2386	8.08	56.9	12.71	0.5842
87	2387	8.23	49.75	12.28	0.5029
88	2388	8.15	55.84	13.41	0.6104
89	2389	8.03	52.3	13.1	0.5501
90	2390	7.95	53.82	13.34	0.5708
91	2391	8.34	57.32	12.04	0.5755
92	2392	10.01	61.49	11.92	0.7337
93	2393	10.25	56.19	12.9	0.7431
94	2394	7.9	60.6	12.87	0.6162
95	2395	9.82	53.8	12.86	0.6795
96	2396	8.23	61.11	12.73	0.6403
97	2397	9.75	59.07	12.76	0.7352
98	2398	8.51	59.22	11.9	0.6
99	2399	4.2	64.31	13.31	0.3595
100	2400	8.13	63.69	13.41	0.6943

Name of Division : Bhilwara

Challan No. : 26/72

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	2501	4.3	58.73	14.69	0.3711
2	2502	9.03	56.18	14.22	0.7215
3	2503	3.76	54.99	14.49	0.2997
4	2504	9.93	59.56	13.5	0.7984
5	2505	9.57	59.06	12.89	0.7283
6	2506	8.28	59.69	12.33	0.6094
7	2507	4.11	58.56	13.29	0.3198
8	2508	7.73	59.75	14.88	0.6872
9	2509	8.09	59.3	13.69	0.6569
10	2510	9.75	62.38	13.67	0.8317
11	2511	8.08	61.65	13.84	0.6892
12	2512	8.1	62.39	13.51	0.6828
13	2513	7.64	60.42	13.56	0.6257
14	2514	4.15	62.61	14.12	0.3669
15	2515	3.91	69.14	13.8	0.373
16	2516	3.98	60.57	13.36	0.322
17	2517	8.22	39.39	9.44	0.3058
18	2518	7.06	45.97	12.9	0.4187
19	2519	8.1	51.02	12.43	0.5135
20	2520	3.01	51.43	9.37	0.1451
21	2521	3.98	51.43	12.91	0.2643
22	2522	4.74	54.76	13.77	0.3574
23	2523	4.5	52.22	13.56	0.3186
24	2524	4.09	57.19	12.94	0.3027
25	2525	7.13	51	14.31	0.5205
26	2526	7.16	52.53	13.54	0.5091
27	2527	4.19	54.8	14.03	0.3222
28	2528	7.55	55.78	12.75	0.5368
29	2529	7.14	45.9	12.51	0.4098
30	2530	6.4	49.76	13.08	0.4166

31	2531	7.48	44.79	13.75	0.4608
32	2532	7.7	53.55	14.6	0.6021
33	2533	7.66	54.73	13.01	0.5454
34	2534	7.55	54.47	13.26	0.5451
35	2535	7.35	55.78	13.03	0.5343
36	2536	7.33	50.9	13.73	0.5124
37	2537	7.7	52.21	13.2	0.5305
38	2538	7.3	55.1	14.14	0.5687
39	2539	7.34	62.49	15.23	0.6988
40	2540	4.24	55.45	13.87	0.3261
41	2541	8.04	51.41	12.47	0.5154
42	2542	7.84	56.2	12.3	0.5417
43	2543	7.81	52.64	12.8	0.5264
44	2544	7.64	56.99	12.84	0.5592
45	2545	7.52	54.21	13.13	0.5354
46	2546	7.82	54.41	12.79	0.5443
47	2547	9.55	54.68	12.56	0.6561
48	2548	7.73	60.5	13.22	0.6184
49	2549	7.56	58.74	12.51	0.5557
50	2550	7.6	57.56	12.93	0.5654
51	2551	8.14	62.47	11.97	0.6089
52	2552	8.09	60.06	13.42	0.6521
53	2553	7.99	56.31	12.4	0.5577
54	2554	8.02	57.3	12.65	0.5815
55	2555	8.13	61.85	12.72	0.6398
56	2556	7.93	61.95	12.46	0.6122
57	2557	8.56	63.13	12.53	0.6771
58	2558	8.23	60.15	12.65	0.6263
59	2559	9.46	62.43	12.4	0.7322
60	2560	8.05	60.77	12.39	0.6062
61	2561	7.81	58.58	12.8	0.5858
62	2562	8.08	60.91	12.76	0.6278
63	2563	7.92	61.96	13.36	0.6558
64	2564	8.05	60.58	12.07	0.5885
65	2565	8.24	63.46	12.98	0.679
66	2566	7.92	59.94	12.5	0.5932
67	2567	10.02	60.11	13.08	0.7876
68	2568	4.05	54.37	12.73	0.2803
69	2569	7.92	61.01	13.18	0.6368
70	2570	7.98	57.76	13.31	0.6137
71	2571	7.8	61.14	12.56	0.599
72	2572	7.65	57.56	12.61	0.5554
73	2573	8.1	60.48	13.56	0.6642
74	2574	9.32	55.59	12.43	0.644
75	2575	10.15	63.37	12.34	0.7937
76	2576	9.81	63.33	12.81	0.7956
77	2577	9.72	64.19	13.51	0.8427
78	2578	8.2	65.24	11.37	0.6084
79	2579	9.6	64.37	13.34	0.8246
80	2580	4.17	64.07	11.64	0.3111

81	2581	7.99	63.09	12.09	0.6096
82	2582	7.91	62.97	13.12	0.6534
83	2583	4.08	62.58	13.34	0.3407
84	2584	3.79	58.5	13.47	0.2987
85	2585	7.73	68.64	12.06	0.64
86	2586	8.11	69.91	12.96	0.7348
87	2587	9.73	68.37	12.84	0.8543
88	2588	8.07	51.64	13.26	0.5528
89	2589	8.45	60.47	12.07	0.6168
90	2590	7.97	62.1	12.72	0.6296
91	2591	8.16	56.15	13.34	0.6112
92	2592	7.94	57.16	13.89	0.6304
93	2593	7.98	57.54	12.2	0.5602
94	2594	8.11	63.69	12.25	0.6326
95	2595	7.71	55.6	13.17	0.5644
96	2596	7.67	59.32	12.86	0.5852
97	2597	7.84	57.63	12.23	0.5527
98	2598	8.06	61.1	12.82	0.6311
99	2599	8.53	60.8	13.08	0.6781
100	2600	8.1	59.56	12.88	0.6213

Date: 16.08.2022

अस्वीकरण:-

फसल वर्ष 2021-22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 10/57**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	901	7.39	56.46	15.52	0.6474
2	902	7.14	57.38	12.97	0.5312
3	903	7.86	58.07	12.97	0.5919
4	904	8.65	53.11	14.01	0.6436
5	905	7.65	56.96	13.71	0.5975
6	906	3.74	57.93	13.95	0.3022
7	907	7.48	63.39	12.71	0.6029
8	908	7.35	59.49	13.13	0.574
9	909	7.32	55.53	14.57	0.5922
10	910	7.69	47.01	12.64	0.4568
11	911	7.76	51.51	12.58	0.5028
12	912	9.73	59.87	12.84	0.7482
13	913	8	56.33	13.37	0.6024
14	914	8.27	57.96	12.75	0.6112
15	915	7.75	57.29	12.01	0.5332
16	916	7.92	54.39	13.75	0.5924
17	917	7.68	57.34	12.35	0.5437
18	918	8.64	57.74	12.28	0.6126
19	919	10.01	58.74	12.67	0.7447
20	920	8.05	53.08	13.49	0.5764
21	921	7.96	54.5	12.53	0.5437
22	922	8.36	55.27	13.15	0.6078
23	923	7.55	54.78	12.83	0.5308
24	924	8.35	56.79	12.75	0.6045
25	925	8.36	56.34	13.22	0.6228
26	926	7.77	65.73	13.95	0.7125
27	927	8.17	57.64	12.54	0.5907
28	928	7.81	56.95	13.17	0.5858
29	929	8.52	62.56	12.82	0.6833
30	930	8.06	57.49	12.87	0.5964
31	931	8.01	59.58	12.2	0.5823
32	932	8.09	58.53	12.42	0.5881
33	933	7.87	60.44	12.26	0.5832
34	934	7.78	63.42	14.21	0.701
35	935	7.96	59.17	13.33	0.628
36	936	9.65	59.87	12.94	0.7479
37	937	7.95	59.44	12.58	0.5947
38	938	7.98	58.75	12.73	0.5969
39	939	8.16	60.07	13.38	0.6561
40	940	10.19	55.78	13.02	0.7398
41	941	7.72	58.6	13.45	0.6083
42	942	7.98	58.59	12.78	0.5977
43	943	10.04	57.19	14.22	0.8163
44	944	7.96	56.65	13.35	0.6018

45	945	7.8	57.44	12.85	0.5756
46	946	7.25	56.21	13.24	0.5394
47	947	7.81	52.49	13.24	0.5428
48	948	7.71	56.97	12.64	0.5551
49	949	3.76	56.34	12.14	0.2572
50	950	7.86	60.31	12.49	0.5919
51	951	10.15	62.56	12.13	0.7704
52	952	10.08	59.62	14.12	0.8487
53	953	8.09	65.63	12.36	0.6561
54	954	7.92	61.72	12.05	0.5892
55	955	7.73	54.55	11.99	0.5055
56	956	8.07	41.57	13.06	0.4382
57	957	8.09	53.72	12.97	0.5639
58	958	7.8	53.75	13.77	0.5772
59	959	7.92	53.48	13.28	0.5623
60	960	7.59	46.31	13.3	0.4675
61	961	6.98	47.55	12.68	0.4209
62	962	8.12	51.14	13.34	0.5538
63	963	7.88	56.01	13.46	0.5942
64	964	8.07	54.87	12.47	0.552
65	965	8.25	60.77	13.66	0.6848
66	966	9.67	52.25	12.98	0.6556
67	967	8.1	53.25	12.17	0.5249
68	968	7.99	57.94	11.74	0.5433
69	969	8.21	65.88	12.99	0.7028
70	970	7.79	58.64	12.07	0.5515
71	971	8.1	56.03	12.44	0.5646
72	972	8.06	56.19	12.24	0.5545
73	973	8.04	62.12	12.56	0.6271
74	974	7.83	62.06	11.97	0.5818
75	975	8.1	51.07	13.06	0.5403
76	976	9.66	59.69	12.65	0.7293
77	977	7.78	61.5	12.5	0.5983
78	978	7.76	61.62	13.08	0.6255
79	979	8.27	65.04	13.12	0.7054
80	980	7.96	59.94	12.6	0.601
81	981	7.89	61.35	12.86	0.6225
82	982	8.03	56.08	12.32	0.5549
83	983	7.91	62.54	12.78	0.632
84	984	7.93	61.33	13.78	0.6701
85	985	7.8	63.08	12.75	0.6271
86	986	8.36	57.97	12.83	0.622
87	987	7.85	59.22	13.12	0.6099
88	988	7.94	59.55	12.54	0.5931
89	989	9.78	55.93	12.43	0.6797
90	990	8.1	57.94	12.34	0.5792
91	991	8.12	62.46	13.06	0.6626
92	992	8.12	62.38	11.27	0.5708
93	993	8.24	64.03	13.42	0.7078
94	994	7.77	69.26	14.22	0.7653

95	995	10.09	68.89	13.85	0.9626
96	996	10.06	69.14	13.23	0.9205
97	997	8.13	63.73	12.6	0.6528
98	998	8.18	62.34	13.97	0.7125
99	999	7.85	61.88	13.27	0.6445
100	1000	8.04	62.76	12.6	0.636

Name of Division : Bhilwara			Challan No. : 11/58		
------------------------------------	--	--	----------------------------	--	--

1	1001	8	61.79	14.05	0.6944
2	1002	8.33	71.59	13.51	0.8055
3	1003	8.52	70.57	13.49	0.8111
4	1004	8.18	66.99	14.38	0.7877
5	1005	4.78	40.35	14.5	0.2796
6	1006	8.37	51.91	13.5	0.5867
7	1007	7.94	53.5	12.36	0.5248
8	1008	7.72	49.49	14.14	0.5404
9	1009	7.54	54.65	12.68	0.5225
10	1010	8.19	59.64	12.44	0.6077
11	1011	9.78	56.97	12.6	0.7022
12	1012	9.34	60.92	13.92	0.792
13	1013	9.49	59.39	12.83	0.7231
14	1014	9.59	59.6	12.7	0.726
15	1015	7.94	55.79	12.85	0.5693
16	1016	9.6	59.8	11.74	0.6739
17	1017	8.14	57.39	11.94	0.5576
18	1018	9.6	60.58	13.55	0.7882
19	1019	8.17	61.67	12.16	0.6127
20	1020	8.06	60.14	12.95	0.6279
21	1021	9.82	59.83	11.87	0.6972
22	1022	7.88	56.84	12.61	0.565
23	1023	8.05	58.13	13.47	0.6303
24	1024	7.87	59.5	14.24	0.6666
25	1025	7.79	57.97	12.59	0.5687
26	1026	7.82	59.38	13.24	0.6147
27	1027	8.43	54.76	13.59	0.6272
28	1028	8.13	63.29	12.45	0.6406
29	1029	7.89	62.7	13.96	0.6904
30	1030	9.66	61.61	13.41	0.7979
31	1031	8.19	61.16	12.57	0.6298
32	1032	7.97	59.72	13.13	0.6248
33	1033	8.09	58.64	12.3	0.5833
34	1034	8.13	56.28	13.72	0.6276
35	1035	9.15	61.33	12.95	0.7265
36	1036	9.7	62.51	12.62	0.7653
37	1037	8.2	62.48	12.79	0.6552
38	1038	8.16	58.22	12.35	0.5867
39	1039	7.89	60.25	12.53	0.5957
40	1040	9.84	58.55	12.38	0.7134
41	1041	7.83	61.3	12.79	0.6139
42	1042	9.56	57.92	11.88	0.6577

43	1043	7.99	62.11	12.43	0.6168
44	1044	7.79	60.46	13.02	0.6131
45	1045	8.2	67.68	11.94	0.6626
46	1046	9.53	59.81	13.07	0.7452
47	1047	9.71	61.57	12	0.7176
48	1048	8.03	62	12.19	0.6071
49	1049	7.99	55.86	12.5	0.5577
50	1050	8.09	54.82	12.88	0.5712
51	1051	8.14	58.15	13.04	0.617
52	1052	7.51	61.45	14.3	0.6601
53	1053	7.53	61.11	14.51	0.6679
54	1054	7.35	58.69	12.97	0.5593
55	1055	7.84	54.64	13.05	0.559
56	1056	7.97	59.59	12.72	0.6041
57	1057	7.98	49.78	12.94	0.5139
58	1058	8.18	54.55	12.28	0.5481
59	1059	7.99	63.8	13.51	0.6887
60	1060	7.97	56.75	13.57	0.6137
61	1061	8.17	62.36	13.13	0.6691
62	1062	8.33	57.89	12.99	0.6264
63	1063	8.02	61.29	13.13	0.6456
64	1064	7.81	60.09	12.8	0.6006
65	1065	7.95	59.03	13.06	0.6129
66	1066	7.98	56.9	12.97	0.5889
67	1067	8.17	56.14	13.47	0.6177
68	1068	7.76	58.49	12.89	0.5851
69	1069	7.79	59.38	13.22	0.6115
70	1070	8.28	65.83	12.23	0.6665
71	1071	4.24	54.63	14.11	0.3269
72	1072	8.14	60.87	12.72	0.63
73	1073	7.58	66.58	13.13	0.6625
74	1074	8.16	59.43	13.18	0.6389
75	1075	8.22	62.44	12.65	0.6494
76	1076	7.49	56.16	12.68	0.5333
77	1077	8.06	59.08	13.25	0.6311
78	1078	8.22	64.3	12.4	0.6551
79	1079	9.75	63.78	10.99	0.6835
80	1080	8.04	67.17	12.48	0.6738
81	1081	8.53	69.19	11.87	0.7003
82	1082	7.46	61.26	12.19	0.5573
83	1083	7.94	63.28	12.55	0.6304
84	1084	4.26	56.14	13.93	0.3331
85	1085	7.75	58.71	13.58	0.6177
86	1086	7.82	60.26	13.64	0.6428
87	1087	7.77	58.32	14.03	0.6356
88	1088	4.07	53.85	13.7	0.3004
89	1089	7.77	57.12	12.55	0.5571
90	1090	7.98	55.06	12.64	0.5554
91	1091	8.21	61.27	13.07	0.6576
92	1092	8.16	60.33	13.38	0.6585

93	1093	8.25	63.92	13.8	0.7276
94	1094	8.06	63.92	12.97	0.6682
95	1095	7.84	49.63	12.67	0.4931
96	1096	7.67	49.48	13.9	0.5277
97	1097	7.72	58.82	13.18	0.5983
98	1098	7.66	55.14	13.2	0.5576
99	1099	4.06	61.38	13.23	0.3297
100	1100	7.53	55.18	13.39	0.5565

Name of Division : Bhilwara			Challan No. : 12/59		
1	1101	7.65	52.01	12.23	0.4865
2	1102	9.44	54.97	13.64	0.708
3	1103	7.45	55.33	12.54	0.517
4	1104	7.79	55.04	12.1	0.5188
5	1105	7.58	54.55	13.29	0.5495
6	1106	7.56	52.54	14.1	0.5602
7	1107	7.67	59.65	11.84	0.5415
8	1108	7.81	53.89	11.99	0.5045
9	1109	4.66	55.32	11.75	0.3029
10	1110	4.36	56.76	13.05	0.3231
11	1111	5.58	44.72	12.28	0.3063
12	1112	7.45	59.37	13.04	0.5766
13	1113	7.72	57.15	13	0.5736
14	1114	7.67	43.37	12.66	0.4211
15	1115	8.16	47.75	12.69	0.4945
16	1116	7.85	59.31	11.35	0.5283
17	1117	7.75	55.99	13.27	0.5758
18	1118	4.91	58.49	12.24	0.3516
19	1119	4.04	49.59	12.99	0.2602
20	1120	7.87	43.29	12.98	0.4423
21	1121	8.28	50.17	13.16	0.5465
22	1122	9.96	53.82	13.14	0.7042
23	1123	9.44	51.36	13.36	0.6476
24	1124	8.22	57.01	12.61	0.591
25	1125	8.26	50.64	13.07	0.5468
26	1126	7.95	57.64	12.99	0.5955
27	1127	8.14	55.05	12.77	0.5722
28	1128	10.87	50.98	12.67	0.7022
29	1129	8.16	46.96	13.59	0.5206
30	1130	8.3	56.86	12.57	0.5935
31	1131	8.13	59.46	12.31	0.5951
32	1132	8.22	61.5	13.19	0.6666
33	1133	8.12	57.51	11.51	0.5375
34	1134	7.55	60.59	12.53	0.573
35	1135	8.44	57.55	12.81	0.622
36	1136	8.46	59.44	13.21	0.6641
37	1137	7.87	58.31	13.24	0.6076
38	1138	8.18	56.89	12.09	0.5628
39	1139	10.31	57.92	11.95	0.7135
40	1140	8.35	57.39	13	0.6229
41	1141	7.8	57.96	12.46	0.5632

42	1142	8.02	57.21	13.69	0.628
43	1143	8.35	58.18	12.77	0.6204
44	1144	8.72	58.57	13.15	0.6714
45	1145	9.2	57.41	13.34	0.7047
46	1146	8.3	59.16	12.14	0.5959
47	1147	8.39	62.14	12.21	0.6368
48	1148	8.61	60.94	12.04	0.632
49	1149	8.47	64.37	12.55	0.6844
50	1150	8.25	62.41	12.27	0.6319
51	1151	5.18	58.5	12.07	0.3657
52	1152	5.07	59.4	12.31	0.3706
53	1153	8.03	56.4	12.96	0.587
54	1154	7.99	56.8	12.5	0.5673
55	1155	4.04	58.68	12.61	0.299
56	1156	9.67	62.84	12.46	0.7572
57	1157	8.31	65	12.65	0.6831
58	1158	8.38	65.76	12.5	0.6888
59	1159	4.85	56.53	11.89	0.3259
60	1160	8.2	59.62	13.5	0.6601
61	1161	4.2	57.3	12.72	0.3062
62	1162	8.29	44.13	12.49	0.4568
63	1163	7.63	41.39	12.32	0.3891
64	1164	7.6	52.09	13.17	0.5214
65	1165	8.05	47.08	11.79	0.4468
66	1166	8.06	43.86	13.22	0.4675
67	1167	7.75	46.2	12.49	0.4472
68	1168	10.04	52.55	13.8	0.7279
69	1169	8.11	48.85	13.31	0.5271
70	1170	8.07	48.66	11.86	0.4656
71	1171	8.07	54.14	13.3	0.581
72	1172	7.97	51.02	12.76	0.5188
73	1173	8	55.78	13.07	0.5832
74	1174	8.42	53.36	12.84	0.5768
75	1175	8.36	48.33	12.93	0.5225
76	1176	8.06	54.17	13.86	0.6053
77	1177	4.2	49.02	12.59	0.2591
78	1178	8	47.91	12.96	0.4968
79	1179	8.13	55.34	12.9	0.5805
80	1180	8.03	59.49	12.69	0.6063
81	1181	10.21	58.41	12.99	0.7749
82	1182	9.63	58.99	13.07	0.7425
83	1183	9.44	58.17	12.76	0.7004
84	1184	10.37	57.68	13.68	0.8182
85	1185	9.76	57.5	12.89	0.7232
86	1186	8.56	57.19	11.44	0.5598
87	1187	7.98	53.43	12.65	0.5394
88	1188	7.86	52.17	14.18	0.5816
89	1189	8.19	58.07	12.48	0.5938
90	1190	8.63	53.4	13.39	0.617
91	1191	9.44	56.52	11.48	0.6127

92	1192	8.02	54.98	12.57	0.5542
93	1193	9.49	60.62	13.68	0.7867
94	1194	9.8	66.22	12.82	0.832
95	1195	9.45	58.59	12.73	0.705
96	1196	7.39	57.2	13.02	0.5506
97	1197	7.77	61.35	12.22	0.5828
98	1198	6.37	54.54	12.8	0.4446
99	1199	9.55	63.26	12.84	0.7755
100	1200	8.31	43.53	12.77	0.462

Name of Division : Bhilwara

Challan No. : 18/65

1	1701	10.2	61.49	12.42	0.7793
2	1702	8.03	58.57	13.23	0.6223
3	1703	8.05	63.76	12.86	0.6601
4	1704	8.2	61.63	12.27	0.6199
5	1705	10.26	60.19	11.5	0.71
6	1706	7.94	61.1	13.42	0.6511
7	1707	7.99	62.87	11.72	0.5889
8	1708	8.38	63.07	12.99	0.6863
9	1709	8.13	58.32	12.81	0.6073
10	1710	9.78	62.19	11.29	0.6866
11	1711	7.69	60.95	12.11	0.5675
12	1712	8.05	63.2	13.56	0.6899
13	1713	8.03	67.28	12.96	0.7002
14	1714	9.35	60.75	13.1	0.7443
15	1715	9.4	58.97	13.16	0.7294
16	1716	7.78	59.41	12.76	0.5897
17	1717	8.2	61.78	12.53	0.6347
18	1718	7.37	56.16	13.18	0.5454
19	1719	7.92	62.6	13.23	0.6558
20	1720	7.62	65.48	12.74	0.6355
21	1721	8.09	64.83	13.4	0.703
22	1722	7.59	60.17	12.91	0.5897
23	1723	7.7	65.56	12.77	0.6445
24	1724	8.15	64.92	12.78	0.6764
25	1725	7.98	67.27	13.1	0.703
26	1726	9.46	65.74	12.6	0.7833
27	1727	7.56	52.62	12.79	0.5088
28	1728	9.6	54.91	13.09	0.6902
29	1729	8.35	55.69	12.8	0.5954
30	1730	8.07	59.04	13.19	0.6287
31	1731	9.2	55.24	12.24	0.6219
32	1732	8.03	62.91	13.45	0.6793
33	1733	9.63	57.48	12.23	0.677
34	1734	9.27	57.62	13.02	0.6953
35	1735	8.3	60.06	13.29	0.6623
36	1736	9.76	62.25	12.85	0.7808
37	1737	7.95	59.95	13.01	0.6201
38	1738	7.68	61.18	13.42	0.6305
39	1739	9.67	64.45	12.24	0.763
40	1740	8.08	58.56	12.6	0.5963

41	1741	7.66	61.37	11.73	0.5515
42	1742	8.15	60.05	11.67	0.5713
43	1743	9.65	60.19	12.61	0.7324
44	1744	9.73	63.17	13.5	0.83
45	1745	7.46	63.64	11.91	0.5655
46	1746	8.03	59.07	12.93	0.6135
47	1747	9.75	66.04	12.37	0.7966
48	1748	7.93	64.4	13.31	0.6796
49	1749	7.97	61.79	11.62	0.5722
50	1750	7.68	62.95	13.38	0.6467
51	1751	8.03	57.09	13.31	0.6103
52	1752	7.73	51.24	13.33	0.528
53	1753	7.51	57.73	11.42	0.4949
54	1754	7.6	58.51	12.9	0.5738
55	1755	7.6	58.52	12.95	0.5761
56	1756	7.72	57.47	12.06	0.535
57	1757	9.61	55.02	13.85	0.7323
58	1758	9.17	60.2	12.39	0.6841
59	1759	9.14	61.7	12.43	0.701
60	1760	8	57.16	13.51	0.6176
61	1761	7.82	57.73	14.46	0.653
62	1762	7.67	62.42	13.52	0.6473
63	1763	9.3	61.46	12.77	0.7301
64	1764	7.76	53.54	13.06	0.5424
65	1765	9.5	55.36	12.57	0.6612
66	1766	9.2	58.88	12.89	0.6983
67	1767	9.04	59.31	13	0.697
68	1768	9.48	61.32	12	0.6977
69	1769	7.61	60.38	13.48	0.6195
70	1770	7.69	66.77	12.31	0.6321
71	1771	7.71	60.13	12.51	0.5798
72	1772	7.67	60.47	13.15	0.6098
73	1773	7.76	61.51	12.99	0.62
74	1774	7.7	59.36	11.56	0.5282
75	1775	7.61	61.33	12.77	0.5959
76	1776	7.93	62.25	12.32	0.6082
77	1777	7.64	60.05	12.26	0.5623
78	1778	7.97	63.9	12.33	0.628
79	1779	7.2	58.31	12.43	0.522
80	1780	7.41	62.87	13.22	0.6158
81	1781	7.55	60.64	12.04	0.5512
82	1782	7.65	66.3	12.78	0.648
83	1783	8.8	66.02	12.78	0.7427
84	1784	7.79	63.24	12.54	0.6177
85	1785	7.98	64.21	12.9	0.6607
86	1786	9.22	66.43	13.55	0.8298
87	1787	7.92	65.44	13.23	0.6859
88	1788	7.6	63.87	12.92	0.627
89	1789	7.64	63.45	12.17	0.5898
90	1790	7.49	62.99	12.97	0.6119

91	1791	7.73	61.65	12.78	0.6091
92	1792	7.68	57.89	12.68	0.5637
93	1793	9.35	63.52	13.21	0.7845
94	1794	7.07	53.45	12.25	0.4631
95	1795	9.72	60.79	13.04	0.7708
96	1796	8.15	63.82	13.16	0.6846
97	1797	7.61	56.26	13.58	0.5814
98	1798	7.52	60.85	12.87	0.5888
99	1799	8.31	61.67	12.81	0.6565
100	1800	8.08	59.01	12.64	0.6028

Date: 14.08.2022

अस्वीकरण:—

फसल वर्ष 2021.22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2021-22****Name of Division : Bhilwara****Challan No. : 33/79**

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3283	7.88	63.21	11.41	0.5681
2	3214	7.98	69.38	12.22	0.6767
3	3252	7.67	63.01	12.70	0.6136
4	3202	8.11	54.41	11.49	0.5069
5	3207	7.68	61.59	11.82	0.5591
6	3236	9.31	60.97	13.01	0.7383
7	3203	7.8	56.61	12.82	0.5663
8	3279	7.78	59.04	11.60	0.5329
9	3248	8.03	62.75	13.21	0.6657
10	3219	7.71	60.55	11.31	0.5281
11	3281	7.66	60.79	11.38	0.5301
12	3213	7.69	61.37	13.54	0.6390
13	3244	8.01	61.25	13.58	0.6664
14	3205	9.6	61.19	13.58	0.7978
15	3209	7.42	61.16	12.93	0.5869
16	3220	7.82	63.31	12.95	0.6412
17	3299	7.62	64.04	12.82	0.6256
18	3249	7.8	63.03	12.55	0.6170
19	3280	8.03	65.05	11.61	0.6063
20	3267	7.66	54.84	11.80	0.4956
21	3274	8.08	61.32	12.00	0.5947
22	3260	7.59	65.80	11.73	0.5859
23	3273	8.12	65.25	11.68	0.6187
24	3263	7.56	54.49	12.22	0.5035
25	3288	8.01	62.67	12.69	0.6368
26	3245	7.82	62.65	13.44	0.6584
27	3232	7.56	61.43	13.90	0.6456
28	3212	9.19	59.87	13.81	0.7600
29	3240	7.55	63.11	13.02	0.6206
30	3294	7.6	61.12	13.02	0.6050
31	3235	7.59	62.80	12.93	0.6163
32	3286	7.87	66.92	13.85	0.7295
33	3201	9.62	58.28	13.13	0.7359
34	3256	7.93	59.15	12.09	0.5670
35	3242	9.33	60.28	12.49	0.7025
36	3261	7.6	65.49	12.70	0.6323
37	3229	7.56	63.07	12.95	0.6177
38	3217	7.67	60.03	13.48	0.6205
39	3276	8.3	64.19	12.03	0.6408
40	3255	7.96	59.50	11.97	0.5668
41	3257	7.74	63.74	11.47	0.5658
42	3222	7.49	60.91	13.28	0.6059
43	3262	7.98	69.34	12.60	0.6975
44	3231	4.76	60.13	13.67	0.3913

45	3247	8.33	62.09	12.40	0.6414
46	3277	9.95	63.15	11.88	0.7463
47	3210	7.93	58.10	12.31	0.5670
48	3300	8.19	67.10	12.94	0.7109
49	3233	8.06	57.55	12.67	0.5876
50	3223	7.83	63.40	12.35	0.6131
51	3237	7.39	60.68	13.99	0.6274
52	3266	7.82	61.74	12.47	0.6021
53	3228	7.76	60.17	14.21	0.6635
54	3226	7.82	63.76	11.62	0.5795
55	3208	7.38	58.04	12.94	0.5542
56	3291	8.37	63.01	13.51	0.7123
57	3287	7.92	61.60	12.65	0.6170
58	3264	7.84	55.57	12.54	0.5464
59	3297	7.59	63.00	12.29	0.5875
60	3282	9.43	60.34	12.86	0.7318
61	3225	7.58	60.22	13.40	0.6117
62	3221	7.72	62.51	12.88	0.6215
63	3270	8.3	60.28	12.23	0.6117
64	3215	7.67	59.06	13.66	0.6190
65	3253	7.51	63.48	13.39	0.6384
66	3296	9.41	62.00	11.47	0.6691
67	3216	7.65	56.16	13.19	0.5669
68	3204	7.81	63.32	13.06	0.6459
69	3295	7.6	65.08	12.83	0.6346
70	3290	7.95	65.79	11.87	0.6209
71	3238	7.75	61.18	11.74	0.5565
72	3269	10.1	64.96	12.27	0.8050
73	3271	7.72	60.58	12.55	0.5867
74	3289	8.94	60.10	12.36	0.6642
75	3251	7.44	63.83	13.55	0.6436
76	3224	7.58	65.41	12.12	0.6011
77	3211	7.55	59.94	12.70	0.5746
78	3268	7.96	56.36	12.83	0.5755
79	3250	7.73	63.35	10.59	0.5187
80	3272	7.55	56.79	12.73	0.5459
81	3298	7.56	63.91	11.92	0.5761
82	3230	7.63	62.16	13.32	0.6318
83	3246	9.56	68.30	12.01	0.7839
84	3278	7.78	65.91	12.67	0.6496
85	3241	7.68	61.67	11.92	0.5645
86	3254	7.84	64.09	13.26	0.6664
87	3265	7.81	58.40	12.72	0.5803
88	3243	7.44	60.71	13.47	0.6086
89	3258	7.77	62.89	13.56	0.6628
90	3206	7.77	55.78	13.34	0.5781
91	3275	7.92	60.66	12.53	0.6019
92	3259	7.95	64.05	11.23	0.5716
93	3285	7.97	65.57	12.12	0.6336
94	3218	7.67	59.05	13.75	0.6228

95	3284	7.79	63.44	11.41	0.5640
96	3227	9.15	56.26	13.76	0.7082
97	3292	7.84	68.63	13.20	0.7103
98	3293	9.34	64.87	13.32	0.8070
99	3239	7.84	55.47	13.32	0.5794
100	3234	7.48	55.93	12.69	0.5311

Name of Division : Bhilwara

Challan No. : 40/86

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	3984	7.41	61.90	12.88	0.5906
2	3901	7.49	67.02	11.03	0.5535
3	3989	7.71	60.25	12.58	0.5844
4	3933	7.78	60.84	13.02	0.6162
5	3974	4.12	52.47	12.29	0.2657
6	3921	8.11	52.05	12.56	0.5304
7	3952	7.49	59.86	12.96	0.5812
8	3939	8.02	57.51	13.16	0.6071
9	3994	7.7	52.50	13.16	0.5321
10	3914	7.99	63.22	12.23	0.6176
11	3929	8.44	56.28	12.37	0.5874
12	3968	7.57	57.61	13.33	0.5814
13	4000	8.05	59.31	13.30	0.6351
14	3918	8.01	52.85	13.51	0.5719
15	3910	7.34	61.57	13.17	0.5953
16	3915	9.51	60.74	12.13	0.7009
17	3982	7.81	64.21	12.55	0.6295
18	3912	8	62.64	12.56	0.6296
19	3980	9.58	60.53	12.26	0.7108
20	3971	7.58	58.38	12.26	0.5427
21	3923	8.45	54.96	12.74	0.5915
22	3931	8.23	55.96	12.87	0.5926
23	3922	8.3	54.00	12.28	0.5503
24	3919	8.52	49.61	12.64	0.5342
25	3951	7.47	55.58	13.35	0.5543
26	3955	7.17	57.81	13.22	0.5478
27	3917	4.09	62.20	13.34	0.3395
28	3946	8.03	53.04	13.80	0.5878
29	3943	7.78	64.26	13.32	0.6660
30	3981	7.95	64.31	12.36	0.6320
31	3924	8.35	55.25	12.62	0.5820
32	3965	7.33	58.36	12.70	0.5432
33	3911	5	61.69	14.20	0.4380
34	3990	7.73	60.10	13.73	0.6377
35	3975	10.56	62.05	12.93	0.8469
36	3934	8.02	53.92	13.11	0.5670
37	3907	8.02	54.20	13.14	0.5710
38	3988	7.83	63.32	12.93	0.6413
39	3936	7.93	59.53	12.75	0.6019
40	3909	7.9	59.14	12.94	0.6044
41	3977	7.6	61.08	13.26	0.6156

42	3959	7.52	62.14	12.18	0.5693
43	3944	7.69	57.85	13.21	0.5875
44	3949	7.53	59.89	13.24	0.5971
45	3932	8.39	57.97	12.63	0.6141
46	3996	7.34	51.19	13.58	0.5101
47	3987	7.82	60.93	13.52	0.6444
48	3925	10.09	54.60	13.02	0.7174
49	3940	5.13	58.04	13.09	0.3899
50	3976	7.8	62.45	13.10	0.6380
51	3913	7.12	51.32	13.76	0.5027
52	3978	9.75	61.73	13.28	0.7995
53	3962	8.29	61.06	12.74	0.6450
54	3920	8.66	51.97	13.22	0.5949
55	3905	7.23	56.96	12.55	0.5169
56	3964	4.71	56.17	13.60	0.3598
57	3995	7.48	50.15	13.30	0.4989
58	3985	7.87	63.13	13.00	0.6461
59	3958	7.91	52.88	12.63	0.5284
60	3930	8.32	51.89	13.05	0.5633
61	3956	7.26	56.13	13.25	0.5401
62	3953	7.59	60.67	11.74	0.5404
63	3928	8.26	57.74	14.55	0.6938
64	3947	8.27	54.25	12.65	0.5673
65	3963	4.74	56.26	13.47	0.3593
66	3961	7.66	54.54	14.15	0.5914
67	3983	10.19	68.50	14.64	1.0221
68	3942	10.89	53.86	12.07	0.7079
69	3972	7.44	62.63	13.78	0.6421
70	3927	10.6	50.79	12.60	0.6784
71	3948	7.42	57.59	14.26	0.6092
72	3986	7.64	62.81	14.95	0.7174
73	3904	7.29	63.91	12.13	0.5650
74	3903	7.45	65.16	11.46	0.5565
75	3916	10.06	66.35	12.98	0.8662
76	3966	9.46	56.59	12.26	0.6565
77	3908	7.96	56.48	12.02	0.5405
78	3979	7.7	60.03	12.63	0.5837
79	3969	7.81	55.19	12.61	0.5436
80	3967	7.56	55.82	13.40	0.5655
81	3906	8.01	58.21	13.62	0.6352
82	3938	7.93	58.70	12.64	0.5884
83	3935	7.96	62.81	13.45	0.6726
84	3954	7.17	61.20	12.81	0.5621
85	3950	7.58	61.25	12.46	0.5784
86	3960	4.16	50.72	12.89	0.2721
87	3993	7.75	63.73	14.72	0.7269
88	3937	7.87	60.23	13.03	0.6178
89	3941	5.09	56.48	12.78	0.3675
90	3945	4.57	68.53	14.45	0.4524
91	3973	7.65	60.16	13.50	0.6212

92	3991	7.82	63.34	14.02	0.6944
93	3970	7.74	59.11	13.06	0.5975
94	3957	6.54	60.71	13.21	0.5245
95	3992	7.62	64.02	14.56	0.7102
96	3902	7.45	66.29	12.61	0.6228
97	3998	7.71	53.74	13.44	0.5567
98	3999	8	54.29	12.97	0.5632
99	3926	10.65	56.41	13.49	0.8105
100	3997	7.51	54.71	13.65	0.5610

Name of Division : Bhilwara

Challan No. : 41/87

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4015	8.11	55.02	13.34	0.5953
2	4046	7.6	52.37	13.56	0.5396
3	4082	7.15	58.12	13.83	0.5749
4	4091	7.54	63.42	13.09	0.6258
5	4037	7.88	56.77	13.60	0.6083
6	4033	7.83	63.86	12.37	0.6186
7	4019	7.82	57.81	13.37	0.6045
8	4027	7.54	64.10	12.39	0.5987
9	4031	7.63	59.69	13.08	0.5959
10	4074	7.49	65.23	12.56	0.6134
11	4045	7.27	60.48	12.55	0.5518
12	4023	7.44	61.40	12.48	0.5699
13	4004	7.18	60.10	11.68	0.5040
14	4085	7.11	54.87	13.83	0.5396
15	4032	7.33	60.17	13.30	0.5864
16	4003	7.61	57.97	12.47	0.5502
17	4081	8.07	58.24	13.14	0.6174
18	4059	7.68	61.77	14.38	0.6820
19	4097	7.53	57.71	12.25	0.5324
20	4036	7.18	57.97	12.63	0.5256
21	4049	7.37	59.79	12.28	0.5410
22	4096	7.49	57.98	14.13	0.6134
23	4058	7.37	69.34	13.60	0.6950
24	4072	7.54	58.97	12.33	0.5482
25	4005	4.57	59.29	12.23	0.3313
26	4061	7.49	57.38	13.58	0.5835
27	4017	8.05	58.12	14.09	0.6593
28	4040	7.1	52.59	12.74	0.4757
29	4020	8.27	57.36	12.90	0.6120
30	4008	7.31	64.41	13.03	0.6133
31	4012	7.17	64.76	13.99	0.6496
32	4009	7.26	64.45	13.65	0.6389
33	4088	4.41	57.31	12.91	0.3263
34	4034	7.92	61.26	11.61	0.5631
35	4014	8.11	52.47	13.44	0.5718
36	4053	3.83	55.57	14.52	0.3091
37	4028	7.59	57.85	12.19	0.5351
38	4043	7.26	55.28	13.66	0.5481

39	4029	7.68	63.19	13.02	0.6321
40	4063	7.39	65.07	14.43	0.6939
41	4098	7.09	59.54	13.76	0.5807
42	4073	7.96	59.12	12.65	0.5954
43	4018	8.23	56.95	12.27	0.5753
44	4024	7.17	58.13	12.52	0.5220
45	4071	7.62	62.14	12.38	0.5860
46	4048	7.47	57.21	13.62	0.5819
47	4065	7.42	53.32	12.77	0.5053
48	4089	7.57	55.82	12.41	0.5246
49	4092	7.56	59.33	11.39	0.5111
50	4080	7.18	58.76	13.33	0.5622
51	4021	8.15	67.07	12.35	0.6748
52	4078	7.4	46.24	12.72	0.4351
53	4052	7.22	57.81	12.90	0.5386
54	4006	7.34	60.78	12.45	0.5556
55	4077	9.58	62.08	11.95	0.7108
56	4042	7.4	55.76	13.22	0.5454
57	4056	7.35	66.00	12.86	0.6240
58	4095	7.32	57.22	13.33	0.5585
59	4100	7.38	59.61	12.92	0.5683
60	4079	7.23	50.43	12.69	0.4627
61	4010	7.21	61.82	12.41	0.5530
62	4016	8.42	57.91	12.67	0.6180
63	4090	7.5	58.76	12.78	0.5633
64	4051	7.69	61.86	14.26	0.6783
65	4044	4.05	55.03	13.07	0.2912
66	4060	7.77	63.00	13.02	0.6371
67	4062	7.84	55.81	13.99	0.6123
68	4067	7.5	54.73	12.17	0.4995
69	4093	7.03	59.21	13.73	0.5715
70	4002	8.01	56.03	12.62	0.5663
71	4069	7.54	60.54	12.36	0.5640
72	4055	7.25	62.28	11.37	0.5133
73	4086	7.18	58.72	13.42	0.5658
74	4075	7.64	59.84	12.37	0.5654
75	4030	8.12	62.57	12.96	0.6585
76	4041	7.42	56.11	12.94	0.5387
77	4007	8.9	55.47	12.75	0.6292
78	4084	8.03	61.31	12.87	0.6336
79	4001	7.86	56.24	14.53	0.6422
80	4083	7.43	55.24	12.49	0.5127
81	4070	7.38	59.31	11.73	0.5136
82	4039	7.09	57.16	12.42	0.5034
83	4064	7.64	68.48	14.71	0.7693
84	4066	7.28	59.57	12.36	0.5358
85	4047	7.77	56.53	12.97	0.5695
86	4087	7.69	54.85	13.67	0.5767
87	4026	9.52	63.96	12.10	0.7368
88	4038	7.65	57.71	13.81	0.6097

89	4035	7.66	61.48	12.80	0.6028
90	4022	7.3	57.20	11.77	0.4913
91	4099	7.4	57.70	12.89	0.5506
92	4050	7.45	58.31	12.57	0.5461
93	4076	7.59	66.67	12.76	0.6459
94	4013	8.07	52.04	13.05	0.5480
95	4025	7.21	62.76	13.46	0.6092
96	4068	7.24	52.06	12.52	0.4720
97	4057	7.55	62.79	12.79	0.6063
98	4094	7.48	55.16	13.98	0.5767
99	4011	7.9	60.89	12.74	0.6130
100	4054	7.76	58.53	12.83	0.5828

Name of Division : Bhilwara

Challan No. : 42/88

S.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	4126	7.21	59.08	13.78	0.5869
2	4176	7.68	58.41	10.84	0.4861
3	4198	7.52	51.96	13.43	0.5249
4	4141	4.07	62.27	13.41	0.3398
5	4181	8.18	60.72	14.00	0.6953
6	4175	8.06	56.28	13.73	0.6230
7	4113	7.13	53.60	13.19	0.5041
8	4116	7.46	58.96	13.74	0.6043
9	4114	7.17	56.29	13.43	0.5421
10	4134	7.5	56.86	13.28	0.5662
11	4173	7.54	55.78	13.57	0.5708
12	4151	9.58	60.52	12.28	0.7118
13	4174	7.64	55.94	14.52	0.6204
14	4128	7.88	60.43	14.12	0.6722
15	4159	4.61	51.16	13.06	0.3079
16	4137	7.76	58.93	13.39	0.6123
17	4135	9.68	63.27	13.04	0.7986
18	4162	7.7	52.25	13.09	0.5267
19	4177	7.54	51.16	13.74	0.5301
20	4153	9.85	62.51	13.28	0.8176
21	4178	7.44	63.34	12.88	0.6071
22	4103	7.52	58.74	13.16	0.5813
23	4160	7.86	49.78	12.76	0.4991
24	4142	7.76	59.33	13.96	0.6425
25	4164	7.59	50.49	12.99	0.4979
26	4115	7.77	57.40	12.89	0.5750
27	4117	7.43	53.65	13.16	0.5246
28	4172	7.62	60.36	12.31	0.5662
29	4148	8.43	60.45	13.02	0.6634
30	4110	3.55	63.65	14.30	0.3230
31	4120	7.55	59.75	12.07	0.5444
32	4131	7.7	57.70	10.43	0.4635
33	4196	7.61	61.93	13.08	0.6164
34	4108	7.23	59.05	12.96	0.5531
35	4111	7.69	57.93	12.69	0.5652

36	4185	7.87	56.72	12.85	0.5737
37	4101	7.32	58.49	14.45	0.6185
38	4191	9.39	64.97	13.54	0.8263
39	4165	7.54	53.86	12.37	0.5022
40	4118	7.57	56.54	13.37	0.5723
41	4168	7.88	54.82	13.10	0.5658
42	4129	7.59	57.29	12.86	0.5594
43	4132	7.35	60.60	12.92	0.5755
44	4199	7.66	58.96	13.43	0.6067
45	4122	7.31	53.09	13.88	0.5387
46	4127	7.11	58.51	12.68	0.5276
47	4133	7.44	65.69	13.30	0.6503
48	4192	7.94	60.03	12.83	0.6114
49	4147	8	58.06	13.43	0.6240
50	4154	7.62	56.45	13.34	0.5738
51	4130	7.62	57.80	9.88	0.4351
52	4145	7.62	59.88	14.20	0.6477
53	4193	7.22	48.29	13.77	0.4801
54	4102	7.77	57.62	12.39	0.5548
55	4121	7.52	62.24	11.66	0.5460
56	4184	7.11	52.10	13.15	0.4870
57	4155	8.14	62.66	13.21	0.6740
58	4146	10.03	61.48	12.62	0.7783
59	4150	7.75	57.30	14.01	0.6223
60	4156	7.62	59.60	14.35	0.6515
61	4140	7.38	61.27	12.63	0.5712
62	4167	7.71	59.23	13.68	0.6245
63	4157	7.93	63.09	13.85	0.6931
64	4158	7.78	63.19	14.84	0.7298
65	4138	7.62	55.45	13.63	0.5761
66	4188	7.56	58.52	12.58	0.5564
67	4109	7.47	62.86	12.77	0.5998
68	4179	7.58	61.13	12.43	0.5761
69	4171	7.08	53.66	13.36	0.5076
70	4149	7.57	58.97	13.26	0.5920
71	4119	7.69	59.02	13.08	0.5937
72	4107	7.48	62.87	10.21	0.4802
73	4194	7.67	62.34	13.94	0.6665
74	4163	8.65	51.47	12.49	0.5562
75	4169	7.5	59.80	12.02	0.5393
76	4195	8.14	57.31	13.12	0.6121
77	4104	7.74	59.47	11.92	0.5488
78	4180	7.35	47.73	12.51	0.4388
79	4139	8	64.81	12.31	0.6384
80	4190	7.96	62.29	12.91	0.6400
81	4183	7.29	59.42	13.90	0.6022
82	4182	7.52	58.46	13.62	0.5986
83	4200	7.69	57.58	13.79	0.6106
84	4143	7.56	54.49	12.22	0.5035
85	4187	7.27	58.24	13.53	0.5729

86	4124	7.51	62.78	13.75	0.6481
87	4170	7.74	55.79	13.03	0.5627
88	4112	7.54	53.85	13.37	0.5429
89	4144	9.8	61.00	13.07	0.7811
90	4197	7.79	58.46	13.05	0.5944
91	4186	4.51	54.44	13.39	0.3288
92	4166	7.56	53.75	13.02	0.5292
93	4125	7.34	61.59	14.35	0.6489
94	4161	7.86	51.75	12.91	0.5250
95	4189	7.59	58.93	10.98	0.4911
96	4152	7.53	56.86	12.49	0.5346
97	4136	7.56	62.78	13.41	0.6366
98	4123	7.1	59.17	13.45	0.5652
99	4105	7.44	58.38	13.16	0.5714
100	4106	7.4	67.90	14.17	0.7119

Date: 13.08.2022

अस्वीकरण:—

फसल वर्ष 2021.22 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन में यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना को ही अधिकृत माने।